

Ethyl Acrylate

Product Specification - Version 9a

Specifications	Minimum	Maximum	Test Method
Purity (wt% - wet basis)	99.5		GC
Water (wt%)		0.05	ASTM E1064
Acidity as Acrylic Acid (wt%)		0.01	ASTM D1613
Color (Pt-Co)		10	ASTM D5386/D1209
Inhibitor, MEHQ (ppm)	10	20	ASTM D3125
Appearance	Clear and bright		ASTM E2680

Notes: The Sales Specification values are continuously checked, documented and stored within the scope of quality assurance.

Reason for revision:

Version 2a dated 7/20/06 GAT– New format.

Version 4a dated 12/25/06 GAT – Specification layout revised for posting on website.

Version 6a dated 8/10/10 GAT - Water method changed to E1064.

Version 7a dated 11/28/12 GAT – add Appearance

Version 8a dated 11/5/13 GAT – Purity wet basis, Color D5386/D1209

Version 9a dated 7/31/14 GAT – Sasol Chemicals (USA) LLC

Sasol Chemicals (USA) LLC

12120 Wickchester
Houston, TX 77079
Telephone: (+1) 281 588 3000
www.sasol.com