

# ISOFOL 18T Alcohol

## Technical Data Sheet



### Description

Sasol Chemicals ISOFOL alcohols are primary, saturated alcohols with defined branching of the carbon chain. Such alcohols are chemically described as 2-alkyl-1-alkanols and are also referred to as Guerbet alcohols. ISOFOL alcohols are high purity alcohols which offer excellent oxidative and color stability. Additionally, the twin 100% linear alkyl branches of the ISOFOL alcohols give a lower viscosity and better biodegradability than dimer alcohols derived from oxo-alcohols. The unique chemical structure of the ISOFOL alcohols also provides good solubility and solvency.

### Applications

ISOFOL alcohols and their derivatives may be used in a wide array of applications including:

- Cosmetics
- Textile Industry
- Metal Processing and Lubricants
- Surfactants
- Paints, Inks, Coatings and Adhesives
- Oilfield

### Properties

Typical physical properties are listed in the table to the right. Actual properties may vary in differing conditions.

### Contact information

For technical information:  
Product Steward  
2201 Old Spanish Trail  
Westlake, Louisiana 70669  
Telephone: +1(337)494-4133  
[TDS.ProductSteward@us.sasol.com](mailto:TDS.ProductSteward@us.sasol.com)

For sales, pricing or samples,  
contact a sales representative at:  
Telephone: +1(281)588-3000  
[info@us.sasol.com](mailto:info@us.sasol.com)

### Don't see what you are looking for?

Sasol Chemicals offers a wide range of alcohols and surfactants. Please contact us for information about creating your own personalized product.

Typical Properties	ISOFOL 18T
iC 16 OH, wt. %	15 – 20
iC 18 OH, wt. %	46 – 54
iC 20 OH, wt. %	27 – 33
Water, wt. %	0.1 max.
Color, APHA	10 max.
Ester value, mg KOH/g	0.5 max.
Acid number, mg KOH/g	0.05 max.
Iodine value, mg I/100 mg	0.5 max.
Density, g/mL @ 20°C	0.835 – 0.839
Melting range, °C	-10 – -6
Boiling point, °C	290
Flash point, °C	170
Refractive index, nD20	1.452
Viscosity, mPas @ 20°C	50
Appearance	Clear, colorless, oily liquid
INCI name	Octyldecanol

The preceding data is based on tests and experience, which Sasol Chemicals believes reliable, and is supplied for informational purposes only. Sasol Chemicals expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained therein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Sasol Chemicals with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Sasol Chemicals. For detailed safety and handling information regarding these products, please refer to the respective Sasol Chemicals Safety Data Sheet. 07/08/2020

**Sasol Chemicals North America LLC**  
12120 Wickchester Lane, Houston, TX 77079-2990  
Phone +1 (281)588-3000, [info@us.sasol.com](mailto:info@us.sasol.com)  
[www.sasolnorthamerica.com](http://www.sasolnorthamerica.com)