



Sasol Engine Oil Synthetic W507 5W-30 MULTIGRADE, FULLY SYNTHETIC, SAE 5W-30

Description

Sasol Engine Oil Synthetic W507 5W-30 is a low SAPS technology lubricant formulated for Euro 4 engines, diesel vehicles equipped with diesel particulate filters (DPF) and gasoline with catalytic converter meeting VW 504/507.00 specifications.

Application

Sasol Engine Oil Synthetic W507 5W-30 is intended for all vehicles requiring VW 504.00 and VW507 specification requirements.

Sasol Engine Oil Synthetic W507 5W-30 is not recommended for use in VW R5 and V10 direct injected engines fitted with or without DPF's, these vehicles should use relevant VW recommended products.

Features and Benefits

Sasol Engine Oil Synthetic W507 5W-30 has the following features and benefits:

- Reduces environmental impact through low emissions
- Specially developed for Audi/VW cars including those on Long service life
- Consistently high fuel economy under most driving conditions
- Reduces engine wear – peace of mind against breakdown
- Delivers reduced cost of ownership through extended service intervals

Product Specifications

ACEA A3/B4
VW 504.00/507 as Longlife III oil
MB 229.51
BMW LL-02



Typical Characteristics

Property	Units	Typical	ASTM	IP
Viscosity			D445	71
@ 100°C	mm ² /s	11.60		
@ 40°C	mm ² /s	73.70		
Apparent Viscosity	mPa.s @ -30°C	6240	D5293	
Viscosity Index		151	D2270	226
Pour Point	°C	-39	D97	15
Flash Point (COC)	°C	246	D92	36
Evaporative Loss (Noack)	% m/m	11	CEC L-40-T-87 or DIN 51581	
Density @ 15°C	kg/m ³	850	D4052	365
Sulphated Ash	% m/m	0.6	D874	163
Total Base Number	mg KOH/g	6.1	D2896	276

Storage and Handling

Use PVC, nitrile or other oil resistant gloves and protective clothing to prevent skin contact. Where eye contact is a potential hazard, goggles should be worn.

Avoid temperatures above 80°C and strong oxidizing agents.

Ambient temperatures and atmospheric pressures normally encountered within buildings or roofed-over outdoor storage areas are acceptable. Avoid entering areas where mists or vapours have built up as a result of abnormal temperatures or pressures without the proper breathing equipment and protective clothing.

Pack Information

Product Code **Pack Size**