

Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Telephone

Trade name Differential Oil Limited Slip 85W-140

Synonyms Limited Slip Differential Oil

Relevant identified uses of the substance or mixture and uses advised against

Use Lubricant or lubricant additive

Manufacturer or supplier's details

Company Sasol Oil Pty (Ltd)

Address Sasol Place, 50 Katherine Street

Sandton 2090

South Africa

+27860335444

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 10 5100 3039 (China)

+27 (0)17 610 4444 (South Africa)

+61 (2) 8014 4558 (Australia)



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification

Skin sensitisation Category 1
Specific target organ toxicity - repeated exposure Category 2
Hazardous to the aquatic environment - chronic Category 2

hazard

Label elements

Pictogram







Signal word Warning

Hazard statements H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated

exposure.

H411: Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention P261: Avoid breathing mist or vapours.

P272: Contaminated work clothing should not be allowed out of the

workplace.

Print Date 07.06.2023 100000009192 2/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

P280: Wear protective gloves.

P273: Avoid release to the environment.

Response P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P333 + P313: If skin irritation or rash occurs: Get medical advice/

attention.

P362 + P364: Take off contaminated clothing and wash it before reuse.

P314: Get medical advice/ attention if you feel unwell.

P391: Collect spillage.

Storage No special storage conditions required.

Disposal P501Dispose of contents/container to an approved facility in

accordance with local, regional, national and international regulations.

Other hazards No data available

SECTION 3. Composition/information on ingredients

Mixture

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: 8.00 %W/W

CAS-No. 64742-54-7 **Index-No.** 649-467-00-8 **EC-No.** 265-157-1

Mineral Oil

Contents: >= 80.45 - <= 80.60 %W/W

CAS-No. Index-No. EC-No.

Print Date 07.06.2023 100000009192 3/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Phosphoric acid esters/amine salt

Contents: >= 1.30 - <= 1.95 %W/W

CAS-No. Index-No. EC-No.

Alkenyl Amine

Contents: >= 0.33 - <= 0.65 %W/W

CAS-No. Index-No. EC-No.

Substituted thiadiazole

Contents: >= 0.07 - <= 0.33 %W/W

CAS-No. Index-No. EC-No.

Alkylamine salt of alkylphosphoric acid

Contents: >= 1.00 - <= 1.50 %W/W

CAS-No. Index-No. EC-No.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Print Date 07.06.2023 100000009192 4/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Inhalation Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial

respiration. If breathing is difficult, give oxygen. Get medical

attention/advice if you feel unwell.

Skin contact Wash off immediately with soap and plenty of water. Wash

contaminated clothing before reuse. Get medical attention if

irritation develops and persists.

Eye contact Remove contact lenses. Rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Ingestion Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person. Seek immediate

medical attention/advice.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing

media

Water spray, Foam, CO2, Dry powder.

Special hazards arising

from the substance or

mixture

Under conditions of continuous exposure to heat, may burn.
Under extreme conditions (e.g. confinement) could lead to
detonation. Nitrogen oxides (NOx) and carbon oxides are

produced during combustion.

Print Date 07.06.2023 **100000009192** 5/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Special protective

Wear self-contained breathing apparatus and protective suit.

equipment for firefighters

SECTION 6. Accidental release measures

good industrial hygiene and safety practice.

Environmental precautions Prevent further leakage or spillage if safe to do so. Try to

prevent the material from entering drains or water courses.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Disposal and clean up may

only be done by authorised personnel.

Reference to other sections Refer to Section 8 and 13

SECTION 7. Handling and storage

Safe handling advice Wear personal protective equipment. Do not breathe vapours

or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.

Advice on protection

No data available

against fire and explosion

Requirements for storage

Keep away from heat.Do not store near combustible materials.

areas and containers

Advice on common storage No data available

Print Date 07.06.2023 100000009192 6/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection Gloves suitable for permanent contact:

Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm

Eye protection Safety goggles

Skin and body protection lightweight protective clothing

Hygiene measures Wash hands before breaks and immediately after handling the

product.

SECTION 9. Physical and chemical properties



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Information on basic physical and chemical properties

Form Liquid

State of matter Liquid; at 20 ° C; 1,013 hPa

Colour Dark brown

Odour Wood resin

Odour Threshold No data available

pH No data available

Pour point -18 ° C; ASTM D97

Flash point 240 ° C; ASTM D92

Evaporation rate No data available

Flammability (solid, gas) No data available

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Vapour pressure No data available

Relative vapour density No data available

Density 0.904 g/cm3

Water solubility Insoluble, Immiscible

Partition coefficient: n-

octanol/water

No data available

Viscosity, kinematic 310 mm2/s; ASTM D 445

SECTION 10. Stability and reactivity

Print Date 07.06.2023 **100000009192** 8/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Reactivity Stable under normal conditions.

Chemical stability No data available

Possibility of hazardous

reactions

Strong acids and oxidizing agents

Conditions to avoid No data available

Materials to avoid Combustible material.

Hazardous decomposition

products

Stable under normal conditions.

SECTION 11. Toxicological information

Acute oral toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LD50 Rat: 5,000 mg/kg;

Acute inhalation toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LC50 Rat: 4 h; 2.18 - 5.53 mg/l;

Acute dermal toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LD50 Rabbit: 2,000 - 5,000 mg/kg;

Skin irritation No data available

Eye irritation No data available

Print Date 07.06.2023 100000009192 9/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Sensitisation May cause an allergic skin reaction.

Carcinogenicity Mineral oils are severely solvent refined or hydrotreated.

SECTION 12. Ecological information

Toxicity to daphnia and other

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

aquatic invertebrates

unspecified:

No data available

Toxicity to algae

No data available

Toxicity to bacteria

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

No data available

Other adverse effects

Hazardous to the aquatic environment - chronic hazard

Information given is based on data on the components and

the ecotoxicology of similar products.

Chemical Oxygen Demand

(COD)

No data available

SECTION 13. Disposal considerations

Product Dispose of in accordance with local regulations.

SECTION 14. Transport information

ADR

Print Date 07.06.2023 100000009192 10/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

UN number: 3082

Class: 9

Packaging group: III; M6;

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

RID

UN number: 3082

Class: 9

Packaging group: III; M6

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

ADNR

UN number: 3082

Class: 9

Packaging group: III; M6

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

SECTION 15. Regulatory information

Print Date 07.06.2023 10000009192 11/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canadian Domestic Substances List (DSL) Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

Australian Inv. of Chem. Substances (AICS) Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

New Zealand Inventory of Chemicals Components Not listed

(NZIoC) Mineral Oil

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

Jap. Inv. of Exist. & New Chemicals (ENCS) Components Not listed

Mineral Oil

Distillates (petroleum), hydrotreated heavy paraffinic

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

Japan. Industrial Safety & Health Law (ISHL) Components Not listed

Print Date 07.06.2023 100000009192 12/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Mineral Oil

Distillates (petroleum), hydrotreated heavy paraffinic

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

Korea. Existing Chemicals Inventory (KECI)

Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

Philippines Inventory of Chemicals and

Chemical Substances (PICCS)

Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

China Inv. Existing Chemical Substances

(IECSC)

Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

Taiwan. Chemical Substances Inventory

(TCSI)

Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt

Alkylamine salt of alkylphosphoric acid

Print Date 07.06.2023 100000009192 13/14



Differential Oil Limited Slip 85W-140

Version 1.01 Revision Date 07.06.2023

Alkenyl Amine

Substituted thiadiazole

USA TSCA Inventory Components Not listed

Mineral Oil

Phosphoric acid esters/amine salt Alkylamine salt of alkylphosphoric acid

Alkenyl Amine

Substituted thiadiazole

SECTION 16. Other information

Full text of H-Statements.

This substance contains no components with H-statement.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 07.06.2023 100000009192 14/14