



Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

Differential Oil 85W - 140

Synonyms

Gear Oil, Hypoid Gear

Relevant identified uses of the substance or mixture and uses advised against

Use

Lubricant or lubricant additive

Manufacturer or supplier's details

Company

Sasol Oil Pty (Ltd)

Address

Sasol Place, 50 Katherine Street
Sandton
2090
South Africa
+27103445000

Telephone

E-mail address

sasolchem.info.sa@sasol.com

Emergency telephone number

+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 10 5100 3039 (China)

+27 (0)17 610 4444 (South Africa)

+61 (2) 8014 4558 (Australia)

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification This substance is not classified as hazardous according to GHS.

Label elements

Pictogram Not applicable

Signal word Not applicable

Hazard statements This substance is not classified as hazardous according to GHS.

Precautionary statements

Prevention This substance is not classified as hazardous according to GHS.

Response This substance is not classified as hazardous according to GHS.

Storage This substance is not classified as hazardous according to GHS.

Disposal This substance is not classified as hazardous according to GHS.

Other hazards No data available

SECTION 3. Composition/information on ingredients

Mixture

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

Highly refined mineral oils

Contents: ≥ 97.30 - ≤ 99.70 %W/W

CAS-No. 64742-62-7

Index-No. 649-471-00-X

EC-No. 265-166-0

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Skin contact	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician. For thermal burns, cool affected areas as quickly as possible by immersing in water. Consult a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately. If burns occur, treat as thermal burns.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. Prevent vomiting if possible. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Water spray. Foam. Dry powder. Carbon dioxide (CO ₂)
Special hazards arising from the substance or mixture	Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. Accidental release measures

Personal precautions	Keep people away from and upwind of spill/leak. Remove all sources of ignition. Do not breathe vapours or spray mist.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste.
Reference to other sections	Refer to Section 8 and 13

SECTION 7. Handling and storage

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

Safe handling advice	Ensure adequate ventilation. Do not breathe vapours or spray mist. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred. Wear personal protective equipment.
Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition.
Requirements for storage areas and containers	Keep containers tightly closed in a cool, well-ventilated place.
Advice on common storage	Keep away from oxidizing agents, and acidic or alkaline products.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Gloves suitable for permanent contact:
Material: butyl-rubber
Break through time: 4 h

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

Material thickness: 0.5 mm

Eye protection	Safety glasses with side-shields
Skin and body protection	Safety shoes Lightweight protective clothing Use protective skin cream before handling the product.
Hygiene measures	Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	Amber
Odour	Hydrocarbon-like
Odour Threshold	No data available
pH	No data available
Pour point	-18 ° C; ASTM D97
Boiling point/boiling range	No data available
Flash point	220 ° C; ASTM D92
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	> 320 ° C

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Density	0.91 g/cm ³ ; ASTM D4052
Water solubility	Emulsifiable
Partition coefficient: n-octanol/water	Pow: > 6; literature value
Viscosity, kinematic	435 mm ² /s; 40 ° C; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None known.
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	Strong acids and oxidizing agents
Hazardous decomposition products	Carbon oxidesHydrocarbons

SECTION 11. Toxicological information

Further Information	No known toxicological effects
---------------------	--------------------------------



Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

SECTION 12. Ecological information

Other adverse effects No information on ecology is available.

SECTION 13. Disposal considerations

Product Dispose of in accordance with local regulations.

SECTION 14. Transport information

Marine pollutant Not a Marine Pollutant

Further Information Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

USA TSCA Inventory	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)
Canadian Domestic Substances List (DSL)	All chemical constituents are listed in: Canadian Domestic Substances List (DSL) (See chapter 3)
Australian Inv. of Chem. Substances (AICS)	All chemical constituents are listed in: Australian Inv. of Chem. Substances (AICS) (See chapter 3)

Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

New Zealand Inventory of Chemicals (NZIoC)	All chemical constituents are listed in: New Zealand Inventory of Chemicals (NZIoC) (See chapter 3)
Jap. Inv. of Exist. & New Chemicals (ENCS)	All chemical constituents are listed in: Jap. Inv. of Exist. & New Chemicals (ENCS) (See chapter 3)
Japan. Industrial Safety & Health Law (ISHL)	All chemical constituents are listed in: Japan. Industrial Safety & Health Law (ISHL) (See chapter 3)
Korea. Existing Chemicals Inventory (KECI)	All chemical constituents are listed in: Korea. Existing Chemicals Inventory (KECI) (See chapter 3)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	All chemical constituents are listed in: Philippines Inventory of Chemicals and Chemical Substances (PICCS) (See chapter 3)
China Inv. Existing Chemical Substances (IECSC)	All chemical constituents are listed in: China Inv. Existing Chemical Substances (IECSC) (See chapter 3)

SECTION 16. Other information

Full text of H-Statements.

This substance contains no components with H-statement.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further



Safety Data Sheet

Differential Oil 85W - 140

Version 1.01

Revision Date 23.06.2023

remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.