

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

---

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

---

**1.1 Product identifier**

<b>Trade name</b>	<b>Ceralution H</b>
<b>INCI</b>	Behenyl Alcohol, Glyceryl Stearate, Glyceryl Stearate Citrate, Disodium Ethylene Dicotamide PEG-15 Disulfate

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

<b>Use</b>	Industrial use
<b>Uses advised against</b>	raw material for cosmetic agents

**1.3 Details of the supplier of the safety data sheet**

<b>Company</b>	SASOL Germany GmbH Anckelmannsplatz 1 20537 Hamburg Germany
	Telephone: +49 40 63684-1000 Telefax: +49 40 63684-3700
<b>Information (Product safety):</b>	Telephone: + 49 (0) 23 65 - 49 47 05 Telefax: + 49 (0) 23 65 - 49 92 40
<b>E-mail address</b>	msds-info.germany@de.sasol.com

**1.4 Emergency telephone number**

<b>Emergency telephone number</b>	+ 49 (0) 23 65 - 49 22 32
-----------------------------------	---------------------------

---

**SECTION 2: HAZARDS IDENTIFICATION**

---

**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

**2.2 Label elements**

Not a hazardous substance or mixture.

**2.3 Other hazards**

Forms slippery/greasy layers with water.

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

---

This product is a mixture in the meaning of regulation (EC) 1907/2006.

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

Substances for which maximum allowable workplace concentrations have been laid down

**Docosan-1-ol****content:**  $\geq 10$  -  $< 20$  %**component type:** Active ingredient**EC-No.:** 211-546-6**Index-No.:****CAS-No.:** 661-19-8**REACH No.:** 01-2119487963-20-0000**Substance name (REACH / CLP):** docosan-1-ol**Octadecan-1-ol****content:**  $\geq 10$  -  $< 20$  %**component type:** Active ingredient**EC-No.:** 204-017-6**Index-No.:****CAS-No.:** 112-92-5**REACH No.:** 01-2119485907-20-0000**Substance name (REACH / CLP):** octadecan-1-ol**Icosan-1-ol****content:**  $\geq 1$  -  $< 10$  %**component type:** Active ingredient**EC-No.:** 211-119-4**Index-No.:****CAS-No.:** 629-96-9**REACH No.:** 01-2119485909-16-0000**Substance name (REACH / CLP):** icosan-1-ol**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	No hazards which require special first aid measures.
<b>If inhaled</b>	Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, give oxygen if necessary. Consult a physician.
<b>In case of skin contact</b>	Wash off with plenty of water.
<b>In case of eye contact</b>	Rinse with plenty of water.
<b>If swallowed</b>	Consult a physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Most important symptoms and effects, both acute and delayed</b>	Symptoms: No information available.
	Risks: No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Indication of any immediate medical attention and special treatment needed</b>	Treatment: No information available.
---	--------------------------------------

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

---

**SECTION 5: FIREFIGHTING MEASURES**

---

**5.1 Extinguishing media**

**Suitable extinguishing media** Water spray, Dry powder, Foam, Carbon dioxide (CO<sub>2</sub>)

**5.2 Special hazards arising from the substance or mixture**

**Specific hazards during firefighting** Dangerous gases or fumes may occur in case of fire.

**5.3 Advice for firefighters**

**Special protective equipment for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.

**Further information** Standard procedure for chemical fires.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**6.1 Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment.

**Special precautions** Danger of slipping after spill or leakage.

**6.2 Environmental precautions**

**Environmental precautions** No special environmental precautions required.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Sweep up or vacuum up spillage and collect in suitable container for disposal. Molten form Allow to solidify, use mechanical handling equipment.

**6.4 Reference to other sections**

For personal protection see section 8.

---

**SECTION 7: HANDLING AND STORAGE**

---

**7.1 Precautions for safe handling**

**Advice on protection against fire and explosion** Normal measures for preventive fire protection.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** No special storage conditions required.

**Storage class (TRGS 510)** 10-13: German Storage Class 10 to 13

**Other data** Stable under normal conditions.

**7.3 Specific end use(s)**

**Specific use(s)** This information is not available.

## CERALUTION H

Version: 5.09

Revision Date 09.04.2019

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

## National occupational exposure limits

	Must meet NAAQS.
	Must meet 24 Hr NAAQS.
	Must meet NAAQS.
	Must meet 24 Hr NAAQS.
	Must meet NAAQS.
	Must meet 24 Hr NAAQS.

## EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

## DERIVED NO EFFECT LEVEL (DNEL)

Substance name: octadecan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic	75 mg/kg	based on body weight and

## CERALUTION H

Version: 5.09

Revision Date 09.04.2019

	effects		day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable

Substance name: icosan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable

## CERALUTION H

Version: 5.09

Revision Date 09.04.2019

Substance name: docosan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable

## CERALUTION H

Version: 5.09

Revision Date 09.04.2019

## PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: octadecan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,00156 mg/l	
Marine water	0,000156 mg/l	
intermittent release		Not relevant / Not applicable
treatment plant	0,000011 mg/l	
Fresh water sediment	16 mg/kg	based on dry weight
Marine sediment	1,6 mg/kg	based on dry weight
Soil	13 mg/kg	based on dry weight
food		Not relevant / Not applicable

Substance name: icosan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,00156 mg/l	
Marine water	0,000156 mg/l	
intermittent release		Not relevant / Not applicable
treatment plant	0,000027 mg/l	
Fresh water sediment	82 mg/kg	based on dry weight
Marine sediment	8,2 mg/kg	based on dry weight
Soil	66 mg/kg	based on dry weight
food		Not relevant / Not applicable

Substance name: docosan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,00156 mg/l	
Marine water	0,000156 mg/l	
intermittent release		Not relevant / Not applicable
treatment plant	0,000036 mg/l	
Fresh water sediment	82 mg/kg	based on dry weight
Marine sediment	8,2 mg/kg	based on dry weight
Soil	66 mg/kg	based on dry weight
food		Not relevant / Not applicable

## 8.2 Exposure controls

## PERSONAL PROTECTIVE EQUIPMENT

## Respiratory protection

No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where dust, fibres and smoke occur, use self-contained breathing apparatus or breathing apparatus with a type P2 or P3 filter, in compliance with EN

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

**Hand protection**

143.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).

**gloves suitable for permanent contact:**

Material: butyl-rubber  
Break through time:  $\geq 480$  min  
Layer thickness:  $\geq 0,7$  mm

**gloves suitable for splash protection:**

Material: Nitrile rubber/nitrile latex  
Break through time:  $\geq 30$  min  
Layer thickness:  $\geq 0,4$  mm

**Eye protection**

Safety glasses

**Skin and body protection**

Wear suitable protective equipment.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice.

**Protective measures**

No special protective equipment required.

**ENVIRONMENTAL EXPOSURE CONTROLS****General advice**

No special environmental precautions required.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state	solid; 20 °C; 1.013 hPa
Form	waxy
Colour	yellow
Odour	mild
Odour Threshold	No data available
pH	ca. 6,4; 10 g/l; 20 °C
Melting point/range	61,2 °C; 1.013 hPa
Boiling point/boiling range	ca. 90 °C; 1.013 hPa
Flash point	> 90 °C; 1.013 hPa
Evaporation rate	Not relevant / Not applicable Justification: Solid
Flammability (solid, gas)	No data available



**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

---

<b>Lower explosion limit</b>	Not applicable Justification: Solid
<b>Upper explosion limit</b>	Not applicable Justification: Solid
<b>Vapour pressure</b>	< 0,1 hPa; 20 °C
<b>Relative vapour density</b>	No data available
<b>Density</b>	0,881 g/cm <sup>3</sup> ; 75 °C; DIN 51757
<b>Relative density</b>	No data available
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	not applicable (mixture)
<b>Ignition temperature</b>	Not relevant, solid with a melting point < 160°C
<b>Auto-ignition temperature</b>	Not applicable solid with a melting point < 160°C
<b>Viscosity, dynamic</b>	1.000 mPas; 60 °C; ISO 6388
<b>Explosive properties</b>	Constituents do not contain chemical groups associated with explosivity.
<b>Oxidizing properties</b>	not expected based on structure and functional groups

**9.2 Other data**

None known.

**SECTION 10: STABILITY AND REACTIVITY**

---

**10.1 Reactivity**

**Note** Stable at normal ambient temperature and pressure.

**10.2 Chemical stability**

**Note** No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

**Hazardous reactions** Hazardous decomposition products formed under fire conditions.

**10.4 Conditions to avoid**

**Conditions to avoid** Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.

**10.5 Incompatible materials to avoid**

**Materials to avoid** None known.;

**10.6 Hazardous decomposition products**

**Hazardous decomposition products** No decomposition if used as directed.

**Thermal decomposition** No decomposition if used as directed.

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

The product/preparation has not been tested. The product/preparation has been evaluated based on the single components.

**11.1 Information on toxicological effects****Acute toxicity**

**Acute oral toxicity** LD50 : > 2.000 mg/kg  
Based on available data, the classification criteria are not met.

**Acute dermal toxicity** LD50 : > 2.000 mg/kg;  
Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

**Skin irritation** not irritating  
Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation**

**Eye irritation** not irritating  
Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

**Sensitisation** not sensitizing  
Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

**Remarks** Not classified  
Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Carcinogenicity** The product or substance does not contain constituents listed as a carcinogen.

**Reproductive toxicity**

**Reproductive toxicity** Not classified  
Based on available data, the classification criteria are not met.

**Teratogenicity** Not classified  
Based on available data, the classification criteria are not met.

**STOT - single exposure**

**Remarks** The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Remarks** The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration hazard**

**Aspiration toxicity** Not applicable

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

**12.1 Toxicity**

<b>Toxicity to fish</b>	The product/preparation has not been tested. The product/preparation has been evaluated based on the single components.
<b>Toxicity to daphnia and other aquatic invertebrates</b>	The product/preparation has not been tested. The product/preparation has been evaluated based on the single components.
<b>Toxicity to aquatic plants</b>	The product/preparation has not been tested. The product/preparation has been evaluated based on the single components.

**12.2 Persistence and degradability**

<b>Biodegradability</b>	The product/preparation has not been tested. The product/preparation has been evaluated based on the single components.
-------------------------	---

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Bioaccumulation is unlikely. The product/preparation has not been tested. The product/preparation has been evaluated based on the single components.
------------------------	---

**12.4 Mobility in soil**

<b>Mobility</b>	Not applicable
-----------------	----------------

**12.5 Results of PBT and vPvB assessment**

<b>Results of PBT assessment</b>	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
----------------------------------	--

**12.6 Other adverse effects**

<b>General advice</b>	None known.
-----------------------	-------------

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

**13.1 Waste treatment methods**

<b>Product</b>	Can be incinerated, when in compliance with local regulations.
<b>waste code of the European Union: EWC</b>	A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose. The waste code must be determined in agreement with the regional waste disposal authority or company.

---

**SECTION 14: TRANSPORT INFORMATION**

---

**14.1 UN number**

<b>ADR</b>	Not dangerous goods
<b>RID</b>	Not dangerous goods
<b>ADN</b>	Not dangerous goods
<b>IMDG</b>	Not dangerous goods
<b>ICAO/IATA</b>	Not dangerous goods

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

**14.2 Proper shipping name**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.3 Transport hazard class**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.4 Packing group**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.5 Environmental hazards**

ADR	Environmentally hazardous	no
RID	Environmentally hazardous	no
ADN	Environmentally hazardous	no
IMDG	Marine pollutant	no
ICAO/IATA	Environmentally hazardous	no

**14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Remarks No information available.

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****NATIONAL/OTHER REGULATIONS**

<b>Legislation on the control of major-accident hazards involving dangerous substances</b>	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. list entry in the directive:: Not applicable
--	---

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

**NOTIFICATION STATUS**

Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	not listed (product or constituents are not listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	not listed (product or constituents are not listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	not listed (product or constituents are not listed)
Japan. Kashin-Hou Law List	ENCS (JP)	not listed (product or constituents are not listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	not listed (product or constituents are not listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	not listed (product or constituents are not listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	not listed (product or constituents are not listed)
China. Inventory of Existing Chemical Substances (IECSC)	INV (CN)	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

**15.2 Chemical safety assessment****octadecan-1-ol**

A Chemical Safety Assessment has been carried out for this substance. An annex to the MSDS is not required.

**icosan-1-ol**

A Chemical Safety Assessment has been carried out for this substance. An annex to the MSDS is not required.

**docosan-1-ol**

A Chemical Safety Assessment has been carried out for this substance.

**SECTION 16: OTHER INFORMATION****Further information:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

**CERALUTION H**

Version: 5.09

Revision Date 09.04.2019

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
AICS	Australian Inventory of Chemical Substances
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
BCF	Bioconcentration factor
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
DSL	Domestic Substances List
EC...	Effect concentration ... %
ENCS	Existing Notified Chemical Substances (Japan)
EWG	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISHL	Industrial Safety and Health Law (Japan)
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
KECI	Korea Existing Chemicals Inventory
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NDSL	Non-Domestic Substances List
NOAEL	no observable adverse effect level
NOEL/NOEC	No Observed-effect level/concentration
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PICCS	Philippine Inventory of Chemicals and Chemical Substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
TG	Test Guideline
TRGS	Technische Regeln für Gefahrstoffe
TSCA	Toxic Substances Control Act
vPvB	very persistent, very bioaccumulative
WGK	Wassergefährdungsklasse

**Annex**

Attachments to the safety data sheet and/or lists of the identified uses for the listed substances can be downloaded using the internet links below.

**docosan-1-ol**

[http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000109\\_EN\\_01.pdf](http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000109_EN_01.pdf)

**octadecan-1-ol**

[http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000063\\_EN\\_01.pdf](http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000063_EN_01.pdf)

**icosan-1-ol**

[http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000108\\_EN\\_01.pdf](http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000108_EN_01.pdf)



## CERALUTION H

Version: 5.09

Revision Date 09.04.2019