

## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Trade name Turbine Compressor Oil G2 46

Synonyms Turbine Compressor Oil

Relevant identified uses of the substance or mixture and uses advised against

Use Lubricant or lubricant additive

Manufacturer or supplier's details

Company Sasol Oil Pty (Ltd)

Address Sasol Place, 50 Katherine Street

Sandton 2090

South Africa +27860335444

Telephone +27860335444

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number South Africa: 0800 11 28 90; International: +27 17 610 4444

### SECTION 2. Hazards identification

Classification of the substance or mixture

**REGULATION (EC) No 1272/2008** 

Classification

The mixture is not classified as hazardous according

to GHS.



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

#### Label elements

Pictogram Not applicable.

Signal word Not applicable.

**Hazard statements** This substance is not classified as hazardous according to GHS.

Other hazards No data available.

## SECTION 3. Composition/information on ingredients

#### **Mixture**

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: <= 99.29 %W/W

**CAS-No**. 64742-54-7 **Index-No**. 649-467-00-8 **EC-No**. 265-157-1

### bis(nonylphenyl)amine

Contents: >= 0.14 - <= 0.21 %W/W

**CAS-No.** 36878-20-3 **Index-No. EC-No.** 253-249-4

#### Substituted triazole

Contents: >= 0.14 - <= 0.21 %W/W

CAS-No. Index-No. EC-No.

Print Date 22.10.2023 100000006675 2/11



### **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

Mineral Oil

Contents: >= 0.07 - <= 0.14 %W/W

CAS-No. Index-No. EC-No.

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4. First aid measures**

### Description of necessary first-aid measures

**Inhalation** Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial

respiration. If breathing is difficult, give oxygen. Get medical

attention/advice if you feel unwell.

**Skin contact** Wash off immediately with soap and plenty of water. Wash

contaminated clothing before reuse. Get medical attention if

irritation develops and persists.

Eye contact Remove contact lenses. Rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

**Ingestion** Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person. Seek immediate

medical attention/advice.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

## SECTION 5. Firefighting measures

Suitable extinguishing

media

Water spray, Foam, CO2, Dry powder.

Special hazards arising from the substance or

mixture

Under conditions of continuous exposure to heat, may burn.
Under extreme conditions (e.g. confinement) could lead to
detonation. Nitrogen oxides (NOx) and carbon oxides are

produced during combustion.

Special protective

equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

### SECTION 6. Accidental release measures

good industrial hygiene and safety practice.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Try to

prevent the material from entering drains or water courses.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Disposal and clean up may

only be done by authorised personnel.

Reference to other sections Refer to section 8 and 13

### SECTION 7. Handling and storage

Print Date 22.10.2023 100000006675 4/11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

Safe handling advice Wear personal protective equipment. Do not breathe vapours

or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.

Advice on protection No data available.

against fire and explosion

**Requirements for storage** Keep away from heat. Do not store near combustible materials.

areas and containers

Advice on common storage No data available.

### SECTION 8. Exposure controls/personal protection

#### Components with workplace control parameters

### NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

#### **Exposure controls**

#### **Engineering measures**

Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

**Hand protection** Gloves suitable for permanent contact.:

Material: nitrile rubber/nitrile latex

Break through time: > 8 h Material thickness: 0.35 mm

Print Date 22.10.2023 100000006675 5/11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

Unsuitable gloves

Material: natural rubber/natural latex, polychloroprene, butyl-

rubber, Polyvinylchloride

**Eye protection** Safety goggles

Skin and body protection lightweight protective clothing

Hygiene measures Wash hands before breaks and immediately after handling the

product.

## SECTION 9. Physical and chemical properties

### Information on basic physical and chemical properties

Form Liquid

State of matter Liquid; at 20 ° C; 1,013 hPa

Colour Slightly colourless

Odour Mild

Odour Threshold No data available.

**pH** No data available.

Pour point -12  $^{\circ}$  C

Flash point  $220\,^{\circ}\,$  C

**Evaporation rate** No data available.

Flammability (solid, gas) No data available.

Auto-ignition temperature > 320  $^{\circ}$  C



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

**Lower explosion limit** No data available.

**Upper explosion limit** No data available.

Vapour pressure No data available.

**Relative vapour density** No data available.

**Density** 0.87 g/cm3; 20  $^{\circ}$  C

Bulk density No data available.

Water solubility Immiscible

Partition coefficient: n-

octanol/water

No data available.

Viscosity, kinematic 49.7 mm2/s; 40  $^{\circ}$  C

# SECTION 10. Stability and reactivity

**Reactivity** Stable under normal conditions.

**Chemical stability** No data available.

Possibility of hazardous

reactions

Strong acids and oxidizing agents

Conditions to avoid No data available.

Materials to avoid Combustible material

Hazardous decomposition

products

Stable under normal conditions.

Print Date 22.10.2023 100000006675 7/11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

## SECTION 11. Toxicological information

Acute oral toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LD50 Rat: 5,000 mg/kg;

Acute inhalation toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LC50 Rat: 4 h; 2.18 - 5.53 mg/l;

Acute dermal toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LD50 Rabbit: 2,000 - 5,000 mg/kg;

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Oral Rat; Lowest observed adverse effect level 125 mg/kg

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Dermal Rat; NOAEL Early embryonic development 30 - 2,000

mg/kg

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Dermal Mouse; NOAEL Early embryonic development 150 mg/kg Lowest observed adverse effect level 100 mg/kg

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Dermal Rabbit; NOAEL Early embryonic development 1,000

mg/kg

**Carcinogenicity** Mineral oils are severely solvent refined or hydrotreated.

Print Date 22.10.2023 100000006675 8/11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

## SECTION 12. Ecological information

Toxicity to fish Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

4 d; LL50; 100 mg/l;

Toxicity to daphnia and other

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

aquatic invertebrates

unspecified:
No data available.

Toxicity to algae Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

No data available.

Toxicity to bacteria Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

No data available.

## SECTION 13. Disposal considerations

**Product** Dispose of in accordance with local regulations.

### SECTION 14. Transport information

Further Information Not classified as dangerous in the meaning of transport

regulations.

### SECTION 15. Regulatory information

Print Date 22.10.2023 **100000006675** 9/11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canada. DSL - Domestic Substances List,

part of CEPA

Components Not listed

Substituted triazole

Mineral Oil

Australia. AICS - Australian Inventory of

**Chemical Substances** 

Components Not listed

Substituted triazole

Mineral Oil

**New Zealand Inventory of Chemical** 

**Substances** 

Components Not listed

Substituted triazole

Mineral Oil

Japan. ENCS - Existing and New Chemical

**Substances Inventory** 

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic

Substituted triazole

Mineral Oil

Japan. Industrial Safety and Health Law -

Inventory

**Components Not listed** 

Distillates (petroleum), hydrotreated heavy paraffinic

Substituted triazole

Mineral Oil

Korea. KECI - Korean Existing Chemicals

Inventory

Components Not listed

Substituted triazole

Mineral Oil

Philippines. PICCS - Philippines Inventory of

**Chemicals and Chemical Substances** 

Components Not listed

Substituted triazole

Mineral Oil

Print Date 22.10.2023 100000006675 10/11



## **Turbine Compressor Oil G2 46**

Version 1.01 Revision Date 22.10.2023

China. IECSC - Inventory of Existing

Chemical Substances in China

Components Not listed

Substituted triazole

Mineral Oil

Taiwan. Chemical Substances Inventory

(TCSI)

Components Not listed

Substituted triazole

Mineral Oil

USA TSCA Inventory Components Not listed

Substituted triazole

Mineral Oil

### SECTION 16. Other information

#### Full text of H-Statements.

This substance contains no components with H-statement.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.