

Acetone

Version 1.02

Revision Date 19.04.2021

		0
Product identifier		
Trade name	Acetone	
Synonyms	2-Propanone, methyl ketone, Ketone propane, beta-	
	Ketopropane	
Product code	2110	
CAS-No.	67-64-1	
EINECS-No.	200-662-2	
Relevant identified uses of the subs	tance or mixture and uses advised against	
Use	Industrial use. Solvent	
Manufacturer or supplier's details		
Company	Sasol Chemicals, a division of Sasol South Africa Ltd	
Address	Sasol Place, 50 Katherine Street Sandton 2090 South Africa	
Telephone	+27103445000	
E-mail address	sasolchem.info.sa@sasol.com	
Supplier's details	Sasol Chemicals Pacific Ltd	
	2 Shenton way #06-01	
	SGX Centre 1	
	068804	
	Singapore	
Telephone	+65 6533 8856	
nt Date 19.04.2021	10000003894	1/15

SECTION 1. Identification of the substance/mixture and of the company/undertaking



Acetone

Version 1.02

Revision Date 19.04.2021

E-mail address	info.sg@sasol.com	
Emergency Phone Number		
Emergency telephone	+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)	
	+44(0)1235 239 671 (Middle East, Arabic African countries)	
	+65 3158 1074 (Asia Pacific)	
	+86 400 120 6011 (China)	
	+27 (0)17 610 4444 (South Africa)	
	0800 112 890 RSA-Local only	
	+61 (2) 8014 4558 (Australia)	

SECTION 2. Hazards identification

Classification of the substance or mixture

GHS Classification

Classification	Model Work Health and Safety Regulations 2011, Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011), Guidance on the Classification of Hazardous Chemicals under the WHS Regulations (2012) (GHS 2009)			
	Flammable liquids	Category 2		
	Eye damage/irritation	Category 2		
	Specific target organ toxicity - single exposure	Category 3		
GHS label elements				
Print Date 19.04.2021	10000003894	2/15		

Sasol

Safety Data Sheet

Acetone

Version 1.02

Revision Date 19.04.2021

Hazard pictograms	:		
Signal Word	:	Danger	
Hazard Statements	:	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.	
Precautionary Statements	:	 Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surface. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P280 Wear protective gloves/ eye protection/ face protection 	9.
		Response: P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take of immediately all contaminated clothing. Rinse skin with water shower. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal:	
Print Date 19.04.2021		10000003894	3/15



Acetone Version 1.02

Revision Date 19.04.2021

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Print Date 19.04.2021



5/15

Acetone

Version 1.02

Revision Date 19.04.2021

SECTION 3. Composition/information on ingredients

Substance

Acetone

Contents: >= 90.00 - <= 100.00 %W/W CAS-No. 67-64-1 Index-N

 Index-No. 606-001-00-8
 EC-No. 200-662-2

 Hazard Statements H225 H319 H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapors. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
Print Date 19.04.2021	10000003894



6/15

Acetone Version 1.02

Revision Date 19.04.2021

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Water spray. Alcohol-resistant foam Dry chemical. Carbon dioxide.
Unsuitable extinguishing media	No information available.
Special hazards arising from the substance or mixture	Flash back possible over considerable distance. Vapors may form explosive mixtures with air.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	Keep people away from and upwind of spill/leak. Remove all	
	sources of ignition. Do not breathe vapors or spray mist.	
	Ensure adequate ventilation.	
Environmental precautions	Should not be released into the environment. Prevent further	
	leakage or spillage if safe to do so. Do not allow material to	
	contaminate ground water system. Do not flush into surface	
	water or sanitary sewer system.	
Print Date 19.04.2021	10000003894	

Acetone



Version 1.02	Revision Date 19.04.2021		
Methods for cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste.		
Reference to other sections	Refer to Section 8 and 13		

SECTION 7. Handling and storage

Safe handling advice	Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.
Advice on protection against fire and explosion Temperature class	Keep away from open flames, hot surfaces and sources of ignition.Use explosion-proof equipment.
Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place.Keep away from heat.Keep away from direct sunlight.
Advice on common storage	Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Ingredients with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Туре	Control	Update	Basis
		parameters		

Print Date 19.04.2021



Acetone

Version 1.02

Revision Date 19.04.2021

ACETONE	TWA	1,185 mg/m3	08 2005	Australia OELs
ACETONE	TWA	500 ppm	08 2005	Australia OELs
	STEL	2,375 mg/m3	08 2005	Australia OELs
	STEL	1,000 ppm	08 2005	Australia OELs

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment			
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Hand protection	Gloves suitable for permanent contact: Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm		
Eye protection	Safety glasses with side-shields		
Skin and body protection	Protective suit Safety shoes		
Hygiene measures	Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.		

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form

Liquid

Print Date 19.04.2021

10000003894

8/15



Acetone

Version 1.02

Revision Date 19.04.2021

State of matter	Liquid; at 20 $^\circ$ C; 1,013 hPa
Color	Colorless
Odor	Characteristic
Odor Threshold	No data available
Melting point/range	-95 ° C
Boiling point/boiling range	56 °C
Flash point	-20 $^\circ$ C; closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Autoignition temperature	465 °C
Decomposition Temperature	
Lower explosion limit	2.6 %(V)
Upper explosion limit	12.8 %(V)
Vapor pressure	307 hPa; 25 ° C
Relative vapor density	2
Density	0.79 g/cm3
Water solubility	Soluble
Viscosity, dynamic	0.32 mPa.s
Viscosity, kinematic	0.4 mm2/s

SECTION 10. Stability and reactivity

Print Date 19.04.2021



Acetone

Version 1.02

Revision Date 19.04.2021

Reactivity	Stable under recommended storage conditions.
Chemical stability	No data available
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Extremes of temperature and direct sunlight. Heat, flames and sparks.
Materials to avoid	Strong oxidizing agents. Incompatible with acids. Halogenated compounds.
Hazardous decomposition products	Carbon oxides

SECTION 11. Toxicological information

Acute oral toxicity	Acetone: LD50 Rat: > 2,000 mg/kg; (literature value)	
Acute inhalation toxicity	Acetone: LC50 Rat: 4 h; vapor; > 20 mg/l; GLP: no; (literature value)	
Acute dermal toxicity	Acetone: LD50 Rabbit: > 2,000 mg/kg; (literature value)	
Skin irritation	Acetone: Rabbit: irritating; GLP: no; (literature value)	
Eye irritation	Acetone: Rabbit: irritating GLP: no; (literature value)	
Mutagenicity	Acetone:	
Print Date 19.04.2021	10000003894	10/15



Acetone Version 1.02

Revision Date 19.04.2021

Ames test: Salmonella typhimurium; Not mutagenic; GLP: no; (literature value)

SECTION 12. Ecological information

Toxicity to daphnia and other	Acetone:
aquatic invertebrates	static test; Daphnia magna (Water flea); 48 h; > 100 mg/l(literature value)
Biodegradability	Acetone: Readily biodegradable.; (literature value)

SECTION 13. Disposal considerations

Product	In accordance with local and national regulations. Do not
	contaminate ponds, waterways or ditches with chemical or
	used container. The product should not be allowed to enter
	drains, water courses or the soil.
Packaging	Dispose of spent product packaging responsibly and lawfully
	with due consideration for health, safety and the
	environment.

SECTION 14. Transport information

Print Date 19.04.2021



Acetone

Version 1.02

Revision Date 19.04.2021

3
•
1090
3
II; F1;
ACETONE
1090
3
II; F1
ACETONE
1090
3
II; F1
ACETONE

Print Date 19.04.2021



Acetone

Version 1.02

Revision Date 19.04.2021

UN number:	1090
Class:	3
EmS:	F-E, S-D
Packaging group:	П
Proper shipping name:	ACETONE
Marine pollutant	Not a Marine Pollutant
ICAO/IATA	
UN number :	1090
Class:	3
Packaging group:	П
Proper shipping name:	ACETONE
Transport in bulk according	Acetone
to Annex II of MARPOL 73/78 and the IBC Code	Pollution Category: Z

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canada. DSL - Domestic Substances List,	All chemical constituents are listed in: Canada. DSL - Domestic
part of CEPA	Substances List, part of CEPA (See chapter 3)

Print Date 19.04.2021



Acetone Version 1.02

Revision Date 19.04.2021

Australia. AICS - Australian Inventory of Chemical Substances	All chemical constituents are listed in: Australia. AICS - Australian Inventory of Chemical Substances (See chapter 3)
New Zealand Inventory of Chemical Substances	All chemical constituents are listed in: New Zealand Inventory of Chemical Substances (See chapter 3)
Japan. ENCS - Existing and New Chemical Substances Inventory	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
Japan. Industrial Safety and Health Law - Inventory	All chemical constituents are listed in: Japan. Industrial Safety and Health Law - Inventory (See chapter 3)
Korea. KECI - Korean Existing Chemicals Inventory	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances	All chemical constituents are listed in: Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances (See chapter 3)
China. IECSC - Inventory of Existing Chemical Substances in China	All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)
Taiwan. Chemical Substances Inventory (TCSI)	All chemical constituents are listed in: Taiwan. Chemical Substances Inventory (TCSI) (See chapter 3)
USA TSCA Inventory	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

Print Date 19.04.2021



Acetone Version 1.02

Revision Date 19.04.2021

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 19.04.2021