

C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name C7-C8 n-Paraffin

Product code 1442

Relevant identified uses of the substance or mixture and uses advised against

Use Solvent. Industrial use.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address Sasol Place, 50 Katherine Street

Sandton 2090 South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific) +86 400 120 6011 (China)

+27 (0)17 610 4444 (South Africa) 0800 112 890 RSA-Local only +61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification Flammable liquids Category 2

Skin irritation Category 2
Specific target organ toxicity - single Category 3

exposure (Central nervous system)



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

Aspiration hazard Category 1
Long-term (chronic) aquatic hazard Category 2

Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms









Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Print Date 02.02.2023 **100000001672** 2/13



C7-C8 n-Paraffin

Version 1.03

Revision Date 02.02.2023

Prevention	P210 Keep away from heat, hot surfaces, sparks, open flames and		
	other ignition sources. No smoking.		
	P233 Keep container tightly closed.		
	P240 Ground and bond container and receiving equipment.		
	P241 Use explosion-proof electrical/ ventilating/ lighting equipment.		
	P242 Use non-sparking tools.		
	P243 Take action to prevent static discharges.		
	P280 Wear protective gloves/ protective clothing/ eye protection/ face		
	protection.		
	P264 Wash the contact area thoroughly after handling.		
	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.		
	P271 Use only outdoors or in a well-ventilated area.		
	P273 Avoid release to the environment.		
Response	P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all		
	contaminated clothing. Rinse skin with water.		
	P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-		
	resistant foam to extinguish.		
	P302 + P352 IF ON SKIN: Wash with plenty of water.		
	P332 + P317 If skin irritation occurs: Get medical advice/ attention.		
	P362 + P364 Take off contaminated clothing and wash it before		
	reuse.		
	P304 + P340 IF INHALED: Remove person to fresh air and keep		
	comfortable for breathing.		
	P319 Get medical help if you feel unwell.		
	P301 + P316 IF SWALLOWED: Get emergency medical help		
	immediately.		
	P331 Do NOT induce vomiting.		
	P391 Collect spillage.		
Storage	P403 + P235 Store in a well-ventilated place. Keep cool.		
	P405 Store locked up.		
Dienosal	P501 Dispose of contents/ container to an approved facility in		
Disposal	P501 Dispose of contents/ container to an approved facility in		

Print Date 02.02.2023 10000001672 3/13

accordance with local, regional, national and international regulations.



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical characterization

While this product is a cut, the alkane range is well defined and all of the alkanes that may fall within the range are known to be present. This product may be described as a blend of the following substances:

Heptane; n-Heptane

Contents: %W/W

CAS-No. 142-82-5 **Index-No.** 601-008-00-2 **EC-No.** 205-563-8

n-Octane

Contents: %W/W

CAS-No. 111-65-9 **Index-No.** 601-009-00-8 **EC-No.** 203-892-1

HAZARDOUS INGREDIENTS

Alkanes, C7-C8

Contents: 100.00 %W/W

CAS-No. 1174921-63-1 **Index-No. EC-No.**

Hazard statements *H225 H315 H304 H336 H411*



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial

respiration. Consult a physician.

Skin contact Wash off immediately with plenty of water for at least 15

minutes. Call a physician immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses. Call a

physician immediately.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Prevent vomiting if possible. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious

person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing Foam. Dry powder.

media

Special hazards arising Evacuate personnel to safe areas.

from the substance or

mixture

Special protective Wear self-contained breathing apparatus and protective suit.

equipment for firefighters

SECTION 6. Accidental release measures

Personal precautions Keep people away from and upwind of spill/leak. Remove all



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

sources of ignition. Do not breathe vapours or spray mist.

Environmental precautions Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material and dispose of as

hazardous waste.

Reference to other sections Refer to section 8 and 13

SECTION 7. Handling and storage

Safe handling advice Avoid inhalation of vapour or mist. Wear personal protective

equipment.

Advice on protection Keep away from heat and sources of ignition. Use only

against fire and explosion explosion-proof equipment.

Requirements for storage Keep containers tightly closed in a dry, cool and well-ventilated

areas and containers place.

Advice on common storage No data available.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Туре	Control	Update	Basis
		parameters		
N-OCTANE	TWA	1,450 mg/m3	1995	South Africa RELs
N-OCTANE	TWA	300 ppm	1995	South Africa RELs
	STEL	1,800 mg/m3	1995	South Africa RELs
	STEL	375 ppm	1995	South Africa RELs
N-HEPTANE	TWA	1,600 mg/m3	1995	South Africa RELs
N-HEPTANE	TWA	400 ppm	1995	South Africa RELs
	STEL	2,000 mg/m3	1995	South Africa RELs
	STEL	500 ppm	1995	South Africa RELs



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection Gloves suitable for permanent contact.:

Material: nitrile rubber/nitrile latex

Break through time: > 8 h

Material thickness: 0.35 mm

Gloves suitable for permanent contact.: Material: fluoro carbon rubber - FKM

Break through time: > 8 h Material thickness: 0.4 mm

Gloves suitable for permanent contact.:

Material: polychloroprene Break through time: < 1 h Material thickness: 0.5 mm

Unsuitable gloves

Material: butyl-rubber, natural rubber/natural latex,

Polyvinylchloride

Eye protection Safety glasses with side-shields.

Skin and body protection Protective suit. Safety shoes.

Hygiene measures Wash hands before breaks and immediately after handling the

product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form Liquid

State of matter Liquid; at 20 ° C; 1,013 hPa

Colour Clear, colourless



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

Odour Slight

Odour Threshold No data available.

Melting point/range < -35 ° C Boiling point/boiling range 94 - 128 ° C

Flash point < 2 ° C; closed cup
Evaporation rate No data available.
Flammability (solid, gas) No data available.

Auto-ignition temperature 204 ° C

Decomposition No data available.

Temperature

Lower explosion limit1.07 %(V)Upper explosion limit6.7 %(V)Vapour pressure11.997 kPa

Relative vapour density 4.42

Density0.695 g/cm3; 20 ° CWater solubilityImmiscible, InsolubleViscosity, kinematic0.66 mm2/s; 40 ° C

SECTION 10. Stability and reactivity

Reactivity No decomposition if used as directed.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous None known.

reactions

Conditions to avoid Direct sources of heat.

Materials to avoid Oxidizing agents. Reducing agents.

Hazardous decomposition Carbon oxides.

products

SECTION 11. Toxicological information

Acute oral toxicity Alkanes, C7-C8:

LD50 Rat: > 5,840 mg/kg;

Acute inhalation toxicity Alkanes, C7-C8:

LC50 Rat: vapour; 23,300 mg/l;

Acute dermal toxicity Alkanes, C7-C8:



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

LD50 Rat: 2,920 mg/kg;

Skin irritation Alkanes, C7-C8:

Rabbit: Irritating;

Eye irritation Alkanes, C7-C8:

No eye irritation

Sensitisation Alkanes, C7-C8:

Not sensitizing:

Repeated dose toxicity Alkanes, C7-C8:

Inhalation Rat; NOAEL Early embryonic development 8,117

mg/l

Mutagenicity Alkanes, C7-C8:

In vitro tests did not show mutagenic effects; In vivo tests did not show mutagenic effects;

Further Information May be fatal if swallowed and enters airways.

SECTION 12. Ecological information

Toxicity to fish Alkanes, C7-C8:

flow-through test; Oncorhynchus mykiss; 96 h; LL50; 3 - 10

mg/l; (literature value)

Toxicity to fish Alkanes, C7-C8:

Oncorhynchus mykiss; 96 h; NOEC; 3 mg/l;

Toxicity to daphnia and other Alkanes, C7-C8:

aquatic invertebrates Daphnia magna; 24 h; LC50; > 10 mg/l(literature value)

Toxicity to daphnia and other Alkanes, C7-C8:

aquatic invertebrates Daphnia magna; 48 h; EL50; 4.6 - 10 mg/l(literature value)

Toxicity to algae Alkanes, C7-C8:

Raphidocelis subcapitata (freshwater green alga)72 h; EL50;

10 - 30 mg/l;

Toxicity to bacteria Alkanes, C7-C8:

Growth inhibition; Tetrahymena pyriformis; 48 h; 11.4 mg/l; ;

Toxicity to fish Alkanes, C7-C8:

flow through; Oncorhynchus mykiss (rainbow trout); ; 28

dNOELR; 0.574 mg/l

Chronic toxicity in aquatic Alkanes, C7-C8:



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

invertebrates Daphnia magna; ; 4 dNOELR; 1 mg/l

Biodegradability Alkanes, C7-C8:

Readily biodegradable.

SECTION 13. Disposal considerations

Product Dispose of in accordance with local regulations.

Packaging Dispose of spent product packaging responsibly and lawfully

with due consideration for health, safety and the

environment.

SECTION 14. Transport information

DG Pictogram



ADR

UN number: 3295
Class: 3
Packaging group: II; F1;

Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

(Alkanes, C7-C8)

RID

UN number: 3295
Class: 3
Packaging group: II; F1

Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

(Alkanes, C7-C8)

ADNR

UN number: 3295



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

Class: 3

Packaging group: II; F1

Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

(Alkanes, C7-C8)

IMDG

UN number: 3295 Class: 3

EmS: F-E, S-D

Packaging group:

Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

(Alkanes, C7-C8)

Marine pollutant Marine pollutant

ICAO/IATA

UN number: 3295
Class: 3
Packaging group: II

Proper shipping name: HYDROCARBONS, LIQUID, N.O.S.

(Alkanes, C7-C8)

Transport in bulk according Alkanes (C6 - C9)

to Annex II of MARPOL

Ship Type: 2

73/78 and the IBC Code

Pollution category: X

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canada. DSL - Domestic Substances List, All chemical constituents are listed in: Canada. DSL - Domestic

part of CEPA Substances List, part of CEPA (See chapter 3)

Australia. AICS - Australian Inventory of All chemical constituents are listed in: Australia. AICS -

Chemical Substances Australian Inventory of Chemical Substances (See chapter 3)

New Zealand Inventory of Chemical All chemical constituents are listed in: New Zealand Inventory of



C7-C8 n-Paraffin

Version 1.03 Revision Date 02.02.2023

Substances	Chemical Substances (See chapter 3)
Japan. ENCS - Existing and New Chemical Substances Inventory	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
Japan. Industrial Safety and Health Law - Inventory	All chemical constituents are listed in: Japan. Industrial Safety and Health Law - Inventory (See chapter 3)
Korea. KECI - Korean Existing Chemicals Inventory	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances	All chemical constituents are listed in: Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances (See chapter 3)
China. IECSC - Inventory of Existing Chemical Substances in China	All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)
Taiwan. Chemical Substances Inventory (TCSI)	All chemical constituents are listed in: Taiwan. Chemical Substances Inventory (TCSI) (See chapter 3)
USA TSCA Inventory	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

H225 Hi	ghly flammab	le liquid and	l vapour.
---------	--------------	---------------	-----------

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and



C7-C8 n-Paraffin

Version 1.03

Revision Date 02.02.2023

received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.