

n-Propanol

Version 1.02 Revision Date 09.02.2024

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name n-Propanol

Synonyms 1-Propanol, Hydroxypropane, 1-Propyl alcohol, Ethyl carbinol,

n-Propan-1-ol, n-Propyl alcohol, Propyl alcohol

Product code 2044

CAS-No. 71-23-8

Relevant identified uses of the substance or mixture and uses advised against

Use Solvent. Industrial use. Hand sanitizer manufacture.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address Sasol Place, 50 Katherine Street

Sandton 2090

South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Supplier's details Sasol Chemicals Pacific Ltd

61 Robinson Road

#17-02, 61 Robinson

Singapore 068893

Print Date 09.02.2024 10000000473 1/16



n-Propanol

Version 1.02 Revision Date 09.02.2024

Telephone +65 6533 8856

E-mail address info.sg@sasol.com

Emergency Phone Number

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 532 8388 9090 (China)

+27 (0)17 610 4444 (South Africa)

0800 112 890 RSA-Local only

+61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

GHS Classification

Classification

SS 586 : Part 2: Specification for Hazard Communication for

Hazardous Chemicals and Dangerous Goods, Part 2: Globally

harmonized system of classification and labelling of chemicals -

Singapore's adaptions

Print Date 09.02.2024 10000000473 2/16



n-Propanol

Version 1.02 Revision Date 09.02.2024

Flammable liquids Category 3

Serious eye damage/eye irritation Category 1

Specific target organ toxicity - single exposure Category 3

GHS label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting

equipment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off



n-Propanol

Version 1.02

Revision Date 09.02.2024

immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



n-Propanol

Version 1.02 Revision Date 09.02.2024

SECTION 3. Composition/information on ingredients

HAZARDOUS INGREDIENTS

n-Propanol

Contents: 99.90 %W/W

CAS-No. 71-23-8 **Index-No.** 603-003-00-0 **EC-No.** 200-746-9

Hazard statements *H225 H318 H336 H303 H313*



n-Propanol

Version 1.02 Revision Date 09.02.2024

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial

respiration. Call a physician immediately.

Skin contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash

contaminated clothing before re-use. If skin irritation persists,

call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious

person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures



n-Propanol

Version 1.02 Revision Date 09.02.2024

Suitable extinguishing

Water spray. Alcohol-resistant foam. Dry chemical. Carbon

media

dioxide.

Unsuitable extinguishing

media

No information available.

Special hazards arising

from the substance or

mixture

Flash back possible over considerable distance. Vapours may

form explosive mixtures with air.

Special protective

equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions Keep people away from and upwind of spill/leak. Remove all

sources of ignition. Use non-sparking tools. Do not breathe

vapours or spray mist. Ensure adequate ventilation.

Environmental precautions Should not be released into the environment. Prevent further

leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not flush into surface

water or sanitary sewer system.

Methods for cleaning up Soak up with inert absorbent material and dispose of as

hazardous waste.

Reference to other sections

Refer to Section 8 and 13

Print Date 09.02.2024 10000000473 7/16



n-Propanol

Version 1.02 Revision Date 09.02.2024

SECTION 7. Handling and storage

Safe handling advice Provide sufficient air exchange and/or exhaust in work rooms.

Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.

Advice on protection

Keep away from open flames, hot surfaces and sources of

against fire and explosion

ignition.Use explosion-proof equipment.

Temperature class T1

Requirements for storage

areas and containers

Keep container tightly closed in a dry and well-ventilated

place.Keep away from heat.Keep away from direct sunlight.

Advice on common storage

Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Print Date 09.02.2024 10000000473 **8/16**



n-Propanol

Version 1.02 Revision Date 09.02.2024

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection Gloves suitable for permanent contact.:

Material: butyl-rubber
Break through time: 4 h
Material thickness: 0.5 mm

Eye protection Safety glasses with side-shields.

Skin and body protection Protective suit. Safety shoes.

Hygiene measures Wash hands before breaks and immediately after handling the

product. Take off all contaminated clothing immediately.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form Liquid

State of matter Liquid; at 20 ° C; 1,013 hPa

Colourless Colourless

Odour Alcohol-like

Odour Threshold No data available.

pH Not applicable.

Melting point/range -126 ° C



n-Propanol

Version 1.02 Revision Date 09.02.2024

Boiling point/boiling range 97 ° C; ASTM D86

Flash point 22 ° C; ASTM D 93 - 85; closed cup;

Evaporation rate No data available.

Flammability (solid, gas) No data available.

Auto-ignition temperature No data available.

Decomposition No data available.

Temperature

Lower explosion limit 2.1 %(V)

Upper explosion limit 19.2 %(V)

Vapour pressure 20.3 hPa; 20 ° C

Relative vapour density 2.07(Air = 1.0)

Density 0.802 g/cm3; 20 ° C; ASTM D4052

Water solubility Completely soluble

Partition coefficient: n-

octanol/water

No data available.

Viscosity, kinematic 2.24 mm2/s; 20 ° C; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity Stable under recommended storage conditions.

Chemical stability Stable under recommended storage conditions.



n-Propanol

Version 1.02 Revision Date 09.02.2024

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid Extremes of temperature and direct sunlight. Heat, flames and

sparks.

Materials to avoid Strong oxidizing agents. Incompatible with acids. Halogenated

compounds

Hazardous decomposition

products

Carbon oxides.

SECTION 11. Toxicological information

Acute oral toxicity n-Propanol:

LD50 Oral: > 2,000 mg/kg; (literature value)

Acute oral toxicity 2-Butanol:

LD50 Oral Rat: male2,054 mg/kg; (literature value)

Acute inhalation toxicity n-Propanol:

LC50 Rat: male and female; 4 h; vapour; 13548 ppm; GLP:

yes; (literature value)

Acute dermal toxicity n-Propanol:

LD50 Dermal Rabbit: male; 6,730 mg/kg; (literature value)

Skin irritation n-Propanol:

Rabbit: Not irritating; Draize Test (literature value)



n-Propanol

Version 1.02 Revision Date 09.02.2024

Eye irritation n-Propanol:

Rabbit: Highly irritating 24 - 72 h; (literature value)

Mutagenicity n-Propanol:

Ames test: Salmonella typhimurium; Not mutagenic; (literature

value)

SECTION 12. Ecological information

Toxicity to fish n-Propanol:

static test; Pimephales promelas; 96 h; LC50; 4,650 mg/l; GLP:

no; (literature value)

Toxicity to daphnia and other

n-Propanol:

aquatic invertebrates

static test; Daphnia magna (Water flea); 48 h; EC50; 3,644

mg/l(literature value)

Biodegradability

n-Propanol:

aerobic; 3 mg/l; 81 %; 20 d; Readily biodegradable.; (literature

value)

Mobility in soil

No data available.

Results of PBT and vPvB

This substance is not considered to be persistent,

assessment

bioaccumulating and toxic (PBT). This substance is not

considered to be very persistent and very bioaccumulating

(vPvB).

SECTION 13. Disposal considerations



n-Propanol

Version 1.02 Revision Date 09.02.2024

Product Disposal should be in accordance with local, regional and

national legislations.

Packaging Dispose of spent product packaging responsibly and lawfully

with due consideration for health, safety and the

environment.

SECTION 14. Transport information

DG Pictogram



ADR

UN number: 1274

Class: 3

Packaging group: II; F1;

Proper shipping name: n-PROPANOL

RID

UN number: 1274

Class: 3



n-Propanol

Version 1.02 Revision Date 09.02.2024

Packaging group: II; F1

Proper shipping name: n-PROPANOL

IMDG

UN number: 1274

Class: 3

EmS: F-E, S-D

Packaging group:

Proper shipping name: n-PROPANOL

Marine pollutant Not a Marine Pollutant

ICAO/IATA

UN number: 1274

Class: 3

Packaging group:

Proper shipping name: n-PROPANOL

Transport in bulk according n-Propanol

to Annex II of MARPOL

POLLUTION CATEGORY: Y

73/78 and the IBC Code

Ship Type: 3



n-Propanol

Version 1.02 Revision Date 09.02.2024

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

USA TSCA Inventory All chemical constituents are listed in: USA TSCA Inventory

(See chapter 3)

Canadian Domestic Substances List (DSL) All chemical constituents are listed in: Canadian Domestic

Substances List (DSL) (See chapter 3)

Australian Inv. of Chem. Substances (AICS) All chemical constituents are listed in: Australian Inv. of Chem.

Substances (AICS) (See chapter 3)

New Zealand Inventory of Chemicals All chemical constituents are listed in: New Zealand Inventory of

(NZIoC) Chemicals (NZIoC) (See chapter 3)

Jap. Inv. of Exist. & New Chemicals (ENCS) All chemical constituents are listed in: Jap. Inv. of Exist. & New

Chemicals (ENCS) (See chapter 3)

Japan. Industrial Safety & Health Law (ISHL) All chemical constituents are listed in: Japan. Industrial Safety &

Health Law (ISHL) (See chapter 3)

Korea. Existing Chemicals Inventory (KECI) All chemical constituents are listed in: Korea. Existing

Chemicals Inventory (KECI) (See chapter 3)

Philippines Inventory of Chemicals and

Chemical Substances (PICCS)

All chemical constituents are listed in: Philippines Inventory of

Chemicals and Chemical Substances (PICCS) (See chapter 3)

China Inv. Existing Chemical Substances

(IECSC)

All chemical constituents are listed in: China Inv. Existing

Chemical Substances (IECSC) (See chapter 3)



n-Propanol

Version 1.02 Revision Date 09.02.2024

SECTION 16. Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.

H303 May be harmful if swallowed.

H313 May be harmful in contact with skin.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.