

Version: 5.04 Revision Date 02.07.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1 Product identifier

Marlon A 375 Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use

raw material for washing and cleaning agents

raw material for textile auxiliary agents

surface-active substance

Uses advised against

1.3 Details of the supplier of the safety data sheet

Company SASOL Germany GmbH

Anckelmannsplatz 1 20537 Hamburg

Germany

Telephone: +49 40 63684-1000 Telefax: +49 40 63684-3700

Information (Product safety): Telephone: +49 (0) 23 65 -49 47 05

Telefax: +49 (0) 23 65 - 49 92 40

E-mail address msds-info.germany@de.sasol.com

1.4 Emergency telephone number

Emergency telephone number + 49 (0) 23 65 - 49 22 32

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity Category 4 (Oral) Harmful if swallowed. Skin irritation Category 2 Causes skin irritation.

Serious eye damage Category 1 Causes serious eye damage.

Long-term (chronic) aquatic hazard Category 3 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Version: 5.04 Revision Date 02.07.2019

Signal word Danger

Hazard statements

H302 Harmful if swallowed.
H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

· Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

2.3 Other hazards

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture in the meaning of regulation (EC) 1907/2006.

COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

content: 75 % component type: Active ingredient

EC-No.: 270-115-0 **Index-No.**: **CAS-No.**: 68411-30-3

REACH No.: 01-2119489428-22-xxxx

Substance name (REACH / CLP): Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

 Classification (Regulation (EC) No 1272/2008):
 Acute Tox. 4 (Oral)
 H302

 Skin Irrit. 2
 H315

 Eye Dam. 1
 H318

Aquatic Chronic 3 H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice Take off all contaminated clothing immediately. In the case of accident or if you

feel unwell, seek medical advice immediately (show the label where possible).



Version: 5.04 Revision Date 02.07.2019

If inhaled Remove from exposure, lie down. If breathing is irregular or stopped, administer

artificial respiration. Monitor breathing, give oxygen if necessary. Consult a

physician.

In case of skin contact Wash off immediately with plenty of water for at least 15 minutes. Take off all

contaminated clothing immediately. Consult a physician.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

If swallowed Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

Risks: No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special

treatment needed

Treatment: No information available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Water spray, Dry powder, Foam, Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Dangerous gases or fumes may occur in case of fire.

5.3 Advice for firefighters

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information Standard procedure for chemical fires.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Special precautions Forms slippery/greasy layers with water.

6.2 Environmental precautions

Environmental precautions Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust).

6.4 Reference to other sections



Version: 5.04 Revision Date 02.07.2019

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment.

Avoid contact with skin and eyes.

Advice on protection against

fire and explosion

No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

Keep container tightly closed.

and containers

Storage class (TRGS 510) 11: Combustible Solids

7.3 Specific end use(s)

Specific use(s) This information is not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

National occupational exposure limits

No data available

EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

DERIVED NO EFFECT LEVEL (DNEL)

Substance name: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts				
End Use	Exposure routes	Value	Note	
Workers	dermal, Acute/short-term exposure - systemic effects		Not relevant / Not applicable	
	Inhalation, Acute/short-term exposure - systemic effects		Not relevant / Not applicable	
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable	
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable	
	dermal, long-term exposure - systemic effects	85 mg/kg	based on body weight and day	
	Inhalation, long-term exposure - systemic effects	6 mg/m3		
	dermal, long-term exposure - local effects		Not relevant / Not	



Version: 5.04 **Revision Date 02.07.2019**

			applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - systemic effects		Not relevant / Not applicable
	Oral, Acute/short-term exposure - systemic effects		Not relevant / Not applicable
	dermal, Acute/short-term exposure - local effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / Not applicable
	dermal, long-term exposure - systemic effects	42,5 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	1,5 mg/m3	
	Oral, long-term exposure - systemic effects	0,425 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / Not applicable
	Inhalation, long-term exposure - local effects		Not relevant / Not applicable

PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts				
Environmental Compartment	Value	Note		
Fresh water	0,268 mg/l			
Marine water	0,0268 mg/l			
intermittent release	0,0167 mg/l			
treatment plant	3,43 mg/l			
Fresh water sediment	8,1 mg/kg	based on dry weight		
Marine sediment	6,8 mg/kg	based on dry weight		
Soil	35 mg/kg	based on dry weight		
food		Not relevant / Not applicable		

8.2 Exposure controls

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection No personal respiratory protective equipment normally required. In inadequately

ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a combined filter (e.g. A-P2 or ABEK-P2), in compliance with EN 141.

Hand protection

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific



Version: 5.04 Revision Date 02.07.2019

local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).

gloves suitable for permanent contact:

Material: butyl-rubber Break through time: >= 480 min Layer thickness: >= 0,7 mm

gloves suitable for splash protection:

Material: Nitrile rubber/nitrile latex Break through time: >= 30 min Layer thickness: >= 0,4 mm

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Hygiene measures Take off all contaminated clothing immediately. Use barrier cream regularly.

Protective measures Wear suitable gloves and eye/face protection. Avoid contact with the skin and the

eyes. General industrial hygiene practice.

ENVIRONMENTAL EXPOSURE CONTROLS

General advice Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state solid; 20 °C; 1.013 hPa

Form pasty

Colour light yellow

Odour mild

Odour Threshold No data available

pH 8 - 10; 20 g/l; 20 °CMelting point/range No data availableFlash point Not applicable

Evaporation rate Not relevant / Not applicable

Justification: Solid

Flammability (solid, gas) not auto-flammable

Lower explosion limit Not applicable

Justification: Solid

Upper explosion limit Not applicable

Justification: Solid



Version: 5.04 Revision Date 02.07.2019

Vapour pressure< 0,1 hPa; 20 °C</th>Relative vapour densityNo data availableDensityca.1,06 g/cm3; 20 °CRelative densityNo data availableBulk densityNot applicableWater solubilitycompletely miscible

Partition coefficient: n-

octanol/water

not applicable (mixture)

 Ignition temperature
 Not applicable

 Auto-ignition temperature
 not auto-flammable

Viscosity, dynamic Not applicable, Justification: Solid

Explosive properties not expected based on structure and functional groups

Oxidizing properties not expected based on structure and functional groups

9.2 Other data

None known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Note Stable at normal ambient temperature and pressure.

10.2 Chemical stability

Note No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions None known.

10.4 Conditions to avoid

Conditions to avoid Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.

10.5 Incompatible materials to avoid

Materials to avoid Strong acids and oxidizing agents;

10.6 Hazardous decomposition products

Hazardous decomposition No decomposition if stored normally. **products**

Thermal decomposition

Hazardous decomposition products formed under fire conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity



Version: 5.04 Revision Date 02.07.2019

Acute oral toxicity Acute toxicity estimate: 666,67 mg/kg; Calculation method

Acute oral toxicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

LD50 Rat: 1.080 mg/kg; OECD Test Guideline 401

Target Organs: Gastrointestinal tract

Symptoms: Drowsiness, Diarrhoea, Breathing difficulties

Harmful if swallowed.

Acute inhalation toxicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

The study is not necessary.

Justification:

Negligible or unlikely exposure pathways

Acute dermal toxicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 402

Symptoms: Local effects, Crusting

(literature value)

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Skin irritation Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Rabbit: irritating; OECD Test Guideline 404

(literature value) Causes skin irritation.

Serious eye damage/eye irritation

Eye irritation Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Rabbit: Irreversible effects on the eye; OECD Test Guideline 405

(literature value)

Causes serious eye damage.

Respiratory or skin sensitisation

Sensitisation Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity in vitro Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

In vitro tests did not show mutagenic effects

own test results/literature values

Genotoxicity in vivo Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

In vivo tests did not show mutagenic effects

(literature value)

Remarks Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Based on available data, the classification criteria are not met.

Carcinogenicity

Carcinogenicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

This information is not available.

Reproductive toxicity

Reproductive toxicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Animal testing did not show any effects on fertility.

(literature value) Category approach

RemarksReproductive

toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts: Based on available data, the classification criteria are not met.

Teratogenicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Animal testing did not show any effects on foetal development.

(literature value)



Version: 5.04 Revision Date 02.07.2019

> Remarks-Teratogenicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Based on available data, the classification criteria are not met.

STOT - single exposure

Remarks Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

The substance or mixture is not classified as specific target organ toxicant, single

exposure.

STOT - repeated exposure

Remarks Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts: Repeated dose toxicity

Rat; Oral; 28-day

NOAEL: 125 mg/kg (based on body weight and day) LOAEL: 250 mg/kg (based on body weight and day) Target Organs: Blood, Liver, Heart, thymus Symptoms: reduced body weight gain, Diarrhoea

(literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Rat; feeding study; 6 months

NOAEL: 40 mg/kg (based on body weight and day) LOAEL: 115 mg/kg (based on body weight and day)

Target Organs: Blood, Kidney, caecum

Symptoms: reduced body weight gain, Diarrhoea

(literature value) Category approach

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Rat; Drinking water; 9 months NOAEL: 85 mg/kg (based on body weight and day) LOAEL: 145 mg/kg (based on body weight and day)

Target Organs: Blood

Symptoms: reduced body weight gain

(literature value) Category approach

Aspiration hazard

Aspiration toxicity Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Not applicable

Toxicological information Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Toxicokinetics

The substance is predicted to be bioavailable via the oral route.

The substance is metabolised and excreted. The substance is poorly absorbed via skin.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts: Toxicity to fish

LC50 (96 h) Lepomis macrochirus (Bluegill sunfish): > 1 - 10 mg/l; static test; US

EPA 1975 (literature value)

Toxicity to fish - Chronic Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:



Version: 5.04 Revision Date 02.07.2019

toxicity NOEC (196 d) Pimephales promelas (fathead minnow): > 0,1 - 1 mg/l;

reproduction rate; model ecosystem

(literature value)

Toxicity to daphnia and other

aquatic invertebrates

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

EC50 (48 h) Daphnia magna (Water flea): > 1 - 10 mg/l; static test; OECD Test

Guideline 202 (literature value)

Toxicity to daphnia and other aquatic invertebrates - Chronic

toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

NOEC (21 d) Daphnia magna (Water flea): > 1 - 10 mg/l; reproduction rate; flow-

through test; OECD Test Guideline 211; (literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts: NOEC (32 d) Elimia: > 1 - 10 mg/l; mortality; model ecosystem; (literature value)

Toxicity to aquatic plants Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

EC50 (72 h) Pseudokirchneriella subcapitata (green algae): > 10 - 100 mg/l; cell

number; (literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

NOEC (28 d) Elodea canadensis: >= 4 mg/l; Growth rate; model ecosystem;

(literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

EC50 (7 d) Lemna minor (duckweed): > 1 - 10 mg/l; flow-through test; OECD Test

Guideline 221; (literature value)

Toxicity to bacteria Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

The substance is not to be considered to be inhibitory to bacteria.

Toxicity to soil dwelling

organisms

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts: EC10 (28 d) Aporroectodea caliginosa: 71,7 mg/kg; Growth

(literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts: EC10 Folsomia sp.: 107,6 mg/kg; reproduction rate

(literature value)

Toxicity to terrestrial floraBenzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Growth; NOEC: 100 mg/kg; Sorghum bicolor (sorghum); OECD Test Guideline 208

(literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Growth; EC10: 86 mg/kg; Brassica rapa; OECD Test Guideline 208

(literature value)

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Growth; NOEC: 52 mg/kg; Nigella arvensis; OECD Test Guideline 208

(literature value)

Toxicity for other terrestrial non-mammalian fauna

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

No data available

12.2 Persistence and degradability

Biodegradability Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301B

12.3 Bioaccumulative potential

Bioaccumulation Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Pimephales promelas (fathead minnow); 192 h; Bioconcentration factor (BCF): 2 -

1.000; OECD Test Guideline 305 E

(literature value)

Does not significantly accumulate in organisms.

12.4 Mobility in soil

Mobility Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Adsorption/Soil/Sewage sludge

Slightly mobile in soils



Version: 5.04 Revision Date 02.07.2019

12.5 Results of PBT and vPvB assessment

Results of PBT assessment Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

This substance is not considered to be persistent, bioaccumulating and toxic

(PBT).

This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

12.6 Other adverse effects

General advice Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Harmful to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Can be incinerated, when in compliance with local regulations.

waste code of the European

Union: EWC

A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose. The waste code must be determined in agreement with the regional waste disposal authority or company.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

14.2 Proper shipping name

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

14.3 Transport hazard class

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

14.4 Packing group

ADR Not dangerous goods
RID Not dangerous goods



Version: 5.04 Revision Date 02.07.2019

ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

14.5 Environmental hazards

ADR Environmentally hazardous no RID Environmentally hazardous no ADN Environmentally hazardous no IMDG Marine pollutant no ICAO/IATA Environmentally hazardous no

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship type 2
Pollution category Y

Remarks MARPOL NAME: Alkylbenzene sulphonic acid, sodium salt solution

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational restrictions Employment restrictions for children and young workers in accordance with

Directive 94/33/EC and the respective national provisions are to be observed.

NATIONAL/OTHER REGULATIONS

Legislation on the control of major-accident hazards involving dangerous substances Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident bazards involving dangerous substances

the control of major-accident hazards involving dangerous substances. \\

list entry in the directive:: Not applicable

Other regulations The surfactant(s) contained in this preparation complies (comply) with the

biodegradability criteria as laid down in Regulation (EC) No.648/2004 on

detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct

request or at the request of a detergent manufacturer.



Version: 5.04 Revision Date 02.07.2019

NOTIFICATION STATUS						
US. Toxic Substances Control Act	TSCA	listed (product or constituents are listed)				
Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)				
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)				
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)				
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)				
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)				
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)				
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)				
China. Inventory of Existing Chemical Substances (IECSC)	INV (CN)	listed (product or constituents are listed)				

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

15.2 Chemical safety assessment

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Safety datasheet sections which have been updated:

H412 Harmful to aquatic life with long lasting effects.

12. Ecological information

Further information: The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.



Version: 5.04 Revision Date 02.07.2019

> This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Key or legend to abbreviations and acronyms used in the safety data sheet

Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route

AICS Australian Inventory of Chemical Substances ANSI American National Standards Institute ASTM

American Society of Testing and Materials (US)

BCF Bioconcentration factor

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures

DIN Deutsches Institut für Normung DNEL Derived No-Effect Level DSL Domestic Substances List FC. Effect concentration ... % Existing Notified Chemical Substances (Japan) ENCS

EWC European Waste Catalogue IATA International Air Transport Association IBC Intermediate Bulk Container ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods IMO International Maritime Organization ISHL Industrial Safety and Health Law (Japan) ISO International Organization for Standardization **IUAPC** International Union of Pure and Applied Chemistry

Korea Existing Chemicals Inventory KECI

Lethal Concentration, ...% LC...

LD... Lethal Dose, ...%

MARPOL International Convention for the Prevention of Pollution From Ships

NDSL Non-Domestic Substances List NOAEL no observable adverse effect level NOEL/NOEC No Observed-effect level/concentration NZIoC New Zealand Inventory of Chemicals

OECD Organisation for Economic Co-operation and Development PBT persistent, bioaccumulative, toxic

PICCS Philippine Inventory of Chemicals and Chemical Substances **PNEC** Predicted No-Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Règlement concernant le transport international ferroviaire de marchandises dangereuses

TG Test Guideline

TRGS Technische Regeln für Gefahrstoffe **TSCA** Toxic Substances Control Act very persistent, very bioaccumulative vPvB Wassergefährdungsklasse WGK

Annex

Attachments to the safety data sheet and/or lists of the identified uses for the listed substances can be downloaded using the internet links below.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/00000000339_EN_01.pdf