

Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Telephone

Syn Gearbox Oil 75W-80 Trade name

Synonyms Synthetic gear oil, Manual gear oil

Relevant identified uses of the substance or mixture and uses advised against

Use Lubricant or lubricant additive

Manufacturer or supplier's details

Sasol Oil Pty (Ltd) Company

Sasol Place, 50 Katherine Street Address

Sandton 2090

South Africa +27860335444

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 10 5100 3039 (China)

+27 (0)17 610 4444 (South Africa)

+61 (2) 8014 4558 (Australia)



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

SECTION 2. Hazards identification

Classification of the substance or mixture

South Africa. GHS Classification and Labelling of Chemicals - SANS 10234

Classification

Skin sensitisation Category 1

Label elements

Pictogram



Signal word Warning

Hazard statements H317: May cause an allergic skin reaction.

Precautionary statements

Prevention P261: Avoid breathing mist or vapours.

P272: Contaminated work clothing should not be allowed out of the

workplace.

P280: Wear protective gloves.

Response P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P333 + P313: If skin irritation or rash occurs: Get medical advice/

Print Date 02.06.2023 100000012050 2/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

attention.

P362 + P364: Take off contaminated clothing and wash it before reuse.

Storage No special storage conditions required.

Disposal P501Dispose of contents/container to an approved facility in

accordance with local, regional, national and international regulations.

Other hazards No data available

SECTION 3. Composition/information on ingredients

Mixture

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: <= 85.00 %W/W

CAS-No. 64742-54-7 **Index-No.** 649-467-00-8 **EC-No.** 265-157-1

Mineral oil

Contents: <= 5.00 %W/W

CAS-No. Index-No. EC-No.

Reaction products of Benzeneamine, N-phenyl- with nonene (branched)

Contents: <= 1.50 %W/W

CAS-No. 36878-20-3 **Index-No. EC-No.** 253-249-4

Print Date 02.06.2023 100000012050 3/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

Phosphoric acid ester

Contents: <= 1.50 %W/W

CAS-No. Index-No. EC-No.

Diphenylamine

Contents: <= 0.03 %W/W

CAS-No. 122-39-4 **Index-No. EC-No.**

Hazard statements H331 H311 H301 H373 H400 H410

H319

2-Ethylhexyl methacrylate

Contents: <= 0.07 %W/W

CAS-No. 688-84-6 **Index-No.** 607-134-00-4 **EC-No.** 211-708-6

Hazard statements *H315 H317 H319 H335 H412*

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial

respiration. If breathing is difficult, give oxygen. Get medical

attention/advice if you feel unwell.

Skin contact Wash off immediately with soap and plenty of water. Wash

Print Date 02.06.2023 100000012050 4/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

contaminated clothing before reuse. Get medical attention if

irritation develops and persists.

Eye contact Remove contact lenses. Rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Ingestion Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person. Seek immediate

medical attention/advice.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing Water spray, Foam, CO2, Dry powder.

media

Special hazards arising Under conditions of continuous exposure to heat, may burn.

from the substance or Under extreme conditions (e.g. confinement) could lead to

mixture detonation. Nitrogen oxides (NOx) and carbon oxides are

produced during combustion.

Special protective Wear self-contained breathing apparatus and protective suit.

equipment for firefighters

SECTION 6. Accidental release measures

Print Date 02.06.2023 **100000012050** 5/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

Personal precautions Use personal protective equipment. Handle in accordance with

good industrial hygiene and safety practice.

Environmental precautions Prevent further leakage or spillage if safe to do so. Try to

prevent the material from entering drains or water courses.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Disposal and clean up may

only be done by authorised personnel.

Reference to other sections Refer to Section 8 and 13

SECTION 7. Handling and storage

Safe handling advice Wear personal protective equipment. Do not breathe vapours

or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.

Advice on protection

against fire and explosion

No data available

Requirements for storage

Keep away from heat.Do not store near combustible materials.

areas and containers

Advice on common storage No data available

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

Print Date 02.06.2023 **100000012050** 6/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection Gloves suitable for permanent contact:

Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm

Eye protection Safety goggles

Skin and body protection lightweight protective clothing

Hygiene measures Wash hands before breaks and immediately after handling the

product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form Liquid

State of matter Liquid; at 20 ° C; 1,013 hPa

Colour Dark brown

Odour Wood resin



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

Odour Threshold No data available

pH No data available

Softening point -58 ° C; ASTM D97

Flash point 180 ° C; ASTM D92

Evaporation rate No data available

Flammability (solid, gas) No data available

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Vapour pressure No data available

Relative vapour density No data available

Density 0.858 g/cm3; ASTM D4052

Water solubility Immiscible, Insoluble

Partition coefficient: n-

octanol/water

No data available

Viscosity, kinematic 57 mm2/s; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability No data available

Possibility of hazardous Strong acids and oxidizing agents

Print Date 02.06.2023 100000012050 8/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

reactions

Conditions to avoid No data available

Materials to avoid Combustible material.

Hazardous decomposition Sta

products

Stable under normal conditions.

SECTION 11. Toxicological information

Acute oral toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LD50 Rat: > 2,000 mg/kg;

Acute inhalation toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LC50 Rat: 4 h; 2.18 - 5.53 mg/l;

Acute dermal toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

LD50 Rat: > 2,000 mg/kg;

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Oral Rat; Lowest observed adverse effect level 125 mg/kg

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Dermal Rat; NOAEL Early embryonic development 30 - 2,000

mg/kg

Repeated dose toxicity Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

Print Date 02.06.2023 100000012050 9/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

Dermal Mouse; NOAEL Early embryonic development 150

mg/kg

Carcinogenicity Mineral oils are severely solvent refined or hydrotreated.

SECTION 12. Ecological information

Toxicity to fish Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

4 d; LL50; 100 mg/l;

Toxicity to daphnia and other

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

aquatic invertebrates

unspecified:

No data available

Toxicity to fish Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

unspecified:

No data available

SECTION 13. Disposal considerations

Product Dispose of in accordance with local regulations.

SECTION 14. Transport information

Further Information Not classified as dangerous in the meaning of transport

regulations.

SECTION 15. Regulatory information

Print Date 02.06.2023 100000012050 10/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canadian Domestic Substances List (DSL) Components Not listed

Mineral oil

Phosphoric acid ester

Australian Inv. of Chem. Substances (AICS) Components Not listed

Mineral oil

Phosphoric acid ester

New Zealand Inventory of Chemicals Components Not listed

(NZIoC) Mineral oil

Phosphoric acid ester

Jap. Inv. of Exist. & New Chemicals (ENCS) Components Not listed

Mineral oil

Phosphoric acid ester

Japan. Industrial Safety & Health Law (ISHL) Components Not listed

Mineral oil

Phosphoric acid ester

Korea. Existing Chemicals Inventory (KECI) Components Not listed

Mineral oil

Phosphoric acid ester

Philippines Inventory of Chemicals and

Components Not listed

Mineral oil

Chemical Substances (PICCS)

Phosphoric acid ester

China Inv. Existing Chemical Substances Components Not listed

Print Date 02.06.2023 100000012050 11/13



Syn Gearbox Oil 75W-80

Version 1.01 Revision Date 02.06.2023

(IECSC)

Mineral oil

Phosphoric acid ester

Taiwan. Chemical Substances Inventory

(TCSI)

Components Not listed

Mineral oil

Phosphoric acid ester

Reaction products of Benzeneamine, N-phenyl- with nonene

(branched)

USA TSCA Inventory Components Not listed

Mineral oil

Phosphoric acid ester

SECTION 16. Other information

Full text of H-Statements

| H301 7 | oxic | if swal | lowed. |
|--------|------|---------|--------|
|--------|------|---------|--------|

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Print Date 02.06.2023 100000012050 12/13



Syn Gearbox Oil 75W-80

Version 1.01

Revision Date 02.06.2023

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 02.06.2023 **100000012050** 13/13