



Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name Hydraulic Fluid 32

Synonyms Hydraulic Oil

Relevant identified uses of the substance or mixture and uses advised against

Use Lubricant or lubricant additive

Manufacturer or supplier's details

Company Sasol Oil Pty (Ltd)

Address Sasol Place, 50 Katherine Street
Sandton
2090
South Africa

Telephone +27860335444

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)
+44(0)1235 239 671 (Middle East, Arabic African countries)
+65 3158 1074 (Asia Pacific)
+86 10 5100 3039 (China)
+27 (0)17 610 4444 (South Africa)
+61 (2) 8014 4558 (Australia)

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification This substance is not classified as hazardous according to GHS.

Label elements

Pictogram Not applicable

Signal word Not applicable

Hazard statements This substance is not classified as hazardous according to GHS.

Precautionary statements

Prevention No precautionary statement

Response No precautionary statement

Storage No special storage conditions required.

Disposal P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards No data available

SECTION 3. Composition/information on ingredients

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Mixture

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: 98.90 %W/W

CAS-No. 64742-54-7

Index-No. 649-467-00-8

EC-No. 265-157-1

Hazard statements *H304*

Mineral Oil

Contents: ≥ 0.12 - ≤ 0.21 %W/W

CAS-No.

Index-No.

EC-No.

Hazard statements *H304*

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

Contents: ≥ 0.26 - ≤ 0.50 %W/W

CAS-No. 68649-42-3

Index-No.

EC-No. 272-028-3

Hazard statements *H315 H319 H318 H411*

Alkyl Phenol (isomer)

Contents: ≥ 0.09 - ≤ 0.17 %W/W

CAS-No.

Index-No.

EC-No.

Hazard statements *H315 H400 H410*

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Get medical attention/advice if you feel unwell.
Skin contact	Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
Most important symptoms/effects, acute and delayed	

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Water spray, Foam, CO2, Dry powder.
Special hazards arising from the substance or mixture	Under conditions of continuous exposure to heat, may burn. Under extreme conditions (e.g. confinement) could lead to detonation. Nitrogen oxides (NOx) and carbon oxides are produced during combustion.

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Special protective equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	Use personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Disposal and clean up may only be done by authorised personnel.
Reference to other sections	Refer toSection8and13

SECTION 7. Handling and storage

Safe handling advice	Wear personal protective equipment. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.
Advice on protection against fire and explosion	No data available
Requirements for storage areas and containers	Keep away from heat.Do not store near combustible materials.
Advice on common storage	No data available

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Gloves suitable for permanent contact:
Material: butyl-rubber
Break through time: 4 h
Material thickness: 0.5 mm

Eye protection Safety goggles

Skin and body protection lightweight protective clothing

Hygiene measures Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	light brown
Odour	mild
Odour Threshold	No data available
pH	No data available
pourpoint	-18 ° C
Flash point	200 ° C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	> 320 ° C
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Density	0.87 g/cm ³ ; 20 ° C
Water solubility	immiscible
Partition coefficient: n-octanol/water	No data available
Viscosity, kinematic	33 mm ² /s; 40 ° C

SECTION 10. Stability and reactivity

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Reactivity	Stable under normal conditions.
Chemical stability	No data available
Possibility of hazardous reactions	Strong acids and oxidizing agents
Conditions to avoid	No data available
Materials to avoid	Combustible material
Hazardous decomposition products	Stable under normal conditions.

SECTION 11. Toxicological information

Acute oral toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LD50 Rat: 5,000 mg/kg;
Acute inhalation toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LC50 Rat: 4 h; 2.18 - 5.53 mg/l;
Acute dermal toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LD50 Rabbit: 2,000 - 5,000 mg/kg;
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Oral Rat; Lowest observed adverse effect level 125 mg/kg

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rat; NOAEL Early embryonic development 30 - 2,000 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Mouse; NOAEL Early embryonic development 150 mg/kg Lowest observed adverse effect level 100 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rabbit; NOAEL Early embryonic development 1,000 mg/kg
Carcinogenicity	Mineral oils are severely solvent refined or hydrotreated.

SECTION 12. Ecological information

Toxicity to fish	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: 4 d; LL50; 100 mg/l;
Toxicity to daphnia and other aquatic invertebrates	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available
Toxicity to algae	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available
Toxicity to bacteria	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

unspecified:

No data available

SECTION 13. Disposal considerations

Product

Dispose of in accordance with local regulations.

SECTION 14. Transport information

Further Information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canadian Domestic Substances List (DSL)

Components Not listed

Mineral Oil

Alkyl Phenol (isomer)

Australian Inv. of Chem. Substances (AICS)

Components Not listed

Mineral Oil

Alkyl Phenol (isomer)

**New Zealand Inventory of Chemicals
(NZIoC)**

Components Not listed

Mineral Oil

Alkyl Phenol (isomer)

Jap. Inv. of Exist. & New Chemicals (ENCS)

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic

Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
Mineral Oil
Alkyl Phenol (isomer)

Japan. Industrial Safety & Health Law (ISHL)

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
Mineral Oil
Alkyl Phenol (isomer)

Korea. Existing Chemicals Inventory (KECI)

Components Not listed

Mineral Oil
Alkyl Phenol (isomer)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Components Not listed

Mineral Oil
Alkyl Phenol (isomer)

China Inv. Existing Chemical Substances (IECSC)

Components Not listed

Mineral Oil
Alkyl Phenol (isomer)

Taiwan. Chemical Substances Inventory (TCSI)

Components Not listed

Mineral Oil
Alkyl Phenol (isomer)

USA TSCA Inventory

Components Not listed

Mineral Oil
Alkyl Phenol (isomer)

SECTION 16. Other information



Safety Data Sheet

Hydraulic Fluid 32

Version 1.01

Revision Date 26.06.2023

Full text of H-Statements

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.