

Primadet(R)

Version 1.02 Revision Date 29.08.2025

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name Primadet(R)

Synonyms EZ Stoper®, Dual Stoper®, EZ Ringer®, LP Primadet®, EZ

Platinum TrunklineTM, Dual DetTM, MS Primadet, EZ TrunklineTM, EZ Det, NDT (Noiseless trunk line delay), Lead in Line(LIL), EZ

Drifter, Noiseless Lead in Line

Relevant identified uses of the substance or mixture and uses advised against

Use Mining and civil explosive detonator.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address Sasol Place, 50 Katherine Street

Sandton 2090

South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone +27 (0)17 610 4444 (South Africa)

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification Explosives Division 1.1

Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H201 Explosive; mass explosion hazard.

Print Date 29.08.2025 100000006378 1/9



Primadet(R)

Version 1.02 Revision Date 29.08.2025

Precautionary Statements

Prevention P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P240 Ground and bond container and receiving equipment.

P250 Do not subject to grinding/ shock/ friction.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response P370 + P380 In case of fire: Evacuate area.

P372 Explosion risk in case of fire.

P373 DO NOT fight fire when fire reaches explosives.

Storage P401 Store in accordance with local regulations.

P501 Dispose of contents/ container to an approved waste disposal plant.

Disposal

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. Composition/information on ingredients

Mixture contained in a tube.

lead compounds

Contents: >= 29.00 - < 29.30 %W/W

CAS-No. 7439-92-1 Index-No. 082-001-00-6 EC-No. 231-100-4

Hazard Statements H360Df H362

barium chromate

Contents: >= 0.90 - < 2.90 % W/W

CAS-No. 10294-40-3 **Index-No.** 056-002-00-7 **EC-No.** 233-660-5

Lead compounds with the exception of those specified elsewhere in this Annex

Contents: < 2.80 %W/W

CAS-No. 1314-41-6 Index-No. 082-001-00-6 EC-No. 215-235-6

Hazard Statements *H302 H332 H360 H351 H372 H400 H410*



Primadet(R)

Version 1.02 Revision Date 29.08.2025

lead chromate

Contents: < 1.20 %W/W

CAS-No. 7758-97-6 **Index-No.** 082-004-00-2 **EC-No.** 231-846-0

Lead Diazide; Lead Azide

Contents: < 0.30 %W/W

CAS-No. 13424-46-9 **Index-No.** 082-003-00-7 **EC-No.** 236-542-1



Primadet(R)

Version 1.02 Revision Date 29.08.2025

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation No hazards which require special first aid measures. Not a likely

route of exposure.

Skin contact No hazards which require special first aid measures. Not a likely

route of exposure.

Eye contact No hazards which require special first aid measures. Not a likely

route of exposure.

Ingestion No hazards which require special first aid measures. Not a likely

route of exposure.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media Do not fight fire. Evacuate personnel to safe areas.

Special hazards arising from Risk of explosion by shock, friction, fire or other sources of ignition.

the substance or mixture

Special protective equipment Wear self-contained breathing apparatus and protective suit.

for firefighters

SECTION 6. Accidental release measures

Personal precautions Risk of explosion by shock, friction, fire or other sources of ignition.

Evacuate personnel to safe areas.

Environmental precautions Methods for cleaning up

Explosive properties Prevent release into the environment. Closed units (shells) can be picked up by hand (with due

precautionary measures taken, e.g. static grounding, no friction or impact, ambient temperatures) and placed in a cardboard box for disposal. Broken open shells should only be handled by properly trained personnel as the hazard of explosion is severe in this case. Chemical neutralization and desensitizing or in situ destruction need to be done on the damaged shells. Disposal and clean up may only be done by authorised personnel. Recommendation: Contact the supplier

for information for assistance before clean up and disposal is

attempted.

Reference to other sections Refer to section 8 and 13

SECTION 7. Handling and storage

Print Date 29.08.2025 100000006378 4/9



Primadet(R)

Version 1.02 Revision Date 29.08.2025

Safe handling advice Take measures to prevent the build up of electrostatic charge. The

danger areas must be delimited and identified using relevant warning and safety signs. Keep away from fire, sparks and heated surfaces. Explosive charge is unprotected - static discharge into the shell or

impact (stabbing) into the shell may cause detonation!

Advice on protection against

fire and explosion

Take measures to prevent the build up of electrostatic charge. Keep away from sources of ignition - No smoking. Ground/bond container

and receiving equipment - if the explosive is electrostatically

sensitive.

Requirements for storage

areas and containers Advice on common storage Keep product dry to prevent copper shells and lead azide reacting to

form sensitive copper azide

No data available

SECTION 8. Exposure controls/personal protection

Ingredients with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control	Update	Basis
		parameters		
Lead	TWA	0.15 mg/m3	1995	South Africa RELs
ALUMINIUM METAL,	TWA	5 mg/m3	1995	South Africa RELs
RESPIRABLE DUST	TWA	10 mg/m3	1995	South Africa RELs
ALUMINIUM METAL,				
TOTAL INHALABLE DUST				
BARIUM SULPHATE,	TWA	2 mg/m3	1995	South Africa RELs
RESPIRABLE DUST				

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection No hand protection required under normal conditions.

Eye protection Safety glasses

Skin and body protection Hygiene measuresLightweight protective clothing Rubber or plastic boots
Keep away from food, drink and animal foodstuffs.

SECTION 9. Physical and chemical properties

State of matter

Information on basic physical and chemical properties

Form Plastic rope with silver detonator shell or various coloured plastic

connection devices on the end Solid; at 20 °C; 1,013 hPa

Print Date 29.08.2025 100000006378 5/9



Primadet(R)

Version 1.02 Revision Date 29.08.2025

Color orange with various coloured plastic connection devices

Odor No data available **Odor Threshold** No data available pН Not applicable No data available Melting point/ range Boiling point/boiling range No data available Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available

Autoignition temperature May explode in Temperature > 100°C

Decomposition Temperature No data available Lower explosion limit No data available Upper explosion limit No data available Vapor pressure No data available Relative vapor density No data available No data available Density Water solubility Insoluble, immiscible Partition coefficient: n-No data available

octanol/water

Viscosity, kinematic No data available

SECTION 10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous Impact, heat or flame may cause an explosion

reactions

Conditions to avoid Keep away from combustible material. Heat, flames and sparks.

Direct sources of heat.

Materials to avoidReducing agents. Combustible material Metals Organic materialsHazardous decompositionCarbon monoxide.Carbon dioxide (CO2).Nitrogen oxides (NOx)Lead

products oxides

SECTION 11. Toxicological information

Acute dermal toxicityNo data availableSkin irritationNo data availableEye irritationNo data availableSensitizationNo data availableRepeated dose toxicityNo data availableCarcinogenicityNo data available

Further Information No toxicology information is available.

SECTION 12. Ecological information

Toxicity to fishNo data available **Toxicity to daphnia and other**No data available

aquatic invertebrates

Toxicity to algae
No data available
No data available



Primadet(R)

Version 1.02 Revision Date 29.08.2025

Toxicity to fish No data available Chronic toxicity in aquatic No data available

invertebrates

No data available **Biodegradability** Physico-chemical removability No data available **Bioaccumulation** No data available

Other adverse effects No information on ecology is available.

SECTION 13. Disposal considerations

Product Dispose of as special waste in compliance to local, national and

> international regulations. Disposal and clean up may only be done by authorised personnel. Recommendation: Contact the supplier for information for assistance before clean up and disposal is

attempted.

Packaging Uncontrolled disposal or recycling of this packaging is not

permitted and can be dangerous.

SECTION 14. Transport information

DG Pictogram



ADR

UN number: 0360 Class: 1.1 B;

Proper shipping name: DETONATOR ASSEMBLIES, NON-ELECTRIC

RID

UN number: 0360 Class: 1.1 В

Proper shipping name:

DETONATOR ASSEMBLIES, NON-ELECTRIC

ADNR

0360 **UN number:** Class: 1.1

DETONATOR ASSEMBLIES, NON-ELECTRIC Proper shipping name:



Primadet(R)

Version 1.02 Revision Date 29.08.2025

IMDG

 UN number:
 0360

 Class:
 1.1

 EmS:
 F-B, S-X

В;

Proper shipping name: DETONATOR ASSEMBLIES, NON-ELECTRIC

Marine pollutant

Not a Marine Pollutant

ICAO/IATA

UN number: 0360 **Class:** 1.1

Proper shipping name: DETONATOR ASSEMBLIES, NON-ELECTRIC

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Inv. of Exist. Chem. Substances in China All chemical constituents are listed in: Inv. of Exist. Chem. Substances

in China (See chapter 3)

USA TSCA Inventory All chemical constituents are listed in: USA TSCA Inventory (See

chapter 3)

Canadian Domestic Substances List (DSL)

All chemical constituents are listed in: Canadian Domestic Substances

List (DSL) (See chapter 3)

Australian Inv. of Chem. Substances (AICS) All chemical constituents are listed in: Australian Inv. of Chem.

Substances (AICS) (See chapter 3)

New Zealand Inventory of Chemicals (NZIoC) All chemical constituents are listed in: New Zealand Inventory of

Chemicals (NZIoC) (See chapter 3)

Jap. Inv. of Exist. & New Chemicals (ENCS) All chemical constituents are listed in: Jap. Inv. of Exist. & New

Chemicals (ENCS) (See chapter 3)

Japan. Industrial Safety & Health Law (ISHL) All chemical constituents are listed in: Japan. Industrial Safety &

Health Law (ISHL) (See chapter 3)

Korea. Existing Chemicals Inventory (KECI) All chemical constituents are listed in: Korea. Existing Chemicals

Inventory (KECI) (See chapter 3)

Philippines Inventory of Chemicals and

Chemical Substances (PICCS)

All chemical constituents are listed in: Philippines Inventory of Chemicals and Chemical Substances (PICCS) (See chapter 3)

China Inv. Existing Chemical Substances

(IECSC)

All chemical constituents are listed in: China Inv. Existing Chemical

Substances (IECSC) (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

Print Date 29.08.2025 100000006378 8/9



Primadet(R)

Version 1.02 Revision Date 29.08.2025

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 29.08.2025 100000006378 9/9