



# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

**Product identifier**

**Trade name**

Locomotive Oil Gen 5 40

**Synonyms**

Monograde Loco Engine Oil, Railroad, Locomotive Oil

**Relevant identified uses of the substance or mixture and uses advised against**

**Use**

Lubricant or lubricant additive

**Manufacturer or supplier's details**

**Company**

Sasol Oil Pty (Ltd)

**Address**

Sasol Place, 50 Katherine Street  
Sandton  
2090  
South Africa  
+27860335444

**Telephone**

**E-mail address**

sasolchem.info.sa@sasol.com

**Emergency telephone number**

South Africa: 0800 11 28 90; International: +27 17 610 4444

### SECTION 2. Hazards identification

**Classification of the substance or mixture**

**REGULATION (EC) No 1272/2008**

**Classification**

Skin sensitisation

Category 1

Specific target organ toxicity - repeated exposure

Category 2

# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

### Label elements

#### Pictogram



#### Signal word

Warning

#### Hazard statements

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

### Precautionary statements

#### Prevention

P261: Avoid breathing mist or vapours.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves.

#### Response

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P333 + P317: If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364: Take off contaminated clothing and wash it before reuse.

P314: Get medical advice/ attention if you feel unwell.

#### Storage

#### Disposal

P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

#### Other hazards

No data available.

## Safety Data Sheet

### Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

## SECTION 3. Composition/information on ingredients

### Mixture

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: 87.50 %W/W

CAS-No. 64742-54-7

Index-No. 649-467-00-8

EC-No. 265-157-1

### C14-16-18 Alkyl phenol

Contents:  $\geq 0.12$  -  $\leq 1.22$  %W/W

CAS-No.

Index-No.

EC-No.

Hazard statements *H317 H373*

### Mineral Oil

Contents:  $\geq 0.09$  -  $\leq 0.12$  %W/W

CAS-No.

Index-No.

EC-No.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4. First aid measures

### Description of necessary first-aid measures

#### Inhalation

Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Get medical

# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

	attention/advice if you feel unwell.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
<b>Ingestion</b>	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
<b>Most important symptoms/effects, acute and delayed</b>	

Refer to SECTION 11

### SECTION 5. Firefighting measures

<b>Suitable extinguishing media</b>	Water spray, Foam, CO2, Dry powder.
<b>Special hazards arising from the substance or mixture</b>	Under conditions of continuous exposure to heat, may burn. Under extreme conditions (e.g. confinement) could lead to detonation. Nitrogen oxides (NOx) and carbon oxides are produced during combustion.
<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus and protective suit.

# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

### SECTION 6. Accidental release measures

<b>Personal precautions</b>	Use personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Disposal and clean up may only be done by authorised personnel.
<b>Reference to other sections</b>	Refer to section 8 and 13

### SECTION 7. Handling and storage

<b>Safe handling advice</b>	Wear personal protective equipment. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.
<b>Advice on protection against fire and explosion</b>	No data available.
<b>Requirements for storage areas and containers</b>	Keep away from heat. Do not store near combustible materials.
<b>Advice on common storage</b>	No data available.

### SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

Print Date 10.10.2023

100000009915

5/11

## Safety Data Sheet

### Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

#### NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

#### Exposure controls

##### Engineering measures

Ensure adequate ventilation, especially in confined areas.

##### Personal protective equipment

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Hand protection** Gloves suitable for permanent contact.:  
Material: nitrile rubber/nitrile latex  
Break through time: > 8 h  
Material thickness: 0.35 mm  
Unsuitable gloves  
Material: natural rubber/natural latex, polychloroprene, butyl-rubber, Polyvinylchloride

**Eye protection** Safety goggles

**Skin and body protection** lightweight protective clothing

**Hygiene measures** Wash hands before breaks and immediately after handling the product.

## SECTION 9. Physical and chemical properties

#### Information on basic physical and chemical properties

# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

<b>Form</b>	Liquid
<b>State of matter</b>	Liquid; at 20 ° C; 1,013 hPa
<b>Colour</b>	light brown
<b>Odour</b>	Mild
<b>Odour Threshold</b>	No data available.
<b>pH</b>	No data available.
<b>Pour point</b>	-30 ° C; ASTM D97
<b>Flash point</b>	215 ° C; ASTM D92
<b>Evaporation rate</b>	No data available.
<b>Flammability (solid, gas)</b>	No data available.
<b>Auto-ignition temperature</b>	> 320 ° C
<b>Lower explosion limit</b>	No data available.
<b>Upper explosion limit</b>	No data available.
<b>Vapour pressure</b>	No data available.
<b>Relative vapour density</b>	No data available.
<b>Density</b>	0.885 g/cm <sup>3</sup> ; ASTM D4052
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	No data available.
<b>Viscosity, kinematic</b>	144 mm <sup>2</sup> /s; ASTM D 445

### SECTION 10. Stability and reactivity

## Safety Data Sheet

### Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	No data available.
<b>Possibility of hazardous reactions</b>	Strong acids and oxidizing agents
<b>Conditions to avoid</b>	No data available.
<b>Materials to avoid</b>	Combustible material
<b>Hazardous decomposition products</b>	Stable under normal conditions.

#### SECTION 11. Toxicological information

<b>Acute oral toxicity</b>	No data available.
<b>Acute inhalation toxicity</b>	No data available.
<b>Acute dermal toxicity</b>	No data available.
<b>Repeated dose toxicity</b>	No data available.
<b>Carcinogenicity</b>	Mineral oils are severely solvent refined or hydrotreated.
<b>Further Information</b>	No data available.

#### SECTION 12. Ecological information

<b>Toxicity to fish</b>	No data available.
-------------------------	--------------------



# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

Toxicity to daphnia and other aquatic invertebrates	No data is available on the product itself.
Toxicity to algae	No data available.
Toxicity to bacteria	No data available.
Other adverse effects	No data available.

### SECTION 13. Disposal considerations

Product	Dispose of in accordance with local regulations.
---------	--

### SECTION 14. Transport information

Further Information	Not classified as dangerous in the meaning of transport regulations.
---------------------	--

### SECTION 15. Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Canada. DSL - Domestic Substances List, part of CEPA	<b>Components Not listed</b> C14-16-18 Alkyl phenol Mineral Oil
Australia. AICS - Australian Inventory of Chemical Substances	<b>Components Not listed</b> C14-16-18 Alkyl phenol Mineral Oil
New Zealand Inventory of Chemical Substances	<b>Components Not listed</b> C14-16-18 Alkyl phenol

# Safety Data Sheet

## Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

Mineral Oil

**Japan. ENCS - Existing and New Chemical  
Substances Inventory**

**Components Not listed**

Distillates (petroleum), hydrotreated heavy paraffinic

C14-16-18 Alkyl phenol

Mineral Oil

**Japan. Industrial Safety and Health Law -  
Inventory**

**Components Not listed**

Distillates (petroleum), hydrotreated heavy paraffinic

C14-16-18 Alkyl phenol

Mineral Oil

**Korea. KECI - Korean Existing Chemicals  
Inventory**

**Components Not listed**

C14-16-18 Alkyl phenol

Mineral Oil

**Philippines. PICCS - Philippines Inventory of  
Chemicals and Chemical Substances**

**Components Not listed**

C14-16-18 Alkyl phenol

Mineral Oil

**China. IECSC - Inventory of Existing  
Chemical Substances in China**

**Components Not listed**

C14-16-18 Alkyl phenol

Mineral Oil

**Taiwan. Chemical Substances Inventory  
(TCSI)**

**Components Not listed**

C14-16-18 Alkyl phenol

Mineral Oil

**USA TSCA Inventory**

**Components Not listed**

C14-16-18 Alkyl phenol

Mineral Oil

## Safety Data Sheet

### Locomotive Oil Gen 5 40

Version 1.01

Revision Date 10.10.2023

#### SECTION 16. Other information

##### Full text of H-Statements

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.