



# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier

##### Trade name

n-Propanol

##### Synonyms

1-Propanol, Hydroxypropane, 1-Propyl alcohol, Ethyl carbinol, n-Propan-1-ol, n-Propyl alcohol.

##### Product code

2044

##### CAS-No.

71-23-8

#### Relevant identified uses of the substance or mixture and uses advised against

##### Use

Solvent. Industrial use.

#### Manufacturer or supplier's details

##### Company

Sasol Chemicals, a division of Sasol South Africa Ltd

##### Address

Sasol Place, 50 Katherine Street  
Sandton  
2090  
South Africa

##### Telephone

+27103445000

##### E-mail address

sasolchem.info.sa@sasol.com

##### Supplier's details

Sasol Chemicals Pacific Ltd

2 Shenton way #06-01

SGX Centre 1

068804

Singapore

##### Telephone

+65 6533 8856

##### E-mail address

info.sg@sasol.com

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

### Emergency Phone Number

**Emergency telephone number**

+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 400 120 6011 (China)

+27 (0)17 610 4444 (South Africa)

0800 112 890 RSA-Local only

+61 (2) 8014 4558 (Australia)

## SECTION 2. Hazards identification

### Classification of the substance or mixture

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

<b>Classification</b>	Flammable liquids	Category 3
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity - single exposure	Category 3

### Label elements

Hazard pictograms



Signal word

: Danger

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

Hazard statements	: H226 Flammable liquid and vapour. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  <b>Response:</b> P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  <b>Storage:</b> P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal:



# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

### SECTION 3. Composition/information on ingredients

#### Substance

##### Propan-1-ol

**Contents:** 99.90 %W/W

**CAS-No.** 71-23-8

**Index-No.** 603-003-00-0

**EC-No.** 200-746-9

**Hazard statements** *H226 H318 H336*

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4. First aid measures

#### Description of necessary first-aid measures

<b>Inhalation</b>	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

## Safety Data Sheet

### n-Propanol

Version 1.01

Revision Date 02.09.2021

#### Most important symptoms/effects, acute and delayed

Refer to SECTION 11

## SECTION 5. Firefighting measures

<b>Suitable extinguishing media</b>	Water spray. Alcohol-resistant foam. Dry chemical. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	No information available.
<b>Special hazards arising from the substance or mixture</b>	Flash back possible over considerable distance. Vapours may form explosive mixtures with air.
<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus and protective suit.

## SECTION 6. Accidental release measures

<b>Personal precautions</b>	Keep people away from and upwind of spill/leak. Remove all sources of ignition. Do not breathe vapours or spray mist. Ensure adequate ventilation.
<b>Environmental precautions</b>	Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

**sasol**

## Safety Data Sheet

### n-Propanol

Version 1.01

Revision Date 02.09.2021

**Methods for cleaning up** Soak up with inert absorbent material and dispose of as hazardous waste.

**Reference to other sections** Refer to Section 8 and 13

## SECTION 7. Handling and storage

**Safe handling advice** Provide sufficient air exchange and/or exhaust in work rooms.  
Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.

**Advice on protection against fire and explosion** Keep away from open flames, hot surfaces and sources of ignition. Use explosion-proof equipment.

**Temperature class** T1

**Requirements for storage areas and containers** Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Keep away from direct sunlight.

**Advice on common storage** Keep containers tightly closed in a cool, well-ventilated place.

## SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

### NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control parameters	Update	Basis
N-PROPYL ALCOHOL	TWA	492 mg/m <sup>3</sup>	03 2000	Malaysia OELs
N-PROPYL ALCOHOL	TWA	200 ppm	03 2000	Malaysia OELs

Print Date 02.09.2021

100000000473

7/15

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

### Exposure controls

#### Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

#### Personal protective equipment

<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Hand protection</b>	Gloves suitable for permanent contact: Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm
<b>Eye protection</b>	Safety glasses with side-shields
<b>Skin and body protection</b>	Protective suit. Safety shoes
<b>Hygiene measures</b>	Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

## SECTION 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Form</b>	Liquid
<b>State of matter</b>	Liquid; at 20 ° C; 1,013 hPa
<b>Colour</b>	Colourless
<b>Odour</b>	Alcohol-like



# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

Odour Threshold	No data available
pH	7
Melting point/range	-126.2 ° C
Boiling point/boiling range	97.2 ° C
Flash point	26 ° C; closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	371 ° C
Decomposition Temperature	No data available
Lower explosion limit	2.1 %(V)
Upper explosion limit	13.5 %(V)
Vapour pressure	27.998 hPa; 25 ° C
Relative vapour density	2.1
Density	0.805 g/cm <sup>3</sup> ; 20 ° C
Water solubility	Completely miscible
Partition coefficient: n-octanol/water	No data available
Viscosity, dynamic	2.170 mPa.s; 40 ° C

### SECTION 10. Stability and reactivity

#### Reactivity

Stable under recommended storage conditions.

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight. Heat, flames and sparks.
<b>Materials to avoid</b>	Strong oxidizing agents Incompatible with acids. Halogenated compounds
<b>Hazardous decomposition products</b>	Carbon oxides

### SECTION 11. Toxicological information

<b>Acute oral toxicity</b>	Propan-1-ol: LD50 Oral : > 2,000 mg/kg; (literature value)
<b>Acute oral toxicity</b>	Butan-2-ol: LD50 Oral Rat: male 2,054 mg/kg; (literature value)
<b>Acute inhalation toxicity</b>	Propan-1-ol: LC50 Rat: male and female; 4 h; vapour; 13548 ppm; GLP: yes; (literature value)
<b>Acute dermal toxicity</b>	Propan-1-ol: LD50 Dermal Rabbit: male; 6,730 mg/kg; (literature value)
<b>Skin irritation</b>	Propan-1-ol: Rabbit: Not irritating; Draize Test (literature value)
<b>Eye irritation</b>	Propan-1-ol: Rabbit: Highly irritating 24 - 72 h; (literature value)



**sasol**

## Safety Data Sheet

### n-Propanol

Version 1.01

Revision Date 02.09.2021

#### Mutagenicity

Propan-1-ol:

Ames test: Salmonella typhimurium; Not mutagenic; (literature value)

## SECTION 12. Ecological information

#### Toxicity to fish

Propan-1-ol:

static test; Pimephales promelas; 96 h; LC50; 4,650 mg/l; GLP: no; (literature value)

#### Toxicity to daphnia and other aquatic invertebrates

Propan-1-ol:

static test; Daphnia magna (Water flea); 48 h; EC50; 3,644 mg/l(literature value)

#### Biodegradability

Propan-1-ol:

aerobic; 3 mg/l; 81 %; 20 d; Readily biodegradable.; (literature value)

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. Disposal considerations

#### Product

In accordance with local and national regulations. Do not contaminate ponds, waterways or ditches with chemical or

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

### Packaging

used container. The product should not be allowed to enter drains, water courses or the soil.

Dispose of spent product packaging responsibly and lawfully with due consideration for health, safety and the environment.

## SECTION 14. Transport information

### DG Pictogram



### ADR

UN number: 1274  
 Class: 3  
 Packaging group: III; F1;  
 Proper shipping name: n-PROPANOL

### RID

UN number: 1274  
 Class: 3  
 Packaging group: III; F1  
 Proper shipping name: n-PROPANOL

### IMDG

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

<b>UN number:</b>	1274
<b>Class:</b>	3
<b>EmS:</b>	F-E, S-D
<b>Packaging group:</b>	III
<b>Proper shipping name:</b>	n-PROPANOL
<b>Marine pollutant</b>	Not a Marine Pollutant
<b>ICAO/IATA</b>	
<b>UN number :</b>	1274
<b>Class:</b>	3
<b>Packaging group:</b>	III
<b>Proper shipping name:</b>	n-PROPANOL
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	n-Propanol Pollution Category: Y Ship Type: 3

### SECTION 15. Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### USA TSCA Inventory

All chemical constituents are listed in: USA TSCA Inventory  
(See chapter 3)

Print Date 02.09.2021

100000000473

13/15

# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

<b>Canadian Domestic Substances List (DSL)</b>	All chemical constituents are listed in: Canadian Domestic Substances List (DSL) (See chapter 3)
<b>Australian Inv. of Chem. Substances (AICS)</b>	All chemical constituents are listed in: Australian Inv. of Chem. Substances (AICS) (See chapter 3)
<b>New Zealand Inventory of Chemicals (NZIoC)</b>	All chemical constituents are listed in: New Zealand Inventory of Chemicals (NZIoC) (See chapter 3)
<b>Jap. Inv. of Exist. &amp; New Chemicals (ENCS)</b>	All chemical constituents are listed in: Jap. Inv. of Exist. & New Chemicals (ENCS) (See chapter 3)
<b>Japan. Industrial Safety &amp; Health Law (ISHL)</b>	All chemical constituents are listed in: Japan. Industrial Safety & Health Law (ISHL) (See chapter 3)
<b>Korea. Existing Chemicals Inventory (KECI)</b>	All chemical constituents are listed in: Korea. Existing Chemicals Inventory (KECI) (See chapter 3)
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	All chemical constituents are listed in: Philippines Inventory of Chemicals and Chemical Substances (PICCS) (See chapter 3)
<b>China Inv. Existing Chemical Substances (IECSC)</b>	All chemical constituents are listed in: China Inv. Existing Chemical Substances (IECSC) (See chapter 3)

### SECTION 16. Other information

#### Full text of H-Statements

- H226 Flammable liquid and vapour.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.



# Safety Data Sheet

## n-Propanol

Version 1.01

Revision Date 02.09.2021

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.