

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name	NAFOL 1014
------------	------------

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use	Industrial use raw material for washing and cleaning agents raw material for textile auxiliary agents raw material for synthesis processes in the chemical industry
Uses advised against	

**1.3 Details of the supplier of the safety data sheet**

Company	SASOL Germany GmbH Anckelmannsplatz 1 20537 Hamburg  Telephone: +49 40 63684-1000 Telefax: +49 40 63684-3700
Information (Product safety):	Telephone: + 49 (0) 23 65 - 49 47 05 Telefax: + 49 (0) 23 65 - 49 92 40
E-mail address	msds-info.germany@de.sasol.com

**1.4 Emergency telephone number**

Emergency telephone number	+ 49 (0) 5 51 - 1 92 40 (GIZ-Nord Poisons Centre)
----------------------------	---

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Eye irritation Category 2	Causes serious eye irritation.
Short-term (acute) aquatic hazard Category 1	Very toxic to aquatic life.
Long-term (chronic) aquatic hazard Category 1	Very toxic to aquatic life with long lasting effects.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)****Hazard pictograms**

Signal word	Warning
-------------	---------

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**Hazard statements**

H319 Causes serious eye irritation.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.  
P501 Dispose of contents/ container to an approved waste disposal plant.

**2.3 Other hazards**

None known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product is a mixture in the meaning of regulation (EC) 1907/2006.

**CHEMICAL CHARACTERIZATION**

Alcohol blend, C10-14

**COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES****Dodecan-1-ol****content:** >= 44 - <= 50 %**component type:** Active ingredient**EC-No.:** 203-982-0**Index-No.:****CAS-No.:** 112-53-8**REACH No.:** 01-2119485976-15-0000**Substance name (REACH / CLP):** dodecan-1-ol**Classification (Regulation**

Eye Irrit. 2

H319

**(EC) No 1272/2008):**

Aquatic Acute

1 H400

Aquatic Chronic

2 H411

**Tetradecanol****content:** >= 35 - <= 41 %**component type:** Active ingredient**EC-No.:** 204-000-3**Index-No.:****CAS-No.:** 112-72-1**REACH No.:** 01-2119485910-33-0000**Substance name (REACH / CLP):** tetradecanol**Classification (Regulation**

Eye Irrit. 2

H319

**(EC) No 1272/2008):**

Aquatic Chronic

1 H410

**Decan-1-ol****content:** >= 12 - <= 18 %**component type:** Active ingredient**EC-No.:** 203-956-9**Index-No.:****CAS-No.:** 112-30-1**REACH No.:** 01-2119480407-35-XXXX**Substance name (REACH / CLP):** decan-1-ol

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**Classification (Regulation  
(EC) No 1272/2008):**Eye Irrit. 2  
Aquatic ChronicH319  
3 H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	If you feel unwell, seek medical advice (show the label where possible). Take off all contaminated clothing immediately.
<b>If inhaled</b>	Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, give oxygen if necessary. Consult a physician.
<b>In case of skin contact</b>	Wash off with plenty of water.
<b>In case of eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>If swallowed</b>	Consult a physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Most important symptoms and effects, both acute and delayed</b>	Symptoms: No information available. Risks: No information available.
--	---

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Indication of any immediate medical attention and special treatment needed</b>	Treatment: No information available.
---	--------------------------------------

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	Water spray, Dry powder, Foam, Carbon dioxide (CO <sub>2</sub> )
-------------------------------------	--

**5.2 Special hazards arising from the substance or mixture**

<b>Specific hazards during firefighting</b>	Dangerous gases or fumes may occur in case of fire.
---	---

**5.3 Advice for firefighters**

<b>Special protective equipment for firefighters</b>	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
<b>Further information</b>	Cool closed containers exposed to fire with water spray. Closed container may rupture if strongly heated. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water system.

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**6.1 Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Use personal protective equipment.
<b>Special precautions</b>	Forms slippery/greasy layers with water. Spilling onto the container's outside will make container slippery. Danger of slipping after spill or leakage.

**6.2 Environmental precautions**

<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water. Avoid subsoil penetration. Do not allow material to contaminate ground water system.
----------------------------------	---

**6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
--------------------------------	--

**6.4 Reference to other sections**

For personal protection see section 8.

---

**SECTION 7: HANDLING AND STORAGE**

---

**7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	Wear personal protective equipment.
<b>Advice on protection against fire and explosion</b>	No special protective measures against fire required.
<b>Fire-fighting class</b>	B: Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Requirements for storage areas and containers</b>	No special storage conditions required.
<b>Further information on storage conditions</b>	Protect from frost, heat and sunlight.
<b>Storage class (TRGS 510)</b>	10: Combustible liquids not in Storage Class 3
<b>Other data</b>	Stable at normal ambient temperature and pressure.

**7.3 Specific end use(s)**

<b>Specific use(s)</b>	This information is not available.
------------------------	------------------------------------

# NAFOL 1014

Version: 7.08

Revision Date 11.02.2019

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

##### National occupational exposure limits

No data available

##### EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

#### DERIVED NO EFFECT LEVEL (DNEL)

Substance name: dodecan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

## NAFOL 1014

Version: 7.08

Revision Date 11.02.2019

Substance name: tetradecanol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

Substance name: decan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

	dermal, long-term exposure - systemic effects	250 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	176 mg/m3	
	dermal, long-term exposure - local effects	0,19 mg/cm2	
	Inhalation, long-term exposure - local effects	129 mg/m3	
Consumers	dermal, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	Oral, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	43,5 mg/m3	
	Oral, long-term exposure - systemic effects	12,5 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects	0,067 mg/cm2	
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

# NAFOL 1014

Version: 7.08

Revision Date 11.02.2019

## PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: dodecan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,0028 mg/l	
Marine water	0,00028 mg/l	
intermittent release		Not relevant / not applicable
treatment plant	0,021 mg/l	
Fresh water sediment	1,1 mg/kg	based on dry weight
Marine sediment	0,11 mg/kg	based on dry weight
Soil	0,888 mg/kg	based on dry weight
Air		No hazard identified
food		Not relevant / not applicable

Substance name: tetradecanol		
Environmental Compartment	Value	Note
Fresh water	0,00032 mg/l	
Marine water	0,000032 mg/l	
intermittent release		Not relevant / not applicable
treatment plant	0,0019 mg/l	
Fresh water sediment	0,36 mg/kg	based on dry weight
Marine sediment	0,036 mg/kg	based on dry weight
Soil	0,28 mg/kg	based on dry weight
food		Not relevant / not applicable

Substance name: decan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,042 mg/l	
Marine water	0,0042 mg/l	
intermittent release	0,08 mg/l	
treatment plant	1,5 mg/l	
Fresh water sediment	7 mg/kg	based on dry weight
Marine sediment	0,7 mg/kg	based on dry weight
Soil	1,27 mg/kg	based on dry weight
Air		Not relevant / not applicable
food		Not relevant / not applicable

## 8.2 Exposure controls

### ENGINEERING MEASURES

Provide sufficient air exchange and/or exhaust in work rooms.



**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**PERSONAL PROTECTIVE EQUIPMENT**

<b>Respiratory protection</b>	No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or ABEK-P2), in compliance with EN 141.
<b>Hand protection</b>	<p>The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).</p> <p><b>gloves suitable for permanent contact:</b> Material: Nitrile rubber/nitrile latex Break through time: &gt;= 480 min Layer thickness: 0,35 mm</p> <p>Material: butyl-rubber Break through time: &gt;= 480 min Layer thickness: 0,5 mm</p> <p><b>gloves suitable for splash protection:</b> Material: Natural rubber/natural latex Break through time: &gt;= 60 min Layer thickness: 0,5 mm</p>
<b>Eye protection</b>	Tightly fitting safety goggles
<b>Skin and body protection</b>	Wear suitable protective equipment.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs.
<b>Protective measures</b>	Avoid contact with eyes. Wear suitable gloves and eye/face protection.

**ENVIRONMENTAL EXPOSURE CONTROLS**

<b>General advice</b>	Do not let product enter drains. Do not flush into surface water. Avoid subsoil penetration. Do not allow material to contaminate ground water system.
-----------------------	---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	liquid; 20 °C; 1.013 hPa
<b>Form</b>	liquid
<b>Colour</b>	colourless

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

---

<b>Odour</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	Justification:., Not applicable, insoluble
<b>Boiling point/boiling range</b>	ca. 230 - 285 °C
<b>Flash point</b>	ca. 120 °C; DIN 51758
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	not applicable (liquid)
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Vapour pressure</b>	ca. < 1,000 hPa; 20 °C
<b>Relative vapour density</b>	
<b>Density</b>	ca.0,8 g/cm <sup>3</sup> ; 20 °C; DIN 51757
<b>Water solubility</b>	insoluble
<b>Partition coefficient: n-octanol/water</b>	not applicable (mixture)
<b>Ignition temperature</b>	ca. 255 °C
<b>Auto-ignition temperature</b>	not auto-flammable
<b>Viscosity, dynamic</b>	ca. 10,2 mPas; 20 °C
<b>Explosive properties</b>	Constituents do not contain chemical groups associated with explosivity.
<b>Oxidizing properties</b>	not expected based on structure and functional groups

**9.2 Other data**

None known.

**SECTION 10: STABILITY AND REACTIVITY**

---

**10.1 Reactivity**

<b>Note</b>	Stable at normal ambient temperature and pressure.
-------------	--

**10.2 Chemical stability**

<b>Note</b>	No decomposition if stored and applied as directed.
-------------	---

**10.3 Possibility of hazardous reactions**

<b>Hazardous reactions</b>	Hazardous decomposition products formed under fire conditions.
----------------------------	--

**10.4 Conditions to avoid**

<b>Conditions to avoid</b>	Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.
----------------------------	---

**10.5 Incompatible materials to avoid****10.6 Hazardous decomposition products**

<b>Hazardous decomposition products</b>	No decomposition if stored and applied as directed.
---	---

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**Thermal decomposition**

Stable under normal conditions.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Decan-1-ol:  
LD50 Rat: > 5,000 mg/kg; OPPTS 870.1100  
(literature value)  
Based on available data, the classification criteria are not met.

Dodecan-1-ol:  
LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 401  
(literature value)  
Based on available data, the classification criteria are not met.

Tetradecanol:  
LD50 Rat: > 5.000 mg/kg  
Based on available data, the classification criteria are not met.

**Acute inhalation toxicity**

Decan-1-ol:  
LC50 Rat: > 71 mg/l; 1 h  
Target Organs: Lungs  
Symptoms: Salivation, Drowsiness, Shortness of breath  
(literature value)  
Based on available data, the classification criteria are not met.

Dodecan-1-ol:  
LC50 Rat: > 71 mg/l; 1 h  
Target Organs: Lungs  
Symptoms: Salivation, Drowsiness, Loss of balance, Shortness of breath  
The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).  
Test substance: Decan-1-ol  
Based on available data, the classification criteria are not met.

Tetradecanol:  
LC50 Rat: > 1,5 mg/l; 1 h  
Based on available data, the classification criteria are not met.

**Acute dermal toxicity**

Decan-1-ol:  
LD50 Dermal Rabbit: > 5.000 mg/kg; OPPTS 870.1200  
Target Organs: Skin  
Symptoms: Local irritation  
(literature value)  
Based on available data, the classification criteria are not met.

Dodecan-1-ol:  
LD50 Rabbit: > 2.000 mg/kg;  
Category approach  
(literature value)  
Based on available data, the classification criteria are not met.

Tetradecanol:  
LD50 Rabbit: > 5.000 mg/kg;  
Target Organs: Skin  
Symptoms: Local irritation  
Based on available data, the classification criteria are not met.

**Skin corrosion/irritation****Skin irritation**

Decan-1-ol:  
Rabbit: moderately irritating; OPPTS 870.2500  
(literature value)

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

---

	Based on available data, the classification criteria are not met.
	Dodecan-1-ol: Human: not irritating; OECD Test Guideline 404 (literature value) Based on available data, the classification criteria are not met.
	Tetradecanol: Human: not irritating; OECD Test Guideline 404 (literature value) Based on available data, the classification criteria are not met.
<b>Human experience -Skin contact</b>	Decan-1-ol: not irritating (literature value)
<b>Serious eye damage/eye irritation</b>	
<b>Eye irritation</b>	Decan-1-ol: Rabbit: irritating; OPPTS 870.2400 (literature value) Causes serious eye irritation.  Dodecan-1-ol: Rabbit: irritating; OECD Test Guideline 405 Causes serious eye irritation.  Tetradecanol: Rabbit: irritating; OECD Test Guideline 405 Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	
<b>Sensitisation</b>	Decan-1-ol: Buehler Test Guinea pig: not sensitizing; OPPTS 870.2600 (literature value) Based on available data, the classification criteria are not met.  Dodecan-1-ol: Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406 (literature value) Based on available data, the classification criteria are not met.  Tetradecanol: Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406 (literature value) Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	
<b>Genotoxicity in vitro</b>	Decan-1-ol: In vitro tests did not show mutagenic effects (literature value) Category approach  Dodecan-1-ol: In vitro tests did not show mutagenic effects (literature value) Category approach  Tetradecanol: In vitro tests did not show mutagenic effects (literature value) Category approach
<b>Genotoxicity in vivo</b>	Decan-1-ol: In vivo tests did not show mutagenic effects (literature value) Category approach  Dodecan-1-ol: In vivo tests did not show mutagenic effects

# NAFOL 1014

Version: 7.08

Revision Date 11.02.2019

## Remarks

(literature value)

Tetradecanol:

In vivo tests did not show mutagenic effects

(literature value)

Category approach

Decan-1-ol:

Based on available data, the classification criteria are not met.

Dodecan-1-ol:

Based on available data, the classification criteria are not met.

Tetradecanol:

Based on available data, the classification criteria are not met.

## Carcinogenicity

### Carcinogenicity

Decan-1-ol:

The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.

Category approach

Dodecan-1-ol:

The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.

Category approach

Tetradecanol:

The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.

Category approach

## Reproductive toxicity

### Reproductive toxicity

Decan-1-ol:

Rat; Oral

Repeated dose toxicity studies gave no indication of adverse effects on reproductive organs.

(literature value)

Category approach

Dodecan-1-ol:

Rat; Oral

(literature value)

Animal testing did not show any effects on fertility.

literature value

Tetradecanol:

Rat; Oral; 55-day

NOAEL ((parents)): 2.000 mg/kg (based on body weight and day)

NOAEL (F1): 2.000 mg/kg (based on body weight and day)

(literature value)

The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).

Test substance: dodecan-1-ol

### RemarksReproductive toxicity

Decan-1-ol:

Based on available data, the classification criteria are not met.

Dodecan-1-ol:

Based on available data, the classification criteria are not met.

Tetradecanol:

Based on available data, the classification criteria are not met.

### Teratogenicity

Decan-1-ol:

Rat; Oral; OECD Test Guideline 414

Did not show teratogenic effects in animal experiments.

(literature value)

The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

	<p>Test substance: octan-1-ol</p> <p>Dodecan-1-ol: Rat; Oral; OECD Test Guideline 422 (literature value) Did not show teratogenic effects in animal experiments.</p> <p>Tetradecanol: Rat; Oral NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: dodecan-1-ol</p>
<b>Remarks-Teratogenicity</b>	<p>Decan-1-ol: Based on available data, the classification criteria are not met.</p> <p>Dodecan-1-ol: Based on available data, the classification criteria are not met.</p> <p>Tetradecanol: Based on available data, the classification criteria are not met.</p>
<b>STOT - single exposure</b>	
<b>Remarks</b>	<p>Decan-1-ol: The substance or mixture is not classified as specific target organ toxicant, single exposure.</p> <p>Dodecan-1-ol: The substance or mixture is not classified as specific target organ toxicant, single exposure.</p> <p>Tetradecanol: The substance or mixture is not classified as specific target organ toxicant, single exposure.</p>
<b>STOT - repeated exposure</b>	
<b>Remarks</b>	<p>Decan-1-ol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.</p> <p>Dodecan-1-ol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.</p> <p>Tetradecanol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.</p>
<b>Repeated dose toxicity</b>	<p>Decan-1-ol: Rat; Oral; Subchronic toxicity NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: dodecan-1-ol</p> <p>Dodecan-1-ol: Rat; Oral; Subchronic toxicity NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value)</p> <p>Tetradecanol: Rat; oral feed; 90-day NOAEL: 3.548 mg/kg (based on body weight and day) (literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).</p>

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

Test substance: Alcohols, C14-15- branched and linear

**Aspiration hazard****Aspiration toxicity**Decan-1-ol:  
Based on available data, the classification criteria are not met.Dodecan-1-ol:  
Not applicableTetradecanol:  
Not applicable**Toxicological information**Decan-1-ol:  
Toxicokinetics, metabolism and distribution  
extensive and rapid metabolisation  
(literature value)Dodecan-1-ol:  
Toxicokinetics  
The substance is poorly absorbed via skin.  
The substance is metabolised and excreted.Tetradecanol:  
Toxicokinetics  
The substance is poorly absorbed via skin.  
The substance is metabolised and excreted.**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**Decan-1-ol:  
LC50 (96 h) Pimephales promelas (fathead minnow): > 1 - 10 mg/l ; flow-through  
test; OECD Test Guideline 203  
(literature value)Dodecan-1-ol:  
LC50 (96 h) Pimephales promelas (fathead minnow): > 1 - 10 mg/l ; flow-through  
test; US EPA 1975  
(literature value)Tetradecanol:  
LC50 (96 h) Oncorhynchus mykiss (rainbow trout) ; semi-static test; OECD Test  
Guideline 203  
In the range of water solubility not toxic under test conditions.  
(literature value)**Toxicity to fish - Chronic  
toxicity**Decan-1-ol:  
EC10 (33 d) Pimephales promelas (fathead minnow): 0,43 mg/l; mortality; flow-  
through test; OECD Test Guideline 210Dodecan-1-ol:  
study scientifically unjustified**Toxicity to daphnia and other  
aquatic invertebrates**Decan-1-ol:  
LC50 (96 h) Nitocra spinipes: > 1 - 10 mg/l ; static test; OECD Test Guideline 202  
(literature value)Dodecan-1-ol:  
EC50 (48 h) Daphnia magna (Water flea): > 0,1 - 1 mg/l ; static test; OECD Test  
Guideline 202Tetradecanol:  
EC50 (48 h) Daphnia magna (Water flea) ; semi-static test; OECD Test Guideline

# NAFOL 1014

Version: 7.08

Revision Date 11.02.2019

	202 In the range of water solubility not toxic under test conditions. (literature value)
<b>Toxicity to daphnia and other aquatic invertebrates - Chronic toxicity</b>	Decan-1-ol: NOEC (21 d) Daphnia magna (Water flea): 0,11 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211; (literature value)  Dodecan-1-ol: NOEC (21 d) Daphnia magna (Water flea): > 0,01 - 0,1 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211  Tetradecanol: NOEC (21 d) Daphnia magna (Water flea): > 0,001 - 0,01 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211; (literature value)
<b>Toxicity to aquatic plants</b>	Decan-1-ol: EC50 (72 h) algae: > 1 - 10 mg/l ; calculated; (literature value) Category approach  Dodecan-1-ol: ErC50 (72 h) Desmodesmus subspicatus (green algae): > 0,1 - 1 mg/l ; static test; OECD Test Guideline 201  Dodecan-1-ol: NOEC (72 h) Desmodesmus subspicatus (green algae): 0,085 mg/l ; cell number; static test; OECD Test Guideline 201  Tetradecanol: EL50 (96 h) Desmodesmus subspicatus (green algae) ; static test; In the range of water solubility not toxic under test conditions. (literature value)
<b>Toxicity to bacteria</b>	Decan-1-ol: The study is not necessary. Justification: Readily biodegradable. The substance is not to be considered to be inhibitory to bacteria.  Dodecan-1-ol: No data available  Tetradecanol: No data available
<b>Toxicity to soil dwelling organisms</b>	Decan-1-ol: EC50 (72 h) Caenorhabditis elegans, Worm (Nematoda): 98 mg/kg; mortality (literature value)  Tetradecanol: LC50 (72 h) Caenorhabditis elegans, Worm (Nematoda): > 1.000 mg/kg; mortality (literature value)  Tetradecanol: EC50 (7 d) Folsomia candida, Arthropod (Collembola): 530 mg/kg; Immobilization (literature value)
<b>Toxicity to terrestrial flora</b>	Decan-1-ol: Obtaining data is technically impossible.
<b>Toxicity for other terrestrial non-mammalian fauna</b>	Decan-1-ol: The study is not necessary. Studies on birds do not need to be conducted due to large mammalian dataset.
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	Decan-1-ol: > 60 %; 30 d; aerobic; OECD Test Guideline 301D (literature value)  Dodecan-1-ol: Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301D (literature value)



**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

Tetradecanol:  
Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301B  
(literature value)

**12.3 Bioaccumulative potential****Bioaccumulation**

Decan-1-ol:  
Bioconcentration factor (BCF): 20; calculated  
Bioaccumulation is unlikely.

Dodecan-1-ol:  
Bioaccumulation is unlikely.

Tetradecanol:  
Bioaccumulation is unlikely.

**12.4 Mobility in soil****Mobility**

Decan-1-ol:  
Adsorption/Soil/Sewage sludge; Medium: water - soil; Koc: 1010 - 1433; OECD  
Test Guideline 106  
Slightly mobile in soils

Dodecan-1-ol:  
Adsorption/Soil; Koc: 17980; log Koc: 4,25; calculated  
immobile  
strong adsorption to soil  
The substance and its relevant degradation products decompose rapidly.

Tetradecanol:  
Adsorption/Soil; Koc: 50828; log Koc: 4,71; calculated  
immobile  
strong adsorption to soil  
The substance and its relevant degradation products decompose rapidly.

**12.5 Results of PBT and vPvB assessment****Results of PBT assessment**

Decan-1-ol:  
This substance is not considered to be persistent, bioaccumulating and toxic  
(PBT).  
This substance is not considered to be very persistent and very bioaccumulating  
(vPvB).

Dodecan-1-ol:  
This substance is not considered to be persistent, bioaccumulating and toxic  
(PBT).  
This substance is not considered to be very persistent and very bioaccumulating  
(vPvB).  
The substance is considered to be toxic to aquatic life, but is not persistent or  
bioaccumulating and therefore not classified as PBT.

Tetradecanol:  
This substance is not considered to be persistent, bioaccumulating and toxic  
(PBT).  
This substance is not considered to be very persistent and very bioaccumulating  
(vPvB).

**12.6 Other adverse effects****General advice**

Decan-1-ol:  
Harmful to aquatic life with long lasting effects.

Dodecan-1-ol:  
Very toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.

Tetradecanol:  
Very toxic to aquatic life with long lasting effects.

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

**13.1 Waste treatment methods**

<b>Product</b>	Can be incinerated, when in compliance with local regulations.
<b>Contaminated packaging</b>	Empty remaining contents.
<b>waste code of the European Union: EWC</b>	The waste code must be determined in agreement with the regional waste disposal authority or company. A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose.

---

**SECTION 14: TRANSPORT INFORMATION**

---

**14.1 UN number**

<b>ADR</b>	3082
<b>RID</b>	3082
<b>ADN</b>	3082
<b>IMDG</b>	3082
<b>ICAO/IATA</b>	3082

**14.2 Proper shipping name**

<b>ADR</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
<b>RID</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
<b>ADN</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
<b>IMDG</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
<b>ICAO/IATA</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)

**14.3 Transport hazard class**

<b>ADR</b>	9
<b>RID</b>	9
<b>ADN</b>	9
<b>IMDG</b>	9
<b>ICAO/IATA</b>	9

**14.4 Packing group**

<b>ADR</b>	III
<b>RID</b>	III
<b>ADN</b>	III
<b>IMDG</b>	III
<b>ICAO/IATA</b>	III

**14.5 Environmental hazards**

<b>ADR</b>	Environmentally hazardous	yes
<b>RID</b>	Environmentally hazardous	yes
<b>ADN</b>	Environmentally hazardous	yes
<b>IMDG</b>	Marine pollutant	yes
<b>ICAO/IATA</b>	Environmentally hazardous	yes

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**14.6 Special precautions for user**

<b>ADR</b>	Hazard Identification Number	90
	Labels	9
	Tunnel restriction code	(-)
<b>IMDG</b>	Labels	9
	EmS Number 1	F-A
	EmS Number 2	S-F
<b>ICAO/IATA</b>	Labels	9MI

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Ship type	2
Pollution category	Y
Remarks	MARPOL NAME: Decyl/Dodecyl/Tetradecyl alcohol mixture

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Occupational restrictions</b>	Employment restrictions for children and young workers in accordance with Directive 94/33/EC and the respective national provisions are to be observed.
----------------------------------	---

**NATIONAL/OTHER REGULATIONS**

<b>Legislation on the control of major-accident hazards involving dangerous substances</b>	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
	list entry in the directive:: ENVIRONMENTAL HAZARDS; E1
	Qualifying quantity 1: 100 t; Qualifying quantity 2: 200 t;

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

**NOTIFICATION STATUS**

Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	listed (product or constituents are listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances (IECSC)	INV (CN)	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

**15.2 Chemical safety assessment****dodecan-1-ol**

A Chemical Safety Assessment has been carried out for this substance.

**tetradecanol**

A Chemical Safety Assessment has been carried out for this substance.

**decan-1-ol**

A Chemical Safety Assessment has been carried out for this substance.

**SECTION 16: OTHER INFORMATION****Full text of H-Statements referred to under sections 2 and 3.**

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Safety datasheet sections which have been updated:**

**NAFOL 1014**

Version: 7.08

Revision Date 11.02.2019

11. Toxicological information

12. Ecological information

**Further information:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
AICS	Australian Inventory of Chemical Substances
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
BCF	Bioconcentration factor
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
DSL	Domestic Substances List
EC...	Effect concentration ... %
ENCS	Existing Notified Chemical Substances (Japan)
EWC	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISHL	Industrial Safety and Health Law (Japan)
ISO	International Organization for Standardization
IUAPC	International Union of Pure and Applied Chemistry
KECI	Korea Existing Chemicals Inventory
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NDSL	Non-Domestic Substances List
NOAEL	no observable adverse effect level
NOEL/NOEC	No Observed-effect level/concentration
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PICCS	Philippine Inventory of Chemicals and Chemical Substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
TG	Test Guideline
TRGS	Technische Regeln für Gefahrstoffe
TSCA	Toxic Substances Control Act
vPvB	very persistent, very bioaccumulative
WGK	Wassergefährdungsklasse

**Annex**

Attachments to the safety data sheet and/or lists of the identified uses for the listed substances can be downloaded using the internet links below.

**dodecan-1-ol**

[http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000100\\_EN\\_01.pdf](http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000100_EN_01.pdf)



## NAFOL 1014

Version: 7.08

Revision Date 11.02.2019

---

**tetradecanol**

[http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000101\\_EN\\_01.pdf](http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000101_EN_01.pdf)

**decan-1-ol**

[http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/CON0000000023\\_EN\\_01.pdf](http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/CON0000000023_EN_01.pdf)