



# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier

##### Trade name

Iso-Butanol

##### Synonyms

2-Methyl-propan-1-ol, 2-Methylpropyl alcohol, 1-Hydroxymethylpropane, Isopropyl Carbinol, i-Butyl alcohol.

##### Product code

2059

##### CAS-No.

78-83-1

#### Relevant identified uses of the substance or mixture and uses advised against

##### Use

Solvent. Raw material for washing and cleaning agents. Raw material for fragrances. Paint related material Industrial use.

##### Uses advised against

Prohibited for use in production of hand sanitizer.

#### Manufacturer or supplier's details

##### Company

Sasol Chemicals, a division of Sasol South Africa Ltd

##### Address

Sasol Place, 50 Katherine Street  
Sandton  
2090  
South Africa

##### Telephone

+27103445000

##### E-mail address

sasolchem.info.sa@sasol.com

##### Emergency telephone

+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

+86 400 120 6011 (China)

+27 (0)17 610 4444 (South Africa)

0800 112 890 RSA-Local only

+61 (2) 8014 4558 (Australia)

## SECTION 2. Hazards identification

### Classification of the substance or mixture

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

#### Classification

Flammable liquids	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity - single exposure	Category 3

#### Label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H226 Flammable liquid and vapor.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.

## Safety Data Sheet

### Iso-Butanol

Version 1.01

Revision Date 17.03.2021

#### Precautionary Statements

##### : **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

##### **Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

#### Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

### SECTION 3. Composition/information on ingredients

#### Substance

Iso-butanol

**Contents:** 99.50 %W/W

**CAS-No.** 78-83-1

**Index-No.** 603-108-00-1

**EC-No.** 201-148-0

**Hazard Statements** *H226 H315 H318 H335 H336*

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4. First aid measures

#### Description of necessary first-aid measures

<b>Inhalation</b>	Move to fresh air in case of accidental inhalation of vapors. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes. Get medical attention immediately
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

**Most important symptoms/effects, acute and delayed**

Refer to SECTION 11

### SECTION 5. Firefighting measures

<b>Suitable extinguishing media</b>	Water spray, Foam, CO2, Dry powder.
<b>Unsuitable extinguishing media</b>	Do NOT use water jet.
<b>Special hazards arising from the substance or mixture</b>	Hazardous decomposition products
<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus and protective suit.

### SECTION 6. Accidental release measures

<b>Personal precautions</b>	Use personal protective equipment. Do not breathe vapors or spray mist. Ensure adequate ventilation. Keep away from sources of ignition - No smoking.
<b>Environmental precautions</b>	Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). The material taken up must

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

be disposed of in accordance with regulations.

### Reference to other sections

Refer to Section 8 and 13

## SECTION 7. Handling and storage

**Safe handling advice** Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

**Advice on protection against fire and explosion** No data available

**Requirements for storage areas and containers** Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition - No smoking.

**Advice on common storage** No data available

## SECTION 8. Exposure controls/personal protection

### Ingredients with workplace control parameters

#### NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control parameters	Update	Basis
ISOBUTYL ALCOHOL	TWA	152 mg/m <sup>3</sup>	03 2000	Malaysia OELs
	TWA	50 ppm	03 2000	Malaysia OELs

### Exposure controls

#### Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

## Safety Data Sheet

### Iso-Butanol

Version 1.01

Revision Date 17.03.2021

#### Personal protective equipment

<b>Respiratory protection</b>	Wear self-contained breathing apparatus and protective suit.
<b>Hand protection</b>	Gloves suitable for permanent contact: Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm
<b>Eye protection</b>	Safety glasses with side-shields
<b>Skin and body protection</b>	Protective suit Safety shoes
<b>Hygiene measures</b>	Wash hands before breaks and immediately after handling the product.

## SECTION 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Form</b>	Liquid
<b>State of matter</b>	Liquid; at 20 ° C; 1,013 hPa
<b>Color</b>	Colorless
<b>Odor</b>	Sweet musty
<b>Odor Threshold</b>	No data available
<b>Melting point/range</b>	-108 ° C
<b>Boiling point/boiling range</b>	108 ° C
<b>Flash point</b>	28 ° C; closed cup

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

Evaporation rate	No data available
Flammability (solid, gas)	No data available
Autoignition temperature	428.7 ° C
Decomposition Temperature	No data available
Vapor pressure	14 hPa; 20 ° C
Relative vapor density	2.55
Density	0.801 g/cm <sup>3</sup> ; 20 ° C
Water solubility	partly soluble, partly miscible
Viscosity, dynamic	4.7 mPa.s
Viscosity, kinematic	4.609 mm <sup>2</sup> /s

### SECTION 10. Stability and reactivity

Reactivity	Stable under recommended storage conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Heating can release hazardous gases.
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	Oxidizing agents Reducing agents Acids and bases
Hazardous decomposition products	No decomposition if stored normally.



## Safety Data Sheet

### Iso-Butanol

Version 1.01

Revision Date 17.03.2021

## SECTION 11. Toxicological information

<b>Acute oral toxicity</b>	Iso-butanol: LD50 Rat: female > 2,830 mg/kg; GLP: yes (literature value)
<b>Acute inhalation toxicity</b>	Iso-butanol: LC0 Rat: male and female; 6 h; vapor; > 6000 ppm; OECD Test Guideline 403; GLP: yes; (literature value)
<b>Acute dermal toxicity</b>	Iso-butanol: LD50 Rabbit: > 2,000 mg/kg; OECD Test Guideline 402; (literature value)
<b>Skin irritation</b>	Iso-butanol: Rabbit: Not irritating; (literature value)
<b>Eye irritation</b>	Iso-butanol: Rabbit: irritating (literature value)
<b>Sensitization</b>	No data available
<b>Repeated dose toxicity</b>	No data available
<b>Carcinogenicity</b>	No data available
<b>Mutagenicity</b>	Iso-butanol: Experiments showed mutagenic effects in cultured bacterial cells. Ames test: Salmonella typhimurium; with and without; Not mutagenic; (literature value)

## SECTION 12. Ecological information

**sasol**

## Safety Data Sheet

### Iso-Butanol

Version 1.01

Revision Date 17.03.2021

<b>Toxicity to fish</b>	Iso-butanol: flow-through test; Pimephales promelas; 96 h; LC50; 1,430 mg/l; (literature value)
<b>Toxicity to daphnia and other aquatic invertebrates</b>	Iso-butanol: static test; Daphnia pulex (Water flea); 48 h; EC50; 1,100 mg/l(literature value)
<b>Toxicity to bacteria</b>	No data available
<b>Toxicity to fish</b>	No data available
<b>Chronic toxicity in aquatic invertebrates</b>	No data available
<b>Biodegradability</b>	Iso-butanol: aerobic; 100 mg/l; > 70 %; 14 d; Readily biodegradable.; OECD Guideline 301 A (new version); (literature value)
<b>Bioaccumulation</b>	No data available
<b>Mobility in soil</b>	Iso-butanol: No data available
<b>Results of PBT and vPvB assessment</b>	Iso-butanol: This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).
<b>Other adverse effects</b>	Iso-butanol: No data available

## SECTION 13. Disposal considerations

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

<b>Product</b>	Disposal should be in accordance with local, regional and national legislations.
<b>Packaging</b>	Dispose of spent product packaging responsibly and lawfully with due consideration for health, safety and the environment.

### SECTION 14. Transport information

DG Pictogram



ADR

<b>UN number:</b>	1212
<b>Class:</b>	3
<b>Packaging group:</b>	III; F1;
<b>Proper shipping name:</b>	ISOBUTANOL

RID

<b>UN number:</b>	1212
<b>Class:</b>	3
<b>Packaging group:</b>	III; F1
<b>Proper shipping name:</b>	ISOBUTANOL

IMDG

# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

<b>UN number:</b>	1212
<b>Class:</b>	3
<b>EmS:</b>	F-E, S-D
<b>Packaging group:</b>	III
<b>Proper shipping name:</b>	ISOBUTANOL
<b>Marine pollutant</b>	Not a Marine Pollutant
<b>ICAO/IATA</b>	
<b>UN number :</b>	1212
<b>Class:</b>	3
<b>Packaging group:</b>	III
<b>Proper shipping name:</b>	ISOBUTANOL
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Isobutyl alcohol Ship Type: 3 Pollution Category: Z

## SECTION 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Inv. of Exist. Chem. Substances in China**

All chemical constituents are listed in: Inv. of Exist. Chem. Substances in China (See chapter 3)

**Print Date 17.03.2021**

100000000534

**12/14**



**sasol**

## Safety Data Sheet

### Iso-Butanol

Version 1.01

Revision Date 17.03.2021

<b>USA TSCA Inventory</b>	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)
<b>Canadian Domestic Substances List (DSL)</b>	All chemical constituents are listed in: Canadian Domestic Substances List (DSL) (See chapter 3)
<b>Australian Inv. of Chem. Substances (AICS)</b>	All chemical constituents are listed in: Australian Inv. of Chem. Substances (AICS) (See chapter 3)
<b>New Zealand Inventory of Chemicals (NZIoC)</b>	All chemical constituents are listed in: New Zealand Inventory of Chemicals (NZIoC) (See chapter 3)
<b>Jap. Inv. of Exist. &amp; New Chemicals (ENCS)</b>	All chemical constituents are listed in: Jap. Inv. of Exist. & New Chemicals (ENCS) (See chapter 3)
<b>Japan. Industrial Safety &amp; Health Law (ISHL)</b>	All chemical constituents are listed in: Japan. Industrial Safety & Health Law (ISHL) (See chapter 3)
<b>Korea. Existing Chemicals Inventory (KECI)</b>	All chemical constituents are listed in: Korea. Existing Chemicals Inventory (KECI) (See chapter 3)
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	All chemical constituents are listed in: Philippines Inventory of Chemicals and Chemical Substances (PICCS) (See chapter 3)
<b>China Inv. Existing Chemical Substances (IECSC)</b>	All chemical constituents are listed in: China Inv. Existing Chemical Substances (IECSC) (See chapter 3)

## SECTION 16. Other information

### Full text of H-Statements

H226 Flammable liquid and vapor.

Print Date 17.03.2021

100000000534

13/14



# Safety Data Sheet

## Iso-Butanol

Version 1.01

Revision Date 17.03.2021

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.