



Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

Torque Fluid 10W

Synonyms

Power Transmission and Hydraulic Oil

Relevant identified uses of the substance or mixture and uses advised against

Use

Lubricant or lubricant additive

Manufacturer or supplier's details

Company

Sasol Oil Pty (Ltd)

Address

Sasol Place, 50 Katherine Street
Sandton
2090
South Africa
+27860335444

Telephone

E-mail address

sasolchem.info.sa@sasol.com

Emergency telephone number

South Africa: 0800 11 28 90; International: +27 17 610 4444

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification

Hazardous to the aquatic environment - chronic
hazard

Category 3

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Label elements

Pictogram	Not applicable.
Signal word	Not applicable.
Hazard statements	H412: Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention	P273: Avoid release to the environment.
Response	No precautionary statement.
Storage	No precautionary statement.
Disposal	P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.
Other hazards	No data available.

SECTION 3. Composition/information on ingredients

Mixture

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: <= 91.40 %W/W

CAS-No. 64742-54-7

Index-No. 649-467-00-8

EC-No. 265-157-1

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified

Contents: <= 72.40 %W/W

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

CAS-No. 64742-55-8

Index-No. 649-468-00-3

EC-No. 265-158-7

Mineral Oil

Contents: ≥ 1.68 - ≤ 2.52 %W/W

CAS-No.

Index-No.

EC-No.

Zinc aryldithiophosphate

Contents: ≥ 1.68 - ≤ 2.52 %W/W

CAS-No.

Index-No.

EC-No.

Calcium Sulfonate

Contents: ≥ 0.42 - ≤ 0.84 %W/W

CAS-No.

Index-No.

EC-No.

phenol, dodecyl-, branched

Contents: ≥ 0.08 - ≤ 0.42 %W/W

CAS-No. 121158-58-5

Index-No. 604-092-00-9

EC-No. 310-154-3

Hazard statements *H314 H360 H410 H318 H400*

Nonylphenol, branched, ethoxylated

Contents: ≥ 0.08 - ≤ 0.42 %W/W

CAS-No. 68412-54-4

Index-No.

EC-No.

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Hazard statements *H410*

triphenyl phosphite

Contents: ≥ 0.04 - ≤ 0.08 %W/W

CAS-No. 101-02-0

Index-No. 015-105-00-7

EC-No. 202-908-4

Hazard statements *H315 H319 H400 H410*

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Get medical attention/advice if you feel unwell.
Skin contact	Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.

Most important symptoms/effects, acute and delayed

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Water spray, Foam, CO2, Dry powder.
Special hazards arising from the substance or mixture	Under conditions of continuous exposure to heat, may burn. Under extreme conditions (e.g. confinement) could lead to detonation. Nitrogen oxides (NOx) and carbon oxides are produced during combustion.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	Use personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Disposal and clean up may only be done by authorised personnel.
Reference to other sections	Refer to section 8 and 13

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

SECTION 7. Handling and storage

Safe handling advice	Wear personal protective equipment. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.
Advice on protection against fire and explosion	No data available.
Requirements for storage areas and containers	Keep away from heat. Do not store near combustible materials.
Advice on common storage	No data available.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Gloves suitable for permanent contact.:
Material: nitrile rubber/nitrile latex

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Break through time: > 8 h

Material thickness: 0.35 mm

Unsuitable gloves

Material: natural rubber/natural latex, polychloroprene, butyl-rubber, Polyvinylchloride

Eye protection

Safety goggles

Skin and body protection

lightweight protective clothing

Hygiene measures

Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	light brown
Odour	Mild
Odour Threshold	No data available.
pH	No data available.
Pour point	-27 ° C
Flash point	210 ° C
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Auto-ignition temperature	> 320 ° C
Lower explosion limit	No data available.
Upper explosion limit	No data available.
Vapour pressure	No data available.
Relative vapour density	No data available.
Density	0.87 g/cm ³ ; 20 ° C
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	No data available.
Viscosity, kinematic	39 mm ² /s; 40 ° C

SECTION 10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	No data available.
Possibility of hazardous reactions	Strong acids and oxidizing agents
Conditions to avoid	No data available.
Materials to avoid	Combustible material
Hazardous decomposition products	Stable under normal conditions.

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

SECTION 11. Toxicological information

Acute oral toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LD50 Rat: 5,000 mg/kg;
Acute inhalation toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LC50 Rat: 4 h; 2.18 - 5.53 mg/l;
Acute dermal toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LD50 Rabbit: 2,000 - 5,000 mg/kg;
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Oral Rat; Lowest observed adverse effect level 125 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rat; NOAEL Early embryonic development 30 - 2,000 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Mouse; NOAEL Early embryonic development 150 mg/kg Lowest observed adverse effect level 100 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rabbit; NOAEL Early embryonic development 1,000 mg/kg
Carcinogenicity	Mineral oils are severely solvent refined or hydrotreated.

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

SECTION 12. Ecological information

Toxicity to fish	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: 4 d; LL50; 100 mg/l;
Toxicity to daphnia and other aquatic invertebrates	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available.
Toxicity to algae	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available.
Toxicity to bacteria	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available.

SECTION 13. Disposal considerations

Product	Dispose of in accordance with local regulations.
----------------	--

SECTION 14. Transport information

Further Information	Not classified as dangerous in the meaning of transport regulations.
----------------------------	--

SECTION 15. Regulatory information

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Safety, health and environmental regulations/legislation specific for the substance or mixture

**Canada. DSL - Domestic Substances List,
part of CEPA**

Components Not listed

Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate
Phenol, dodecyl-, branched

**Australia. AICS - Australian Inventory of
Chemical Substances**

Components Not listed

Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate
Phenol, dodecyl-, branched

**New Zealand Inventory of Chemical
Substances**

Components Not listed

Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate

**Japan. ENCS - Existing and New Chemical
Substances Inventory**

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic
Distillates (petroleum), hydrotreated light paraffinic
Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate
Phenol, dodecyl-, branched

**Japan. Industrial Safety and Health Law -
Inventory**

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic
Distillates (petroleum), hydrotreated light paraffinic
Mineral Oil

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

Zinc aryldithiophosphate
Calcium Sulfonate
Phenol, dodecyl-, branched

Korea. KECI - Korean Existing Chemicals Inventory

Components Not listed
Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate

Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances

Components Not listed
Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate
Phenol, dodecyl-, branched

China. IECSC - Inventory of Existing Chemical Substances in China

Components Not listed
Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate

Taiwan. Chemical Substances Inventory (TCSI)

Components Not listed
Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate

USA TSCA Inventory

Components Not listed
Mineral Oil
Zinc aryldithiophosphate
Calcium Sulfonate
Phenol, dodecyl-, branched

Safety Data Sheet

Torque Fluid 10W

Version 1.01

Revision Date 23.10.2023

SECTION 16. Other information

Full text of H-Statements

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H360 May damage fertility or the unborn child if swallowed.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.