

**MARLAZIN L10**

Version: 7.03

Revision Date 21.06.2017

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name	Marlazin L10
Substance name (REACH / CLP)	Laurylamine ethoxylated (>2.5 moles EO) (CAS 31017-83-1)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use	Industrial use raw material for textile auxiliary agents surface-active substance
Uses advised against	

**1.3 Details of the supplier of the safety data sheet**

Company	SASOL Germany GmbH Anckelmannsplatz 1 20537 Hamburg
	Telephone: +49 40 63684-1000 Telefax: +49 40 63684-3700
Information (Product safety):	Telephone: + 49 (0) 23 65 - 49 47 05 Telefax: + 49 (0) 23 65 - 49 92 40
E-mail address	msds-info.germany@de.sasol.com

**1.4 Emergency telephone number**

Emergency telephone number	+ 49 (0) 23 65 - 49 22 32
----------------------------	---------------------------

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Acute toxicity Category 4 (Oral)	Harmful if swallowed.
Serious eye damage Category 1	Causes serious eye damage.
Acute aquatic toxicity Category 1	Very toxic to aquatic life.
Chronic aquatic toxicity Category 3	Harmful to aquatic life with long lasting effects.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)****Hazard pictograms**

# MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

<b>Signal word</b>	Danger
<b>Hazard statements</b>	
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
<b>Precautionary statements</b>	
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Other hazards

Danger of slipping after spill or leakage.  
Forms slippery/greasy layers with water.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a substance in the meaning of regulation (EC) 1907/2006.

### COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

#### laurylamine, ethoxylated

<b>EC-No.:</b> 931-964-9	<b>Index-No.:</b>	<b>component type:</b> Active ingredient
<b>REACH No.:</b> Not relevant (polymer)		<b>CAS-No.:</b> 31017-83-1
<b>Substance name (REACH / CLP):</b> Laurylamine ethoxylated (>2.5 moles EO) (CAS 31017-83-1)		
<b>Classification (Regulation (EC) No 1272/2008):</b>	Acute Tox. 4 (Oral)	H302
	Eye Dam. 1	H318
	Aquatic Acute	1 H400
	Aquatic Chronic	3 H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

<b>General advice</b>	If you feel unwell, seek medical advice (show the label where possible). Take off all contaminated clothing immediately.
<b>If inhaled</b>	Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, give oxygen if necessary. Consult a

## MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

	physician.
<b>In case of skin contact</b>	Wash off immediately with plenty of water. Consult a physician if necessary.
<b>In case of eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>If swallowed</b>	Consult a physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Most important symptoms and effects, both acute and delayed</b>	Symptoms: No information available.
	Risks: No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Indication of any immediate medical attention and special treatment needed</b>	Treatment: No information available.
---	--------------------------------------

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Water spray, Dry powder, Foam, Carbon dioxide (CO <sub>2</sub> )
-------------------------------------	--

#### 5.2 Special hazards arising from the substance or mixture

<b>Specific hazards during firefighting</b>	Dangerous gases or fumes may occur in case of fire.
---	---

#### 5.3 Advice for firefighters

<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus for firefighting if necessary.
<b>Further information</b>	Standard procedure for chemical fires.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Use personal protective equipment.
-----------------------------	------------------------------------

#### 6.2 Environmental precautions

<b>Environmental precautions</b>	Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system.
----------------------------------	---

#### 6.3 Methods and materials for containment and cleaning up

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). The material taken up must be disposed of in accordance with regulations.
--------------------------------	--

#### 6.4 Reference to other sections

For personal protection see section 8.

**MARLAZIN L10**

Version: 7.03

Revision Date 21.06.2017

---

**SECTION 7: HANDLING AND STORAGE**

---

**7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	Wear personal protective equipment. Avoid contact with skin and eyes.
<b>Advice on protection against fire and explosion</b>	Normal measures for preventive fire protection. Do not spray on a naked flame or any incandescent material.
<b>Fire-fighting class</b>	B: Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Requirements for storage areas and containers</b>	Keep tightly closed in a dry and cool place.
<b>Storage class (TRGS 510)</b>	10: Combustible liquids not in Storage Class 3
<b>Other data</b>	Stable at normal ambient temperature and pressure.

**7.3 Specific end use(s)**

<b>Specific use(s)</b>	This information is not available.
------------------------	------------------------------------

---

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**8.1 Control parameters****COMPONENTS WITH WORKPLACE CONTROL PARAMETERS****National occupational exposure limits**

No data available

**EUROPEAN OCCUPATIONAL EXPOSURE LIMITS**

No data available

**DERIVED NO EFFECT LEVEL (DNEL)****Substance name: Laurylamine ethoxylated (>2.5 moles EO) (CAS 31017-83-1)**

No data available

**PREDICTED NO EFFECT CONCENTRATION (PNEC)****Substance name: Laurylamine ethoxylated (>2.5 moles EO) (CAS 31017-83-1)**

No data available

**8.2 Exposure controls****PERSONAL PROTECTIVE EQUIPMENT**

## MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

<b>Respiratory protection</b>	No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or ABEK-P2), in compliance with EN 141.
<b>Hand protection</b>	<p>The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).</p> <p><b>gloves suitable for permanent contact:</b>  Material: butyl-rubber  Break through time: &gt;= 480 min  Layer thickness: &gt;= 0,7 mm</p> <p><b>gloves suitable for splash protection:</b>  Material: Nitrile rubber/nitrile latex  Break through time: &gt;= 30 min  Layer thickness: &gt;= 0,4 mm</p>
<b>Eye protection</b>	Tightly fitting safety goggles, Safety glasses with side-shields
<b>Skin and body protection</b>	Wear suitable protective equipment.
<b>Hygiene measures</b>	Avoid contact with the skin and the eyes. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs. When using do not eat, drink or smoke.
<b>Protective measures</b>	Avoid contact with the skin and the eyes. Wear suitable gloves and eye/face protection.

### ENVIRONMENTAL EXPOSURE CONTROLS

<b>General advice</b>	Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system.
-----------------------	---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid; 20 °C; 1.013 hPa
<b>Form</b>	liquid
<b>Colour</b>	clear
<b>Odour</b>	mild
<b>Odour Threshold</b>	No data available
<b>pH</b>	10; 20 g/l; 20 °C
<b>Melting point/range</b>	2 °C

**MARLAZIN L10**

Version: 7.03

Revision Date 21.06.2017

---

<b>Boiling point/boiling range</b>	Not applicable
<b>Flash point</b>	289 °C; DIN 51376
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	not applicable (liquid)
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Vapour pressure</b>	< 0,1 hPa; 20 °C
<b>Relative vapour density</b>	No data available
<b>Density</b>	ca.1,0 g/cm <sup>3</sup> ; 20 °C
<b>Water solubility</b>	20 °C; completely miscible
<b>Partition coefficient: n-octanol/water</b>	Not applicable Justification: surface-active substance
<b>Ignition temperature</b>	> 400 °C; DIN 51794
<b>Auto-ignition temperature</b>	not auto-flammable
<b>Viscosity, dynamic</b>	ca. 170 mPas; 20 °C
<b>Explosive properties</b>	not expected based on structure and functional groups
<b>Oxidizing properties</b>	not expected based on structure and functional groups

**9.2 Other data**

None known.

**SECTION 10: STABILITY AND REACTIVITY**

---

**10.1 Reactivity**

**Note** Stable at normal ambient temperature and pressure.

**10.2 Chemical stability**

**Note** No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

**Hazardous reactions** None known.

**10.4 Conditions to avoid**

**Conditions to avoid** Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.

**10.5 Incompatible materials to avoid**

**Materials to avoid** Strong acids and oxidizing agents;

**10.6 Hazardous decomposition products**

**Hazardous decomposition products** No decomposition if stored and applied as directed.

**Thermal decomposition** Hazardous decomposition products formed under fire conditions.

**MARLAZIN L10**

Version: 7.03

Revision Date 21.06.2017

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

**11.1 Information on toxicological effects****Acute toxicity**

**Acute oral toxicity** laurylamine, ethoxylated:  
LD50 Rat: > 300 - 2.000 mg/kg; OECD Test Guideline 401  
Harmful if swallowed.

**Acute inhalation toxicity** laurylamine, ethoxylated:  
No data available

**Acute dermal toxicity** laurylamine, ethoxylated:  
No data available

**Skin corrosion/irritation**

**Skin irritation** laurylamine, ethoxylated:  
Rabbit: slightly irritating; OECD Test Guideline 404  
Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation**

**Eye irritation** laurylamine, ethoxylated:  
Rabbit: Irreversible effects on the eye; OECD Test Guideline 405  
Causes serious eye damage.

**Respiratory or skin sensitisation**

**Sensitisation** laurylamine, ethoxylated:  
Buehler Test Guinea pig: not sensitizing; OECD Test Guideline 406  
Category approach  
Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

**Genotoxicity in vitro** laurylamine, ethoxylated:  
No data available

**Genotoxicity in vivo** laurylamine, ethoxylated:  
No data available

**Carcinogenicity**

**Carcinogenicity** laurylamine, ethoxylated:  
This information is not available.

**Reproductive toxicity**

**Reproductive toxicity** laurylamine, ethoxylated:  
This information is not available.

**Teratogenicity** laurylamine, ethoxylated:  
This information is not available.

**STOT - single exposure**

**Remarks** laurylamine, ethoxylated:  
The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure**

**Remarks** laurylamine, ethoxylated:  
This information is not available.

**Aspiration hazard**

# MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

**Aspiration toxicity** laurylamine, ethoxylated:  
Not applicable

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

**Toxicity to fish** laurylamine, ethoxylated:  
LC50 (96 h) Brachydanio rerio (zebrafish): > 0,1 - 1 mg/l ; semi-static test; OECD Test Guideline 203  
Category approach

**Toxicity to fish - Chronic toxicity** laurylamine, ethoxylated:  
No data available

**Toxicity to daphnia and other aquatic invertebrates** laurylamine, ethoxylated:  
EC50 (48 h) Daphnia magna (Water flea): > 1 - 10 mg/l ; static test; OECD Test Guideline 202  
Category approach

**Toxicity to daphnia and other aquatic invertebrates - Chronic toxicity** laurylamine, ethoxylated:  
No data available

**Toxicity to aquatic plants** laurylamine, ethoxylated:  
EC50 (72 h) Desmodesmus subspicatus (green algae): > 0,1 - 1 mg/l ; Growth rate; static test; OECD Test Guideline 201; Category approach  
  
laurylamine, ethoxylated:  
NOEC (72 h) Desmodesmus subspicatus (green algae): 0,5 mg/l ; Biomass; static test; OECD Test Guideline 201; Category approach

**Toxicity to bacteria** laurylamine, ethoxylated:  
EC10 Pseudomonas putida: > 10.000 mg/l; Cell multiplication inhibition test  
Category approach

**Toxicity to soil dwelling organisms** laurylamine, ethoxylated:  
No data available

**Toxicity to terrestrial flora** laurylamine, ethoxylated:  
No data available

**Toxicity for other terrestrial non-mammalian fauna** laurylamine, ethoxylated:  
No data available

### 12.2 Persistence and degradability

**Biodegradability** laurylamine, ethoxylated:  
Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

**Bioaccumulation** laurylamine, ethoxylated:  
No data available

### 12.4 Mobility in soil

**Mobility** laurylamine, ethoxylated:  
No data available

### 12.5 Results of PBT and vPvB assessment

**Results of PBT assessment** laurylamine, ethoxylated:

## MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

Based on available data, the classification criteria are not met.

### 12.6 Other adverse effects

**General advice** laurylamine, ethoxylated:  
Very toxic to aquatic life.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Product** Can be incinerated, when in compliance with local regulations.

**waste code of the European Union: EWC** A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose. The waste code must be determined in agreement with the regional waste disposal authority or company.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number

ADR	3082
RID	3082
ADN	3082
IMDG	3082
ICAO/IATA	3082

### 14.2 Proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (laurylamine, ethoxylated)
RID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (laurylamine, ethoxylated)
ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (laurylamine, ethoxylated)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (laurylamine, ethoxylated)
ICAO/IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (laurylamine, ethoxylated)

### 14.3 Transport hazard class

ADR	9
RID	9
ADN	9
IMDG	9
ICAO/IATA	9

### 14.4 Packing group

ADR	III
RID	III

**MARLAZIN L10**

Version: 7.03

Revision Date 21.06.2017

ADN	III
IMDG	III
ICAO/IATA	III

**14.5 Environmental hazards**

ADR	Environmentally hazardous	yes
RID	Environmentally hazardous	yes
ADN	Environmentally hazardous	yes
IMDG	Marine pollutant	yes
ICAO/IATA	Environmentally hazardous	yes

**14.6 Special precautions for user**

ADR	Hazard Identification Number	90
	Labels	9
	Tunnel restriction code	(-)
IMDG	Labels	9
	EmS Number 1	F-A
	EmS Number 2	S-F
ICAO/IATA	Labels	9MI

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Remarks No information available.

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Occupational restrictions** Employment restrictions for children and young workers in accordance with Directive 94/33/EC and the respective national provisions are to be observed.

**NATIONAL/OTHER REGULATIONS**

**Legislation on the control of major-accident hazards involving dangerous substances** Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
list entry in the directive:: ENVIRONMENTAL HAZARDS; E1  
Qualifying quantity 1: 100 t; Qualifying quantity 2: 200 t;

**Other regulations** This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

## NOTIFICATION STATUS

Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	not listed (product or constituents are not listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	not listed (product or constituents are not listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	not listed (product or constituents are not listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances	INV (CN)	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

## 15.2 Chemical safety assessment

### Laurylamine ethoxylated (>2.5 moles EO) (CAS 31017-83-1)

A Chemical Safety Assessment is not required for this substance (exempted from obligation to register).

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

### Safety datasheet sections which have been updated:

14. Transport information

### Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# MARLAZIN L10

Version: 7.03

Revision Date 21.06.2017

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

## Key or legend to abbreviations and acronyms used in the safety data sheet

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
AICS	Australian Inventory of Chemical Substances
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
BCF	Bioconcentration factor
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
DSL	Domestic Substances List
EC...	Effect concentration ... %
ENCS	Existing Notified Chemical Substances (Japan)
EWC	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISHL	Industrial Safety and Health Law (Japan)
ISO	International Organization for Standardization
IUAPC	International Union of Pure and Applied Chemistry
KECI	Korea Existing Chemicals Inventory
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NDSL	Non-Domestic Substances List
NOAEL	no observable adverse effect level
NOEL/NOEC	No Observed-effect level/concentration
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PICCS	Philippine Inventory of Chemicals and Chemical Substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
TG	Test Guideline
TRGS	Technische Regeln für Gefahrstoffe
TSCA	Toxic Substances Control Act
vPvB	very persistent, very bioaccumulative
WGK	Wassergefährdungsklasse