



# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

**Product identifier**

**Trade name**

MP-Cresol 45

**Synonyms**

MP45, Cresol/Phenol/Xylenol mixture, meta para cresol 45

**Relevant identified uses of the substance or mixture and uses advised against**

**Use**

Solvent. Raw material for cleansing agents and disinfectants. Raw material for washing and cleaning agents. Raw material for synthesis processes in the chemical industry. Production of laminates.

**Manufacturer or supplier's details**

**Company**

Sasol Chemicals, a division of Sasol South Africa Ltd

**Address**

Sasol Place, 50 Katherine Street  
Sandton  
2090  
South Africa

**Telephone**

+27103445000

**E-mail address**

sasolchem.info.sa@sasol.com

**Emergency telephone number**

+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 400 120 6011 (China)

+27 (0)17 610 4444 (South Africa)

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

0800 112 890 RSA-Local only

+61 (2) 8014 4558 (Australia)

## SECTION 2. Hazards identification

### Classification of the substance or mixture

#### GHS Classification

Standards for classification and labeling of chemical substances and material safety data sheet (ministry of employment and labor public notice No. 2016-19) (GHS 2011)

Classification	Acute oral toxicity	Category 3
	Acute dermal toxicity	Category 3
	Skin corrosion	Category 1B
	Serious eye damage	Category 1
	Acute inhalation toxicity	Category 4
	Long-term (chronic) aquatic hazard	Category 3
	Short-term (acute) aquatic hazard	Category 2

#### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H301 + H311 Toxic if swallowed or in contact with skin.  
H332 Harmful if inhaled.

## Safety Data Sheet

### MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.  
H401 Toxic to aquatic life.

#### Precautionary statements

##### **Prevention:**

P264 Wash the contact area thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.

##### **Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P391 Collect spillage.

##### **Storage:**

P405 Store locked up.

##### **Disposal:**

P501 Dispose of contents and container according to wastes

## Safety Data Sheet

### MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

control act.

#### Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

### SECTION 3. Composition/information on ingredients

#### HAZARDOUS INGREDIENTS

##### Cresol

**Contents:** <= 91.00 %W/W

**CAS-No.** 1319-77-3

**Index-No.** 604-004-00-9

**EC-No.** 215-293-2

**Hazard statements** *H314 H301 H311*

##### Xylenol

**Contents:** <= 9.00 %W/W

**CAS-No.** 1300-71-6

**Index-No.** 604-006-00-X

**EC-No.** 215-089-3

**Hazard statements** *H314 H301 H311 H411*

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4. First aid measures

#### Description of necessary first-aid measures

##### Inhalation

Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.

##### Skin contact

Rapid skin decontamination is critical. Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water. Apply PEG/EtOH solution liberally to affected area. Allow to remain 15 to 30 seconds, then wash with water. Continue cycle of water and PEG/EtOH solution for at least 15

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

minutes. (PEG/EtOH solution consists of 2 parts polyethylene glycol 400 to 1 part ethanol. For external use only.) Wash off with soap and water. Wash contaminated clothing before re-use. Call a physician immediately.

### Eye contact

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately. Danger of very serious irreversible effects

### Ingestion

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

### Most important symptoms/effects, acute and delayed

Refer to SECTION 11

## SECTION 5. Firefighting measures

### Suitable extinguishing media

Dry chemical. Alcohol-resistant foam. Water spray. Aqueous film forming foam (AFFF).

### Unsuitable extinguishing media

Do NOT use water jet.

### Special hazards arising from the substance or mixture

Do not use a solid water stream as it may scatter and spread fire.

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

**Special protective equipment for firefighters**      Wear self-contained breathing apparatus and protective suit.

### SECTION 6. Accidental release measures

**Personal precautions**      Keep people away from and upwind of spill/leak. Do not breathe vapours or spray mist.

**Environmental precautions**      Prevent further leakage or spillage if safe to do so. Hose down gases, fumes and/or dust with water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

**Methods for cleaning up**      Soak up with inert absorbent material and dispose of as hazardous waste. The material taken up must be disposed of in accordance with regulations.

**Reference to other sections**      Refer to Section 8 and 13

### SECTION 7. Handling and storage

**Safe handling advice**      Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid ingestion. In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment. Ensure adequate ventilation.

**Advice on protection against fire and explosion**      No data available.

**Requirements for storage**      Keep locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition -

**sasol**

## Safety Data Sheet

### MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

**areas and containers** No smoking.

**Advice on common storage** No data available.

## SECTION 8. Exposure controls/personal protection

### Components with workplace control parameters

#### NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control parameters	Update	Basis
CRESOL (ALL ISOMERS)	TWA	22 mg/m <sup>3</sup>	08 2012	Korea OELs
CRESOL (ALL ISOMERS)	TWA	5 ppm	08 2012	Korea OELs
PHENOL	TWA	19 mg/m <sup>3</sup>	08 2012	Korea OELs
PHENOL	TWA	5 ppm	08 2012	Korea OELs

### Exposure controls

#### Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

#### Personal protective equipment

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Hand protection** Solvent-resistant gloves

**Eye protection** Full face-shield. Goggles

**Skin and body protection** Protective suit. Safety shoes.

**Hygiene measures** Wash hands before breaks and immediately after handling the



## Safety Data Sheet

### MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

product.

## SECTION 9. Physical and chemical properties

### Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	Light yellow
Odour	Characteristic
Odour Threshold	No data available.
pH	No data available.
Melting point/range	No data available.
Boiling point/boiling range	197.1 - 199.4 ° C; 101.3 kPa
Flash point	96 ° C; closed cup
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Auto-ignition temperature	No data available.
Decomposition Temperature	No data available.
Lower explosion limit	No data available.
Upper explosion limit	No data available.

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

Vapour pressure	No data available.
Relative vapour density	No data available.
Density	1.03 g/cm <sup>3</sup> ; 20 ° C
Water solubility	Partly miscible
Partition coefficient: n-octanol/water	No data available.
Viscosity, kinematic	17.02 mm <sup>2</sup> /s; 20 ° C

### SECTION 10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Exposure to strong oxidizers can result in exothermic reactions and potentially hazardous by-product.
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	Oxidizers.
Hazardous decomposition products	Thermal decomposition can lead to release of vapours. Carbon dioxide. Carbon monoxide.

### SECTION 11. Toxicological information

Acute oral toxicity	LD50 Rat: female 300 - < 2,000 mg/kg;
Acute inhalation toxicity	LC50 Rat: vapour; 1 - 5 mg/l;
Acute inhalation toxicity	Acute toxicity estimate : 4 h; vapour; > 20 mg/l; Calculation

Print Date 03.06.2022

100000002685

10/15

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

	method;
Acute dermal toxicity	LD50 Rat: 301 mg/kg;
Skin irritation	Corrosive to skin
Mutagenicity	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects;
Inhalation	Harmful by inhalation.

### SECTION 12. Ecological information

Toxicity to daphnia and other aquatic invertebrates	Daphnia magna (Water flea); EC50; > 1 - 10 mg/l
Chronic toxicity in aquatic invertebrates	Daphnia (water flea); EC50; 1 mg/l
Biodegradability	Readily biodegradable.;
Bioaccumulation	Bioaccumulation is unlikely.

### SECTION 13. Disposal considerations

Product	Dispose of as special waste in compliance with local and national regulations.
Packaging	Dispose of spent product packaging responsibly and lawfully with due consideration for health, safety and the environment.

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

### SECTION 14. Transport information

#### DG Pictogram



#### ADR

UN number: 2076

Class: 6.1, (8)

Packaging group: II; TC1;

Proper shipping name: CRESOLS, LIQUID

#### RID

UN number: 2076

Class: 6.1, (8)

Packaging group: II; TC1

Proper shipping name: CRESOLS, LIQUID

#### IMDG

UN number: 2076

Class: 6.1, (8)

EmS: F-A, S-B

Packaging group: II

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

Proper shipping name: CRESOLS, LIQUID

Marine pollutant Not a Marine Pollutant

ICAO/IATA

UN number : 2076

Class: 6.1, (8)

Packaging group: II

Proper shipping name: CRESOLS, LIQUID

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Cresol/Phenol/Xylenol mixture.

POLLUTION CATEGORY: Y

Ship Type: 2

## SECTION 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

USA TSCA Inventory	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)
Canada. DSL - Domestic Substances List, part of CEPA	All chemical constituents are listed in: Canada. DSL - Domestic Substances List, part of CEPA (See chapter 3)
Australia. AICS - Australian Inventory of Chemical Substances	All chemical constituents are listed in: Australia. AICS - Australian Inventory of Chemical Substances (See chapter 3)

# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

<b>New Zealand Inventory of Chemical Substances</b>	All chemical constituents are listed in: New Zealand Inventory of Chemical Substances (See chapter 3)
<b>Japan. ENCS - Existing and New Chemical Substances Inventory</b>	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
<b>Japan. Industrial Safety and Health Law - Inventory</b>	All chemical constituents are listed in: Japan. Industrial Safety and Health Law - Inventory (See chapter 3)
<b>Korea. KECI - Korean Existing Chemicals Inventory</b>	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
<b>Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances</b>	All chemical constituents are listed in: Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances (See chapter 3)
<b>China. IECSC - Inventory of Existing Chemical Substances in China</b>	All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)

## SECTION 16. Other information

### Full text of H-Statements

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H411 Toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and



# Safety Data Sheet

## MP-Cresol 45

Version 1.01

Revision Date 03.06.2022

received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.