

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier****Trade name** NAFOL 1012**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use Industrial use
raw material for washing and cleaning agents
raw material for textile auxiliary agents
raw material for synthesis processes in the chemical industry
raw material for lubricants and lubricant additives

Uses advised against

1.3 Details of the supplier of the safety data sheet

Company SASOL Germany GmbH
Anckelmannsplatz 1
20537 Hamburg

Telephone: +49 40 63684-1000
Telefax: +49 40 63684-3700

Information (Product safety): Telephone: + 49 (0) 23 65 - 49 47 05
Telefax: + 49 (0) 23 65 - 49 92 40

E-mail address msds-info.germany@de.sasol.com

1.4 Emergency telephone number

Emergency telephone number + 49 (0) 5 51 - 1 92 40 (GIZ-Nord Poisons Centre)

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Eye irritation Category 2 Causes serious eye irritation.
Long-term (chronic) aquatic hazard Category 2 Toxic to aquatic life with long lasting effects.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)****Hazard pictograms**

Signal word Warning

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Hazard statements

H319 Causes serious eye irritation.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P264 Wash skin thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ eye protection/ face protection.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P391 Collect spillage.
 P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture in the meaning of regulation (EC) 1907/2006.

CHEMICAL CHARACTERIZATION

Alcohol blend, C10-14

COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

Decan-1-ol

content: >= 81 - <= 89 % **component type:** Active ingredient

EC-No.: 203-956-9 **Index-No.:** **CAS-No.:** 112-30-1
REACH No.: 01-2119480407-35-XXXX
Substance name (REACH / CLP): decan-1-ol
Classification (Regulation (EC) No 1272/2008): Eye Irrit. 2 H319
 Aquatic Chronic 3 H412

Dodecan-1-ol

content: >= 6,5 - <= 10,5 % **component type:** Active ingredient

EC-No.: 203-982-0 **Index-No.:** **CAS-No.:** 112-53-8
REACH No.: 01-2119485976-15-0000
Substance name (REACH / CLP): dodecan-1-ol
Classification (Regulation (EC) No 1272/2008): Eye Irrit. 2 H319
 Aquatic Acute 1 H400
 Aquatic Chronic 2 H411

Tetradecanol

content: >= 4,5 - <= 8,5 % **component type:** Active ingredient

EC-No.: 204-000-3 **Index-No.:** **CAS-No.:** 112-72-1
REACH No.: 01-2119485910-33-0000
Substance name (REACH / CLP): tetradecanol

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Classification (Regulation (EC) No 1272/2008):	Eye Irrit. 2 Aquatic Chronic	H319 1 H410
---	---------------------------------	----------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	If you feel unwell, seek medical advice (show the label where possible). Take off all contaminated clothing immediately.
If inhaled	Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, give oxygen if necessary. Consult a physician.
In case of skin contact	Wash off with plenty of water.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	Consult a physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed	Symptoms: No information available. Risks: No information available.
--	---

4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special treatment needed	Treatment: No information available.
---	--------------------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	Water spray, Dry powder, Foam, Carbon dioxide (CO2)
-------------------------------------	---

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Dangerous gases or fumes may occur in case of fire.
---	---

5.3 Advice for firefighters

Special protective equipment for firefighters	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	Cool closed containers exposed to fire with water spray. Closed container may rupture if strongly heated. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment.
Special precautions	Forms slippery/greasy layers with water. Spilling onto the container's outside will make container slippery. Danger of slipping after spill or leakage.

6.2 Environmental precautions

Environmental precautions	Do not let product enter drains. Do not flush into surface water. Avoid subsoil penetration. Do not allow material to contaminate ground water system.
----------------------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
--------------------------------	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Wear personal protective equipment.
Advice on protection against fire and explosion	No special protective measures against fire required.
Fire-fighting class	B: Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	No special storage conditions required.
Further information on storage conditions	Protect from frost, heat and sunlight.
Storage class (TRGS 510)	10: Combustible liquids not in Storage Class 3
Other data	Stable at normal ambient temperature and pressure.

7.3 Specific end use(s)

Specific use(s)	This information is not available.
------------------------	------------------------------------

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

National occupational exposure limits

Control parameters / Substance name	Typ	Control parameters	Update	Basis
EPAL 12 (LAURYL ALCOHOL)	ST ESL	15	12 2010	TX ESL
	Screening levels that have the odor designations represent the levels of constituents in the air at which the odor would be a nuisance.			
EPAL 12 (LAURYL ALCOHOL)	AN ESL	100	12 2010	TX ESL
	Screening levels that have the odor designations represent the levels of constituents in the air at which the odor would be a nuisance.			
SURFOL 14 (FATTY ALCOHOL; N-TETRADECANOL)	ST ESL	100	12 2010	TX ESL
SURFOL 14 (FATTY ALCOHOL; N-TETRADECANOL)	AN ESL	10	12 2010	TX ESL

EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

DERIVED NO EFFECT LEVEL (DNEL)

Substance name: decan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	250 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	176 mg/m ³	
	dermal, long-term exposure - local effects	0,19 mg/cm ²	
	Inhalation, long-term exposure - local effects	129 mg/m ³	
Consumers	dermal, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - systemic effects		Not relevant / not applicable
	Oral, Acute/short-term exposure - systemic effects		Not relevant / not applicable

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	43,5 mg/m3	
	Oral, long-term exposure - systemic effects	12,5 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects	0,067 mg/cm2	
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

Substance name: dodecan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Substance name: tetradecanol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m3	
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m3	
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m3	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m3	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: decan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,042 mg/l	
Marine water	0,0042 mg/l	
intermittent release	0,08 mg/l	
treatment plant	1,5 mg/l	
Fresh water sediment	7 mg/kg	based on dry weight
Marine sediment	0,7 mg/kg	based on dry weight
Soil	1,27 mg/kg	based on dry weight
Air		Not relevant / not applicable
food		Not relevant / not applicable

Substance name: dodecan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,0028 mg/l	
Marine water	0,00028 mg/l	
intermittent release		Not relevant / not applicable
treatment plant	0,021 mg/l	
Fresh water sediment	1,1 mg/kg	based on dry weight
Marine sediment	0,11 mg/kg	based on dry weight
Soil	0,888 mg/kg	based on dry weight
Air		No hazard identified
food		Not relevant / not applicable

Substance name: tetradecanol		
Environmental Compartment	Value	Note
Fresh water	0,00032 mg/l	
Marine water	0,000032 mg/l	
intermittent release		Not relevant / not applicable
treatment plant	0,0019 mg/l	
Fresh water sediment	0,36 mg/kg	based on dry weight
Marine sediment	0,036 mg/kg	based on dry weight
Soil	0,28 mg/kg	based on dry weight
food		Not relevant / not applicable

8.2 Exposure controls

ENGINEERING MEASURES

Provide sufficient air exchange and/or exhaust in work rooms.

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection	No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or ABEK-P2), in compliance with EN 141.
Hand protection	<p>The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).</p> <p>gloves suitable for permanent contact: Material: Nitrile rubber/nitrile latex Break through time: >= 480 min Layer thickness: 0,35 mm</p> <p>Material: butyl-rubber Break through time: >= 480 min Layer thickness: 0,5 mm</p> <p>gloves suitable for splash protection: Material: Natural rubber/natural latex Break through time: >= 60 min Layer thickness: 0,5 mm</p>
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear suitable protective equipment.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs.
Protective measures	Avoid contact with eyes. Wear suitable gloves and eye/face protection.

ENVIRONMENTAL EXPOSURE CONTROLS

General advice	Do not let product enter drains. Do not flush into surface water. Avoid subsoil penetration. Do not allow material to contaminate ground water system.
-----------------------	---

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	liquid; 20 °C; 1.013 hPa
Form	liquid
Colour	colourless

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Odour	characteristic
Odour Threshold	No data available
pH	Justification:, Not applicable, insoluble
Melting point/range	ca. -7 - 2 °C; DIN 53175
Boiling point/boiling range	ca. 220 - 285 °C
Flash point	ca. > 100 °C; DIN 51758
Evaporation rate	No data available
Flammability (solid, gas)	not applicable (liquid)
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	ca. < 1,000 hPa; 20 °C
Relative vapour density	
Density	ca.0,8 g/cm ³ ; 20 °C; DIN 51757
Water solubility	insoluble
Partition coefficient: n-octanol/water	not applicable (mixture)
Ignition temperature	ca. 255 °C
Auto-ignition temperature	not auto-flammable
Viscosity, dynamic	ca. 15 mPas; 20 °C
Explosive properties	Constituents do not contain chemical groups associated with explosivity.
Oxidizing properties	not expected based on structure and functional groups

9.2 Other data

None known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity**Note** Stable at normal ambient temperature and pressure.**10.2 Chemical stability****Note** No decomposition if stored and applied as directed.**10.3 Possibility of hazardous reactions****Hazardous reactions** Hazardous decomposition products formed under fire conditions.**10.4 Conditions to avoid****Conditions to avoid** Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.**10.5 Incompatible materials to avoid****10.6 Hazardous decomposition products****Hazardous decomposition** No decomposition if stored and applied as directed.

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

products**Thermal decomposition** Stable under normal conditions.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Decan-1-ol:
LD50 Rat: > 5,000 mg/kg; OPPTS 870.1100
(literature value)
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
LD50 Rat: > 2,000 mg/kg; OECD Test Guideline 401
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
LD50 Rat: > 5,000 mg/kg
Based on available data, the classification criteria are not met.

Acute inhalation toxicity

Decan-1-ol:
LC50 Rat: > 71 mg/l; 1 h
Target Organs: Lungs
Symptoms: Salivation, Drowsiness, Shortness of breath
(literature value)
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
LC50 Rat: > 71 mg/l; 1 h
Target Organs: Lungs
Symptoms: Salivation, Drowsiness, Loss of balance, Shortness of breath
The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
Test substance: Decan-1-ol
Based on available data, the classification criteria are not met.

Tetradecanol:
LC50 Rat: > 1,5 mg/l; 1 h
Based on available data, the classification criteria are not met.

Acute dermal toxicity

Decan-1-ol:
LD50 Dermal Rabbit: > 5,000 mg/kg; OPPTS 870.1200
Target Organs: Skin
Symptoms: Local irritation
(literature value)
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
LD50 Rabbit: > 2,000 mg/kg;
Category approach
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
LD50 Rabbit: > 5,000 mg/kg;
Target Organs: Skin
Symptoms: Local irritation
Based on available data, the classification criteria are not met.

Skin corrosion/irritation**Skin irritation**

Decan-1-ol:
Rabbit: moderately irritating; OPPTS 870.2500

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

(literature value)
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
Human: not irritating; OECD Test Guideline 404
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
Human: not irritating; OECD Test Guideline 404
(literature value)
Based on available data, the classification criteria are not met.

Human experience -Skin contact
Decan-1-ol:
not irritating
(literature value)

Serious eye damage/eye irritation

Eye irritation
Decan-1-ol:
Rabbit: irritating; OPPTS 870.2400
(literature value)
Causes serious eye irritation.

Dodecan-1-ol:
Rabbit: irritating; OECD Test Guideline 405
Causes serious eye irritation.

Tetradecanol:
Rabbit: irritating; OECD Test Guideline 405
Causes serious eye irritation.

Respiratory or skin sensitisation

Sensitisation
Decan-1-ol:
Buehler Test Guinea pig: not sensitizing; OPPTS 870.2600
(literature value)
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406
(literature value)
Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity in vitro
Decan-1-ol:
In vitro tests did not show mutagenic effects
(literature value)
Category approach

Dodecan-1-ol:
In vitro tests did not show mutagenic effects
(literature value)
Category approach

Tetradecanol:
In vitro tests did not show mutagenic effects
(literature value)
Category approach

Genotoxicity in vivo
Decan-1-ol:
In vivo tests did not show mutagenic effects
(literature value)
Category approach

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Remarks

Dodecan-1-ol:
In vivo tests did not show mutagenic effects (literature value)

Tetradecanol:
In vivo tests did not show mutagenic effects (literature value)
Category approach

Decan-1-ol:
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
Based on available data, the classification criteria are not met.

Tetradecanol:
Based on available data, the classification criteria are not met.

Carcinogenicity

Carcinogenicity

Decan-1-ol:
The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.
Category approach

Dodecan-1-ol:
The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.
Category approach

Tetradecanol:
The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.
Category approach

Reproductive toxicity

Reproductive toxicity

Decan-1-ol:
Rat; Oral
Repeated dose toxicity studies gave no indication of adverse effects on reproductive organs.
(literature value)
Category approach

Dodecan-1-ol:
Rat; Oral
(literature value)
Animal testing did not show any effects on fertility.
literature value

Tetradecanol:
Rat; Oral; 55-day
NOAEL ((parents)): 2.000 mg/kg (based on body weight and day)
NOAEL (F1): 2.000 mg/kg (based on body weight and day)
(literature value)
The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
Test substance: dodecan-1-ol

RemarksReproductive toxicity

Decan-1-ol:
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
Based on available data, the classification criteria are not met.

Tetradecanol:
Based on available data, the classification criteria are not met.

Teratogenicity

Decan-1-ol:
Rat; Oral; OECD Test Guideline 414
Did not show teratogenic effects in animal experiments.
(literature value)

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

<p>Remarks-Teratogenicity</p>	<p>The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: octan-1-ol</p> <p>Dodecan-1-ol: Rat; Oral; OECD Test Guideline 422 (literature value) Did not show teratogenic effects in animal experiments.</p> <p>Tetradecanol: Rat; Oral NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: dodecan-1-ol</p> <p>Decan-1-ol: Based on available data, the classification criteria are not met.</p> <p>Dodecan-1-ol: Based on available data, the classification criteria are not met.</p> <p>Tetradecanol: Based on available data, the classification criteria are not met.</p>
<p>STOT - single exposure</p> <p>Remarks</p>	<p>Decan-1-ol: The substance or mixture is not classified as specific target organ toxicant, single exposure.</p> <p>Dodecan-1-ol: The substance or mixture is not classified as specific target organ toxicant, single exposure.</p> <p>Tetradecanol: The substance or mixture is not classified as specific target organ toxicant, single exposure.</p>
<p>STOT - repeated exposure</p> <p>Remarks</p>	<p>Decan-1-ol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.</p> <p>Dodecan-1-ol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.</p> <p>Tetradecanol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.</p>
<p>Repeated dose toxicity</p>	<p>Decan-1-ol: Rat; Oral; Subchronic toxicity NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: dodecan-1-ol</p> <p>Dodecan-1-ol: Rat; Oral; Subchronic toxicity NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value)</p> <p>Tetradecanol: Rat; oral feed; 90-day NOAEL: 3.548 mg/kg (based on body weight and day) (literature value) The data are derived from the evaluations or test results achieved with similar</p>

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

products (conclusion by analogy).
Test substance: Alcohols, C14-15- branched and linear

Aspiration hazard

Aspiration toxicity

Decan-1-ol:
Based on available data, the classification criteria are not met.

Dodecan-1-ol:
Not applicable

Tetradecanol:
Not applicable

Toxicological information

Decan-1-ol:
Toxicokinetics, metabolism and distribution
extensive and rapid metabolisation
(literature value)

Dodecan-1-ol:
Toxicokinetics
The substance is poorly absorbed via skin.
The substance is metabolised and excreted.

Tetradecanol:
Toxicokinetics
The substance is poorly absorbed via skin.
The substance is metabolised and excreted.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

Decan-1-ol:
LC50 (96 h) Pimephales promelas (fathead minnow): > 1 - 10 mg/l ; flow-through
test; OECD Test Guideline 203
(literature value)

Dodecan-1-ol:
LC50 (96 h) Pimephales promelas (fathead minnow): > 1 - 10 mg/l ; flow-through
test; US EPA 1975
(literature value)

Tetradecanol:
LC50 (96 h) Oncorhynchus mykiss (rainbow trout) ; semi-static test; OECD Test
Guideline 203
In the range of water solubility not toxic under test conditions.
(literature value)

Toxicity to fish - Chronic toxicity

Decan-1-ol:
EC10 (33 d) Pimephales promelas (fathead minnow): 0,43 mg/l; mortality; flow-
through test; OECD Test Guideline 210

Dodecan-1-ol:
study scientifically unjustified

Toxicity to daphnia and other aquatic invertebrates

Decan-1-ol:
LC50 (96 h) Nitocra spinipes: > 1 - 10 mg/l ; static test; OECD Test Guideline 202
(literature value)

Dodecan-1-ol:
EC50 (48 h) Daphnia magna (Water flea): > 0,1 - 1 mg/l ; static test; OECD Test
Guideline 202

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

	<p>Tetradecanol: EC50 (48 h) Daphnia magna (Water flea) ; semi-static test; OECD Test Guideline 202 In the range of water solubility not toxic under test conditions. (literature value)</p>
Toxicity to daphnia and other aquatic invertebrates - Chronic toxicity	<p>Decan-1-ol: NOEC (21 d) Daphnia magna (Water flea): 0,11 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211; (literature value)</p> <p>Dodecan-1-ol: NOEC (21 d) Daphnia magna (Water flea): > 0,01 - 0,1 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211</p>
Toxicity to aquatic plants	<p>Tetradecanol: NOEC (21 d) Daphnia magna (Water flea): > 0,001 - 0,01 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211; (literature value)</p> <p>Decan-1-ol: EC50 (72 h) algae: > 1 - 10 mg/l ; calculated; (literature value) Category approach</p> <p>Dodecan-1-ol: ErC50 (72 h) Desmodesmus subspicatus (green algae): > 0,1 - 1 mg/l ; static test; OECD Test Guideline 201</p> <p>Dodecan-1-ol: NOEC (72 h) Desmodesmus subspicatus (green algae): 0,085 mg/l ; cell number; static test; OECD Test Guideline 201</p> <p>Tetradecanol: EL50 (96 h) Desmodesmus subspicatus (green algae) ; static test; In the range of water solubility not toxic under test conditions. (literature value)</p>
Toxicity to bacteria	<p>Decan-1-ol: The study is not necessary. Justification: Readily biodegradable. The substance is not to be considered to be inhibitory to bacteria.</p> <p>Dodecan-1-ol: No data available</p> <p>Tetradecanol: No data available</p>
Toxicity to soil dwelling organisms	<p>Decan-1-ol: EC50 (72 h) Caenorhabditis elegans, Worm (Nematoda): 98 mg/kg; mortality (literature value)</p> <p>Tetradecanol: LC50 (72 h) Caenorhabditis elegans, Worm (Nematoda): > 1.000 mg/kg; mortality (literature value)</p> <p>Tetradecanol: EC50 (7 d) Folsomia candida, Arthropod (Collembola): 530 mg/kg; Immobilization (literature value)</p>
Toxicity to terrestrial flora	<p>Decan-1-ol: Obtaining data is technically impossible.</p>
Toxicity for other terrestrial non-mammalian fauna	<p>Decan-1-ol: The study is not necessary. Studies on birds do not need to be conducted due to large mammalian dataset.</p>
12.2 Persistence and degradability	
Biodegradability	<p>Decan-1-ol: > 60 %; 30 d; aerobic; OECD Test Guideline 301D (literature value)</p> <p>Dodecan-1-ol:</p>

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301D (literature value)

Tetradecanol:
Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301B (literature value)

12.3 Bioaccumulative potential**Bioaccumulation**

Decan-1-ol:
Bioconcentration factor (BCF): 20; calculated
Bioaccumulation is unlikely.

Dodecan-1-ol:
Bioaccumulation is unlikely.

Tetradecanol:
Bioaccumulation is unlikely.

12.4 Mobility in soil**Mobility**

Decan-1-ol:
Adsorption/Soil/Sewage sludge; Medium: water - soil; Koc: 1010 - 1433; OECD Test Guideline 106
Slightly mobile in soils

Dodecan-1-ol:
Adsorption/Soil; Koc: 17980; log Koc: 4,25; calculated
immobile
strong adsorption to soil
The substance and its relevant degradation products decompose rapidly.

Tetradecanol:
Adsorption/Soil; Koc: 50828; log Koc: 4,71; calculated
immobile
strong adsorption to soil
The substance and its relevant degradation products decompose rapidly.

12.5 Results of PBT and vPvB assessment**Results of PBT assessment**

Decan-1-ol:
This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Dodecan-1-ol:
This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).
The substance is considered to be toxic to aquatic life, but is not persistent or bioaccumulating and therefore not classified as PBT.

Tetradecanol:
This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects**General advice**

Decan-1-ol:
Harmful to aquatic life with long lasting effects.

Dodecan-1-ol:
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Tetradecanol:

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

Very toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Can be incinerated, when in compliance with local regulations.
Contaminated packaging	Empty remaining contents.
waste code of the European Union: EWC	The waste code must be determined in agreement with the regional waste disposal authority or company. A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR	3082
RID	3082
ADN	3082
IMDG	3082
ICAO/IATA	3082

14.2 Proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
RID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)
ICAO/IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-Dodecanol)

14.3 Transport hazard class

ADR	9
RID	9
ADN	9
IMDG	9
ICAO/IATA	9

14.4 Packing group

ADR	III
RID	III
ADN	III
IMDG	III
ICAO/IATA	III

14.5 Environmental hazards

ADR	Environmentally hazardous	yes
------------	---------------------------	-----

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

RID	Environmentally hazardous	yes
ADN	Environmentally hazardous	yes
IMDG	Marine pollutant	yes
ICAO/IATA	Environmentally hazardous	yes

14.6 Special precautions for user

ADR	Hazard Identification Number	90
	Labels	9
	Tunnel restriction code	(-)
IMDG	Labels	9
	EmS Number 1	F-A
	EmS Number 2	S-F
ICAO/IATA	Labels	9MI

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No information available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational restrictions Employment restrictions for children and young workers in accordance with Directive 94/33/EC and the respective national provisions are to be observed.

NATIONAL/OTHER REGULATIONS

Legislation on the control of major-accident hazards involving dangerous substances Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
list entry in the directive:: ENVIRONMENTAL HAZARDS; E2
Qualifying quantity 1: 200 t; Qualifying quantity 2: 500 t;

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

NOTIFICATION STATUS

Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	listed (product or constituents are listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances (IECSC)	INV (CN)	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

15.2 Chemical safety assessment**decan-1-ol**

A Chemical Safety Assessment has been carried out for this substance.

dodecan-1-ol

A Chemical Safety Assessment has been carried out for this substance.

tetradecanol

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3.**

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety datasheet sections which have been updated:

NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

- 2. Hazards identification
- 8. Exposure controls/personal protection
- 11. Toxicological information
- 12. Ecological information

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
AICS	Australian Inventory of Chemical Substances
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
BCF	Bioconcentration factor
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
DSL	Domestic Substances List
EC...	Effect concentration ... %
ENCS	Existing Notified Chemical Substances (Japan)
EWC	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISHL	Industrial Safety and Health Law (Japan)
ISO	International Organization for Standardization
IUAPC	International Union of Pure and Applied Chemistry
KECI	Korea Existing Chemicals Inventory
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NDSL	Non-Domestic Substances List
NOAEL	no observable adverse effect level
NOEL/NOEC	No Observed-effect level/concentration
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PICCS	Philippine Inventory of Chemicals and Chemical Substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
TG	Test Guideline
TRGS	Technische Regeln für Gefahrstoffe
TSCA	Toxic Substances Control Act
vPvB	very persistent, very bioaccumulative
WGK	Wassergefährdungsklasse

Annex

Attachments to the safety data sheet and/or lists of the identified uses for the listed substances can be downloaded using the internet links below.

decan-1-ol

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/CON000000023_EN_01.pdf



NAFOL 1012

Version: 6.06

Revision Date 04.02.2019

dodecan-1-ol

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000100_EN_01.pdf

tetradecanol

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000101_EN_01.pdf
