Sasol

Safety Data Sheet

Hydraulic Fluid 100

Version 1.01

Revision Date 26.06.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier	
Trade name	Hydraulic Fluid 100
Synonyms	Hydraulic Oil
Relevant identified uses of the subs	stance or mixture and uses advised against
Use	Lubricant or lubricant additive
Manufacturer or supplier's details	
Company	Sasol Oil Pty (Ltd)
Address	Sasol Place, 50 Katherine Street Sandton 2090 South Africa
Telephone	+27860335444
E-mail address	sasolchem.info.sa@sasol.com
Emergency telephone number	+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)
	+44(0)1235 239 671 (Middle East, Arabic African countries)
	+65 3158 1074 (Asia Pacific)
	+86 10 5100 3039 (China)
	+27 (0)17 610 4444 (South Africa)
	+61 (2) 8014 4558 (Australia)

Print Date 26.06.2023



Hydraulic Fluid 100

Version 1.01

Revision Date 26.06.2023

SECTION 2. Hazards identification

Classification of the substance or mixture

	REGULATION (EC) No 1272/2008
Classification	This substance is not classified as hazardous according to GHS.
Label elements	
Pictogram	Not applicable
Signal word	Not applicable
Hazard statements	This substance is not classified as hazardous according to GHS.
Precautionary statements	
Prevention	No precautionary statement
Response	No precautionary statement
Storage	No special storage conditions required.
Disposal	P501Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.
Other hazards	No data available

SECTION 3. Composition/information on ingredients

Print Date 26.06.2023



Hydraulic Fluid 100 Version 1.01

Revision Date 26.06.2023

Mixture

Distillates (petroleum), hyd	rotreated heavy paraffinic; Base	eoil - unspecified
Contents: 99.10 %W/W		
CAS-No. 64742-54-7	Index-No. 649-467-00-8	EC-No . 265-157-1
	Hazard statements H304	
Mineral Oil		
Contents: >= 0.12 - <= 0.21 %	W/W	
CAS-No.	Index-No.	EC-No.
	Hazard statements H304	
Phosphorodithioic acid, O	,O-di-C1-14-alkyl esters, zinc s	alts
Contents: >= 0.26 - <= 0.50 %	W/W	
CAS-No. 68649-42-3	Index-No.	EC-No. 272-028-3
	Hazard statements H315 H3	19
Alkyl Phenol (isomer)		
Contents: >= 0.09 - <= 0.17 %	W/W	
CAS-No.	Index-No.	EC-No.
	Hazard statements H315 H4	00 H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Print Date 26.06.2023



Hydraulic Fluid 100 Version 1.01

Revision Date 26.06.2023

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Get medical attention/advice if you feel unwell.
Skin contact	Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
Most important symptoms/effects, acute and delayed	

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing	Water spray, Foam, CO2, Dry powder.
media	
Special hazards arising	Under conditions of continuous exposure to heat, may burn.
from the substance or	Under extreme conditions (e.g. confinement) could lead to
mixture	detonation. Nitrogen oxides (NOx) and carbon oxides are
	produced during combustion.

Print Date 26.06.2023

Sasol

Safety Data Sheet

Hydraulic Fluid 100 Version 1.01

Revision Date 26.06.2023

Special protectiveWear self-contained breathing apparatus and protective suit.equipment for firefighters

SECTION 6. Accidental release measures

Personal precautions	Use personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Disposal and clean up may only be done by authorised personnel.
Reference to other sections	Refer toSection8and13

SECTION 7. Handling and storage

Safe handling advice	Wear personal protective equipment. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.
Advice on protection against fire and explosion	No data available
Requirements for storage areas and containers	Keep away from heat.Do not store near combustible materials.
Advice on common storage	No data available

Print Date 26.06.2023



Hydraulic Fluid 100

Version 1.01

Revision Date 26.06.2023

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Contains no substances with occupational exposure limit values.

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	Gloves suitable for permanent contact: Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm
Eye protection	Safety goggles
Skin and body protection	lightweight protective clothing
Hygiene measures	Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Print Date 26.06.2023



Hydraulic Fluid 100

Version 1.01

Revision Date 26.06.2023

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 °C; 1,013 hPa
Colour	brown
Odour	mild
Odour Threshold	No data available
рН	No data available
Pour point	-9°C
Flash point	240 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	> 320 °C
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available
Density	0.89 g/cm3; 20 ° C
Water solubility	immiscible
Partition coefficient: n- octanol/water	No data available
Viscosity, kinematic	108 mm2/s; 40 ° C

SECTION 10. Stability and reactivity

Print Date 26.06.2023



Hydraulic Fluid 100 Version 1.01

Revision Date 26.06.2023

Reactivity	Stable under normal conditions.
Chemical stability	No data available
Possibility of hazardous reactions	Strong acids and oxidizing agents
Conditions to avoid	No data available
Materials to avoid	Combustible material
Hazardous decomposition products	Stable under normal conditions.

SECTION 11. Toxicological information

Acute oral toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Base unspecified: LD50 Rat: 5,000 mg/kg;	oil -
Acute inhalation toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Base unspecified: LC50 Rat: 4 h; 2.18 - 5.53 mg/l;	oil -
Acute dermal toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Base unspecified: LD50 Rabbit: 2,000 - 5,000 mg/kg;	:oil -
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Base unspecified: Oral Rat; Lowest observed adverse effect level 125 mg/kg	
Print Date 26.06.2023	10000006504	8/12



Hydraulic Fluid 100 Version 1.01

Revision Date 26.06.2023

Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rat; NOAEL Early embryonic development 30 - 2,000 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Mouse; NOAEL Early embryonic development 150 mg/kg Lowest observed adverse effect level 100 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rabbit; NOAEL Early embryonic development 1,000 mg/kg
Carcinogenicity	Mineral oils are severely solvent refined or hydrotreated.

SECTION 12. Ecological information

Toxicity to fish	Distillates (petroleum), hydrotreated heavy paraffinic; Based unspecified: 4 d; LL50; 100 mg/l;	oil -
Toxicity to daphnia and other aquatic invertebrates	Distillates (petroleum), hydrotreated heavy paraffinic; Base unspecified: No data available	oil -
Toxicity to algae	Distillates (petroleum), hydrotreated heavy paraffinic; Base unspecified: No data available	oil -
Toxicity to bacteria	Distillates (petroleum), hydrotreated heavy paraffinic; Base	oil -
Print Date 26.06.2023	10000006504	9/12



Hydraulic Fluid 100 Version 1.01

Revision Date 26.06.2023

unspecified: No data available

SECTION 13. Disposal considerations

Product Dispose of in accordance with local regulations.

SECTION 14. Transport information		
Further Information	Not classified as dangerous in the meaning of transport	
	regulations.	

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canadian Domestic Substances List (DSL)	Components Not listed Mineral Oil Alkyl Phenol (isomer)
Australian Inv. of Chem. Substances (AICS)	Components Not listed
	Mineral Oil
	Alkyl Phenol (isomer)
New Zealand Inventory of Chemicals	Components Not listed
(NZIoC)	Mineral Oil
	Alkyl Phenol (isomer)
Jap. Inv. of Exist. & New Chemicals (ENCS)	Components Not listed Distillates (petroleum), hydrotreated heavy paraffinic
Print Date 26.06.2023	10000006504 10/12



Hydraulic Fluid 100 Version 1.01	Revision Date 26.06.2023
	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts Mineral Oil Alkyl Phenol (isomer)
Japan. Industrial Safety & Health Law (ISHL)	Components Not listed Distillates (petroleum), hydrotreated heavy paraffinic Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts Mineral Oil Alkyl Phenol (isomer)
Korea. Existing Chemicals Inventory (KECI)	Components Not listed Mineral Oil Alkyl Phenol (isomer)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Components Not listed Mineral Oil Alkyl Phenol (isomer)
China Inv. Existing Chemical Substances (IECSC)	Components Not listed Mineral Oil Alkyl Phenol (isomer)
Taiwan. Chemical Substances Inventory (TCSI)	Components Not listed Mineral Oil Alkyl Phenol (isomer)
USA TSCA Inventory	Components Not listed Mineral Oil Alkyl Phenol (isomer)

SECTION 16. Other information

Print Date 26.06.2023

Sasol

Safety Data Sheet

Hydraulic Fluid 100

Version 1.01

Revision Date 26.06.2023

Full text of H-Statements

H304 May be fatal if swallowed and enters airways.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 26.06.2023