

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier****Trade name** NAFOL 1214**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use	Solvent raw material for lubricants and lubricant additives emulsifying agent raw material for synthesis processes in the chemical industry raw material for textile auxiliary agents raw material for washing and cleaning agents Industrial use
Uses advised against	

1.3 Details of the supplier of the safety data sheet

Company	SASOL Germany GmbH Anckelmannsplatz 1 20537 Hamburg Telephone: +49 40 63684-1000 Telefax: +49 40 63684-3700
Information (Product safety):	Telephone: + 49 (0) 23 65 - 49 47 05 Telefax: + 49 (0) 23 65 - 49 92 40
E-mail address	msds-info.germany@de.sasol.com

1.4 Emergency telephone number**Emergency telephone number** + 49 (0) 5 51 - 1 92 40 (GIZ-Nord Poisons Centre)**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Eye irritation Category 2	Causes serious eye irritation.
Acute aquatic toxicity Category 1	Very toxic to aquatic life.
Chronic aquatic toxicity Category 1	Very toxic to aquatic life with long lasting effects.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)****Hazard pictograms**

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

Signal word	Warning
Hazard statements	
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements	
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture in the meaning of regulation (EC) 1907/2006.

COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

Dodecan-1-ol

content: >= 51 - <= 57 %	component type: Active ingredient
EC-No.: 203-982-0	Index-No.:
REACH No.: 01-2119485976-15-0000	CAS-No.: 112-53-8
Substance name (REACH / CLP): dodecan-1-ol	
Classification (Regulation (EC) No 1272/2008):	Eye Irrit. 2 H319
	Aquatic Acute 1 H400
	Aquatic Chronic 2 H411

Tetradecanol

content: >= 41 - <= 47 %	component type: Active ingredient
EC-No.: 204-000-3	Index-No.:
REACH No.: 01-2119485910-33-0000	CAS-No.: 112-72-1
Substance name (REACH / CLP): tetradecanol	
Classification (Regulation (EC) No 1272/2008):	Eye Irrit. 2 H319
	Aquatic Chronic 1 H410

Decan-1-ol

content: <= 1,5 %	component type: Impurity
EC-No.: 203-956-9	Index-No.:
Classification (Regulation (EC) No 1272/2008):	CAS-No.: 112-30-1
	Eye Irrit. 2 H319
	Aquatic Chronic 3 H412

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

Substances for which maximum allowable workplace concentrations have been laid down**Hexadecan-1-ol**

content: <= 1,5 %

component type: Impurity

EC-No.: 253-149-0

Index-No.:

CAS-No.: 36653-82-4

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	If you feel unwell, seek medical advice (show the label where possible). Take off all contaminated clothing immediately.
If inhaled	Remove from exposure, lie down. If breathing is irregular or stopped, administer artificial respiration. Monitor breathing, give oxygen if necessary. Consult a physician.
In case of skin contact	Wash off with plenty of water.
In case of eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	Consult a physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed	Symptoms: No information available. Risks: No information available.
--	---

4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special treatment needed	Treatment: No information available.
---	--------------------------------------

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable extinguishing media	Water spray, Dry powder, Foam, Carbon dioxide (CO2)
-------------------------------------	---

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Dangerous gases or fumes may occur in case of fire.
---	---

5.3 Advice for firefighters

Special protective equipment for firefighters	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	Cool closed containers exposed to fire with water spray. Closed container may rupture if strongly heated. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

system.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions	Use personal protective equipment.
Special precautions	Forms slippery/greasy layers with water. Spilling onto the container's outside will make container slippery. Danger of slipping after spill or leakage.

6.2 Environmental precautions

Environmental precautions	Do not let product enter drains. Do not flush into surface water. Avoid subsoil penetration. Do not allow material to contaminate ground water system.
----------------------------------	---

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Pick up and arrange disposal without creating dust. The material taken up must be disposed of in accordance with regulations.
--------------------------------	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling	Wear personal protective equipment.
Advice on protection against fire and explosion	No special protective measures against fire required.
Fire-fighting class	B: Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	No special storage conditions required.
Further information on storage conditions	Protect from frost, heat and sunlight.
Storage class (TRGS 510)	10-13: German Storage Class 10 to 13
Other data	Stable at normal ambient temperature and pressure.

7.3 Specific end use(s)

Specific use(s)	This information is not available.
------------------------	------------------------------------

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

National occupational exposure limits

Control parameters / Substance name	Typ	Control parameters	Update	Basis
EPAL 12 (LAURYL ALCOHOL)	ST ESL	15	12 2010	TX ESL
	Screening levels that have the odor designations represent the levels of constituents in the air at which the odor would be a nuisance.			
EPAL 12 (LAURYL ALCOHOL)	AN ESL	100	12 2010	TX ESL
	Screening levels that have the odor designations represent the levels of constituents in the air at which the odor would be a nuisance.			
SURFOL 14 (FATTY ALCOHOL; N-TETRADECANOL)	ST ESL	100	12 2010	TX ESL
SURFOL 14 (FATTY ALCOHOL; N-TETRADECANOL)	AN ESL	10	12 2010	TX ESL
ALFOL (EPAL) 16 ALCOHOL (95-97% 1-HEXADECANOL)	ST ESL	100	12 2010	TX ESL
ALFOL (EPAL) 16 ALCOHOL (95-97% 1-HEXADECANOL)	AN ESL	200	12 2010	TX ESL

EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

DERIVED NO EFFECT LEVEL (DNEL)

Substance name: dodecan-1-ol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m ³	
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m ³	
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m ³	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m ³	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

Substance name: tetradecanol			
End Use	Exposure routes	Value	Note
Workers	dermal, Acute/short-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	220 mg/m ³	
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	125 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	220 mg/m ³	
	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable
Consumers	dermal, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, Acute/short-term exposure - systemic effects	65 mg/m ³	
	Oral, Acute/short-term exposure - systemic effects	75 mg/kg	based on body weight and day
	dermal, Acute/short-term exposure - local effects		Not relevant / not applicable
	Inhalation, Acute/short-term exposure - local effects		Not relevant / not applicable
	dermal, long-term exposure - systemic effects	75 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	65 mg/m ³	
	Oral, long-term exposure - systemic effects	75 mg/kg	based on body weight and day

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

	dermal, long-term exposure - local effects		Not relevant / not applicable
	Inhalation, long-term exposure - local effects		Not relevant / not applicable

PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: dodecan-1-ol		
Environmental Compartment	Value	Note
Fresh water	0,0028 mg/l	
Marine water	0,00028 mg/l	
intermittent release		Not relevant / not applicable
treatment plant	0,021 mg/l	
Fresh water sediment	1,1 mg/kg	based on dry weight
Marine sediment	0,11 mg/kg	based on dry weight
Soil	0,888 mg/kg	based on dry weight
food		Not relevant / not applicable

Substance name: tetradecanol		
Environmental Compartment	Value	Note
Fresh water	0,00032 mg/l	
Marine water	0,000032 mg/l	
intermittent release		Not relevant / not applicable
treatment plant	0,0019 mg/l	
Fresh water sediment	0,36 mg/kg	based on dry weight
Marine sediment	0,036 mg/kg	based on dry weight
Soil	0,28 mg/kg	based on dry weight
food		Not relevant / not applicable

8.2 Exposure controls

ENGINEERING MEASURES

Provide sufficient air exchange and/or exhaust in work rooms.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection

No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a combined filter (e.g. A-P2 or ABEK-P2), in compliance with EN 141.

Hand protection

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).

gloves suitable for permanent contact:

Material: Nitrile rubber/nitrile latex
Break through time: >= 480 min
Layer thickness: 0,35 mm

Material: butyl-rubber
Break through time: >= 480 min
Layer thickness: 0,5 mm

unsuitable gloves

Material: Natural rubber/natural latex

Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear suitable protective equipment.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs.
Protective measures	Avoid contact with eyes. Wear suitable gloves and eye/face protection.

ENVIRONMENTAL EXPOSURE CONTROLS

General advice	Do not let product enter drains. Do not flush into surface water. Avoid subsoil penetration. Do not allow material to contaminate ground water system.
-----------------------	---

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	solid; 20 °C; 1.013 hPa
Form	paste
Colour	colourless
Odour	characteristic
Odour Threshold	No valid method available
pH	Justification:., Not applicable, insoluble
Solidification / Setting point	22 - 25 °C; DIN 53175
Boiling point/boiling range	ca. 265 - 295 °C
Flash point	ca. 130 °C; DIN 51758
Evaporation rate	Not relevant / not applicable Justification: Solid
Flammability (solid, gas)	No data available

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

Lower explosion limit	Not applicable Justification: Solid
Upper explosion limit	Not applicable Justification: Solid
Vapour pressure	ca. < 1,000 hPa; 20 °C
Relative vapour density	Not applicable, Justification: Solid
Density	ca.0,8 g/cm ³ ; 40 °C; DIN 51757
Water solubility	insoluble
Partition coefficient: n-octanol/water	not applicable (mixture)
Ignition temperature	ca. 240 °C
Auto-ignition temperature	Not applicable solid with a melting point < 160°C
Viscosity, dynamic	ca. 10 - 11 mPas; 40 °C
Explosive properties	Constituents do not contain chemical groups associated with explosivity.
Oxidizing properties	not expected based on structure and functional groups

9.2 Other data

None known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity**Note** Stable at normal ambient temperature and pressure.**10.2 Chemical stability****Note** No decomposition if stored and applied as directed.**10.3 Possibility of hazardous reactions****Hazardous reactions** Hazardous decomposition products formed under fire conditions.**10.4 Conditions to avoid****Conditions to avoid** Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.**10.5 Incompatible materials to avoid****Materials to avoid** Strong acids and oxidizing agents;**10.6 Hazardous decomposition products****Hazardous decomposition products** No decomposition if stored and applied as directed.**Thermal decomposition** Stable under normal conditions.**SECTION 11: TOXICOLOGICAL INFORMATION**

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

11.1 Information on toxicological effects**Acute toxicity****Acute oral toxicity**

Dodecan-1-ol:
LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 401
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 401
(literature value)
Based on available data, the classification criteria are not met.

Acute inhalation toxicity

Dodecan-1-ol:
LC50 Rat: > 71 mg/l; 1 h
Target Organs: Lungs
Symptoms: Salivation, Drowsiness, Loss of balance, Shortness of breath
The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
Test substance: Decan-1-ol
Based on available data, the classification criteria are not met.

Tetradecanol:
LC50 Rat: > 1,5 mg/l; 1 h
Based on available data, the classification criteria are not met.

Acute dermal toxicity

Dodecan-1-ol:
LD50 Rabbit: > 2.000 mg/kg;
Category approach
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
LD50 Rabbit: > 2.000 mg/kg;
Target Organs: Skin
Symptoms: Local irritation
Based on available data, the classification criteria are not met.

Skin corrosion/irritation**Skin irritation**

Dodecan-1-ol:
human: not irritating; OECD Test Guideline 404
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
human: not irritating; OECD Test Guideline 404
(literature value)
Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation**Eye irritation**

Dodecan-1-ol:
Rabbit: irritating; OECD Test Guideline 405
Causes serious eye irritation.

Tetradecanol:
Rabbit: irritating; OECD Test Guideline 405
Causes serious eye irritation.

Respiratory or skin sensitisation**Sensitisation**

Dodecan-1-ol:
Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406
(literature value)
Based on available data, the classification criteria are not met.

Tetradecanol:
Maximisation Test Guinea pig: not sensitizing; OECD Test Guideline 406
(literature value)

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity in vitro

Dodecan-1-ol:
In vitro tests did not show mutagenic effects
(literature value)
Category approach

Tetradecanol:
In vitro tests did not show mutagenic effects
(literature value)
Category approach

Genotoxicity in vivo

Dodecan-1-ol:
In vivo tests did not show mutagenic effects
(literature value)

Tetradecanol:
In vivo tests did not show mutagenic effects
(literature value)
Category approach

Remarks

Dodecan-1-ol:
Based on available data, the classification criteria are not met.

Tetradecanol:
Based on available data, the classification criteria are not met.

Carcinogenicity

Carcinogenicity

Dodecan-1-ol:
The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.
Category approach

Tetradecanol:
The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential.
Category approach

Reproductive toxicity

Reproductive toxicity

Dodecan-1-ol:
Rat; Oral; 55-day
NOAEL ((parents)): 2.000 mg/kg (based on body weight and day)
NOAEL (F1): 2.000 mg/kg (based on body weight and day)
(literature value)

Tetradecanol:
Rat; Oral; 55-day
NOAEL ((parents)): 2.000 mg/kg (based on body weight and day)
NOAEL (F1): 2.000 mg/kg (based on body weight and day)
(literature value)
The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy).
Test substance: dodecan-1-ol

RemarksReproductive toxicity

Dodecan-1-ol:
Based on available data, the classification criteria are not met.

Tetradecanol:
Based on available data, the classification criteria are not met.

Teratogenicity

Dodecan-1-ol:
Rat; Oral
NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422
(literature value)

Tetradecanol:
Rat; Oral
NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

	(literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: dodecan-1-ol
Remarks-Teratogenicity	Dodecan-1-ol: Based on available data, the classification criteria are not met. Tetradecanol: Based on available data, the classification criteria are not met.
STOT - single exposure	
Remarks	Dodecan-1-ol: The substance or mixture is not classified as specific target organ toxicant, single exposure. Tetradecanol: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	
Remarks	Dodecan-1-ol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Tetradecanol: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Repeated dose toxicity	Dodecan-1-ol: Rat; Oral; Subchronic toxicity NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value) Tetradecanol: Rat; Oral; Subchronic toxicity NOAEL: 2.000 mg/kg (based on body weight and day); OECD Test Guideline 422 (literature value) The data are derived from the evaluations or test results achieved with similar products (conclusion by analogy). Test substance: dodecan-1-ol
Aspiration hazard	
Aspiration toxicity	Dodecan-1-ol: Not applicable Tetradecanol: Not applicable
Human experience	Dodecan-1-ol: Mild skin irritation (literature value)
Toxicological information	Dodecan-1-ol: Toxicokinetics The substance is poorly absorbed via skin. The substance is metabolised and excreted. Tetradecanol: Toxicokinetics The substance is poorly absorbed via skin. The substance is metabolised and excreted.

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	<p>Dodecan-1-ol: LC50 (96 h) Pimephales promelas (fathead minnow): > 1 - 10 mg/l ; flow-through test; US EPA 1975 (literature value)</p> <p>Tetradecanol: LC50 (96 h) Oncorhynchus mykiss (rainbow trout) ; semi-static test; OECD Test Guideline 203 In the range of water solubility not toxic under test conditions. (literature value)</p>
Toxicity to fish - Chronic toxicity	<p>Dodecan-1-ol: study scientifically unjustified</p>
Toxicity to daphnia and other aquatic invertebrates	<p>Dodecan-1-ol: EC50 (48 h) Daphnia magna (Water flea): > 0,1 - 1 mg/l ; static test; OECD Test Guideline 202</p> <p>Tetradecanol: EC50 (48 h) Daphnia magna (Water flea) ; semi-static test; OECD Test Guideline 202 In the range of water solubility not toxic under test conditions. (literature value)</p>
Toxicity to daphnia and other aquatic invertebrates - Chronic toxicity	<p>Dodecan-1-ol: NOEC (21 d) Daphnia magna (Water flea): > 0,01 - 0,1 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211</p> <p>Tetradecanol: NOEC (21 d) Daphnia magna (Water flea): > 0,001 - 0,01 mg/l; reproduction rate; semi-static test; OECD Test Guideline 211; (literature value)</p>
Toxicity to aquatic plants	<p>Dodecan-1-ol: ErC50 (72 h) Desmodesmus subspicatus (Scenedesmus subspicatus): > 0,1 - 1 mg/l ; static test; OECD Test Guideline 201</p> <p>Dodecan-1-ol: NOEC (72 h) Desmodesmus subspicatus (Scenedesmus subspicatus): 0,085 mg/l ; cell number; static test; OECD Test Guideline 201</p> <p>Tetradecanol: EL50 (96 h) Desmodesmus subspicatus (Scenedesmus subspicatus) ; static test; In the range of water solubility not toxic under test conditions. (literature value)</p>
Toxicity to bacteria	<p>Dodecan-1-ol: No data available</p> <p>Tetradecanol: No data available</p>
Toxicity to soil dwelling organisms	<p>Dodecan-1-ol: No data available</p> <p>Tetradecanol: LC50 (72 h) Caenorhabditis elegans, Worm (Nematoda): > 1.000 mg/kg; mortality (literature value)</p> <p>Tetradecanol: EC50 (7 d) Folsomia candida, Arthropod (Collembola): 530 mg/kg; Immobilization (literature value)</p>

12.2 Persistence and degradability

Biodegradability	<p>Dodecan-1-ol: Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301D (literature value)</p>
-------------------------	--

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

Tetradecanol:
Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301B
(literature value)

12.3 Bioaccumulative potential

Bioaccumulation

Dodecan-1-ol:
Bioaccumulation is unlikely.

Tetradecanol:
Bioaccumulation is unlikely.

12.4 Mobility in soil

Mobility

Dodecan-1-ol:
Adsorption/Soil; Koc: 17980; log Koc: 4,25; calculated
immobile
strong adsorption to soil
The substance and its relevant degradation products decompose rapidly.

Tetradecanol:
Adsorption/Soil; Koc: 50828; log Koc: 4,71; calculated
immobile
strong adsorption to soil
The substance and its relevant degradation products decompose rapidly.

12.5 Results of PBT and vPvB assessment

Results of PBT assessment

Dodecan-1-ol:
Based on available data, the classification criteria are not met.
The substance is considered to be toxic to aquatic life, but is not persistent or
bioaccumulating and therefore not classified as PBT.

Tetradecanol:
Based on available data, the classification criteria are not met.

12.6 Other adverse effects

General advice

Dodecan-1-ol:
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Tetradecanol:
Very toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Can be incinerated, when in compliance with local regulations.

Contaminated packaging

Empty remaining contents.

waste code of the European Union: EWC

The waste code must be determined in agreement with the regional waste disposal authority or company. A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number



NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

ADR	3077
RID	3077
ADN	3077
IMDG	3077
ICAO/IATA	3077

14.2 Proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains tetradecanol)
RID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains tetradecanol)
ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains tetradecanol)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains tetradecanol)
ICAO/IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains tetradecanol)

14.3 Transport hazard class

ADR	9
RID	9
ADN	9
IMDG	9
ICAO/IATA	9

14.4 Packing group

ADR	III
RID	III
ADN	III
IMDG	III
ICAO/IATA	III

14.5 Environmental hazards

ADR	Environmentally hazardous	yes
RID	Environmentally hazardous	yes
ADN	Environmentally hazardous	yes
IMDG	Marine pollutant	yes
ICAO/IATA	Environmentally hazardous	yes

14.6 Special precautions for user

ADR	Hazard Identification Number	90
	Labels	9
	Tunnel restriction code	(-)
IMDG	Labels	9
	EmS Number 1	F-A
	EmS Number 2	S-F
ICAO/IATA	Labels	9MI

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

Remarks No information available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational restrictions Employment restrictions for children and young workers in accordance with Directive 94/33/EC and the respective national provisions are to be observed.

Occupational restrictions Employment restrictions for children and young workers in accordance with Directive 94/33/EC and the respective national provisions are to be observed.

NATIONAL/OTHER REGULATIONS

Legislation on the control of major-accident hazards involving dangerous substances Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
list entry in the directive:: ENVIRONMENTAL HAZARDS; E1

Qualifying quantity 1: 100 t; Qualifying quantity 2: 200 t;

Directive 1999/13/EC (VOC) The question whether this product or components thereof has/have to be considered as volatile organic compound/compounds (VOC) as defined by Directive 1999/13/EU can only be answered when detailed knowledge on the use as solvent in connection with certain activities in certain facilities is available.

NOTIFICATION STATUS

Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	listed (product or constituents are listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances	INV (CN)	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

15.2 Chemical safety assessment

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

dodecan-1-ol

A Chemical Safety Assessment has been carried out for this substance.

tetradecanol

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety datasheet sections which have been updated:

11. Toxicological information
12. Ecological information
14. Transport information
15. Regulatory information

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
AICS	Australian Inventory of Chemical Substances
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
BCF	Biocentration factor
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
DSL	Domestic Substances List
EC...	Effect concentration ... %
ENCS	Existing Notified Chemical Substances (Japan)
EWC	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISHL	Industrial Safety and Health Law (Japan)
ISO	International Organization for Standardization
IUAPC	International Union of Pure and Applied Chemistry
KECI	Korea Existing Chemicals Inventory
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%

NAFOL 1214

Version: 8.06

Revision Date 21.06.2017

MARPOL	International Convention for the Prevention of Pollution From Ships
NDSL	Non-Domestic Substances List
NOAEL	no observable adverse effect level
NOEL/NOEC	No Observed-effect level/concentration
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PICCS	Philippine Inventory of Chemicals and Chemical Substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
TG	Test Guideline
TRGS	Technische Regeln für Gefahrstoffe
TSCA	Toxic Substances Control Act
vPvB	very persistent, very bioaccumulative
WGK	Wassergefährdungsklasse

Annex

Attachments to the safety data sheet and/or lists of the identified uses for the listed substances can be downloaded using the internet links below.

dodecan-1-ol

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000100_EN_01.pdf

tetradecanol

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000000101_EN_01.pdf
