

## NOVEL® 1012GB-21 Ethoxylate

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>Trade name</b>	NOVEL® 1012GB-21 Ethoxylate	
<b>Synonyms</b>	Ethoxylated Alcohol	
<b>Use</b>	Industrial & Institutional cleaning, Surfactant	
<b>Company</b>	Sasol Chemicals (USA) LLC (an affiliate of Sasol Chemicals North America LLC)	
<b>Address</b>	12120 Wickchester Lane Houston TX 77079	
<b>Telephone</b>	CHEMTREC North America Transportation Emergency (24-hr)	(800) 424-9300
	CHEMTREC World Wide	(703) 527-3887
	Other Emergencies (24-hr)	(337) 494-5142
	MSDS and Product Information (8:00am-4:30pm CST)	(281) 588-3491
	Health and Safety Information (7:30am-4:00pm CST)	(281) 588-3492
<b>E-mail address</b>	SasolElectronicSDS@us.sasol.com	

### SECTION 2 HAZARDS IDENTIFICATION

#### GHS Hazards

Acute toxicity (Dermal)	Category 4
Acute toxicity (Oral)	Category 4
Eye irritation	Category 2A

#### LABEL ELEMENTS

##### Hazard symbols



**Signal word** Warning

**Hazard statements** H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H319 Causes serious eye irritation.

#### Precautionary statements

**Prevention** P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response** P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

## NOVEL® 1012GB-21 Ethoxylate

---

P330 Rinse mouth.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P312 Call a POISON CENTER or doctor/ physician if you feel unwell.  
 P362 Take off contaminated clothing and wash before reuse.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Disposal** P501 Dispose of contents/ container to an approved waste disposal plant.

### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

---

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
Alcohols, C10-16, ethoxylated	68002-97-1	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

### SECTION 4 FIRST AID MEASURES

---

- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
- Ingestion** If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

### SECTION 5 FIREFIGHTING MEASURES

---

#### FLAMMABLE PROPERTIES

**Fire/explosion** NFPA Class IIIB combustible liquid.

**Suitable extinguishing media** Water spray, Foam, Dry chemical, Carbon dioxide (CO<sub>2</sub>)

**Protective equipment and precautions for firefighters** Wear self contained breathing apparatus for fire fighting if necessary.

**Further information** Keep containers and surroundings cool with water spray. Do not use a solid water stream as it may scatter and spread fire. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## NOVEL® 1012GB-21 Ethoxylate

---

### SECTION 6 ACCIDENTAL RELEASE MEASURES

---

**Methods and materials for containment and cleaning up** Evacuate personnel to safe areas. Remove all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Spilled material will solidify. Sweep up and shovel into suitable containers for disposal. Do not flush into surface water or sanitary sewer system.

### SECTION 7 HANDLING AND STORAGE

---

**Safe handling advice** Take precautionary measures against static discharges.

**Storage/Transport pressure** Ambient

**Load/Unload temperature** 41 - 52 °C  
105 - 125 °F

**Storage and handling materials** Suitable: Carbon steel coated with baked phenolic. Any moisture may cause rusting of carbon steel. If product is moisture free, uncoated carbon steel tanks.

**Further information on storage conditions** When stored in the liquid form, ethoxylates should be padded with a dry inert gas, such as nitrogen, to prevent oxygen or air from entering the tank. Prolonged storage in the presence of air or oxygen may cause product degradation. Oxidation is not expected when stored under a nitrogen atmosphere. Inert gas blanket and breathing system needed to maintain color stability. Use dry inert gas having at least -40°C (-40°F) dew point.

### SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

---

#### ENGINEERING MEASURES

Ensure adequate ventilation, especially in confined areas. Trace amounts of ethylene oxide may be present in the product and could accumulate in vapor spaces of storage or transport vessels.

#### PERSONAL PROTECTIVE EQUIPMENT

**Eyes** Wear as appropriate: Goggles, Face-shield

**Skin** Full protective clothing, chemical boots, and chemical gloves. High standards of skin care and personal hygiene should be exercised at all times.

**Inhalation** Use respirator when performing operations involving potential exposure to vapour of the product. Use NIOSH approved respiratory protection.

#### EXPOSURE GUIDELINES

There are no exposure limits established for this product. Trace amounts of ethylene oxide may be present in this product., The ethylene oxide in this product is not expected to result in significant exposures or present a health hazard.

**NOVEL® 1012GB-21 Ethoxylate**

---

**SECTION 9            PHYSICAL AND CHEMICAL PROPERTIES**

---

<b>Appearance</b>	solid; 25 °C,
<b>Colour</b>	white
<b>Form</b>	solid
<b>Odour</b>	sweet pungent
<b>Odour Threshold</b>	no data available
<b>Flash point</b>	estimated > 204 °C, > 400 °F; PM;
<b>Flammability</b>	Upper explosion limit: approximately 1.1 %(V) Lower explosion limit: approximately 0.2 %(V)
<b>Boiling point/boiling range</b>	approximately 218 - 273 °C, 425 - 525 °F;
<b>Melting point/range</b>	34 - 38 °C, 93 - 100 °F;
<b>Auto-ignition temperature</b>	approximately 395 °C, 743 °F;
<b>Decomposition temperature</b>	no data available;
<b>Flammability (solid, gas)</b>	no data available
<b>Vapour pressure</b>	< 0.1 mm Hg @ 65 °C, 149 °F;
<b>Vapour density</b>	approximately 37
<b>Density</b>	1.03 - 1.04 g/cm <sup>3</sup> @ 50 °C, 104 °F;
<b>Specific gravity</b>	no data available
<b>Water solubility</b>	soluble
<b>Viscosity</b>	15 - 17 cSt @ 100 °C, 212 °F;
<b>pH</b>	6 - 8
<b>Evaporation rate</b>	no data available
<b>Partition coefficient: n-octanol/water</b>	no data available

**NOVEL® 1012GB-21 Ethoxylate**

---

**SECTION 10 STABILITY AND REACTIVITY**

---

<b>Reactivity</b>	Stable at normal ambient temperature and pressure.
<b>Chemical stability</b>	No decomposition if stored and applied as directed.
<b>Conditions to avoid</b>	Reacts slowly with air or oxygen. Storage under heated conditions in the presence of air or oxygen increases reaction rate. For example, after storing at 95°F/35°C for 30 days in the presence of air, there is measureable oxidation of the ethoxylate. Lower temperatures will allow for longer storage time and higher temperatures will shorten the storage time if stored under an air or oxygen atmosphere.
<b>Hazardous decomposition products</b>	When storing this product in air or oxygen, decomposition may occur, generating vapors which could be irritating. Ensure adequate ventilation, especially in confined areas. Oxidation is not expected when stored under a nitrogen atmosphere.
<b>Materials to avoid</b>	Can react with strong oxidizers, inorganic acids, and halogens.
<b>Hazardous polymerisation</b>	None.

**SECTION 11 TOXICOLOGICAL INFORMATION**

---

<b>Additional Remarks</b>	Information given is based on data obtained from similar substances.
<b>Acute dermal toxicity</b>	LD50 rabbit: > 1,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 value expected to exceed the saturated vapor concentration in air.
<b>Acute oral toxicity</b>	LD50 rat: > 1,000 mg/kg
<b>Skin corrosion/irritation</b>	Primary irritation (rabbit): 24 hours; 1.5 (Max. score is 8.0.)
<b>Eye damage/irritation</b>	Primary irritation (rabbit): 32 (Max. score is 110.)
<b>Respiratory or skin sensitization</b>	no data available
<b>Germ cell mutagenicity</b>	<b>Genotoxicity in vitro:</b> no data available  <b>Genotoxicity in vivo:</b> no data available  <b>Assessment Mutagenicity:</b> no data available
<b>Reproductive toxicity</b>	<b>Reproductive toxicity:</b> no data available

## NOVEL® 1012GB-21 Ethoxylate

---

**Assessment Reproductive toxicity:**

no data available

**Teratogenicity:**

no data available

**Assessment teratogenicity:**

no data available

**STOT - single exposure** no data available

**STOT - repeated exposure** no data available

**Aspiration toxicity** no data available

**Carcinogenicity Assessment carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

---

## SECTION 12 ECOLOGICAL INFORMATION

**Aquatic toxicity** Product is expected to be slightly less surface active and less toxic than the tested substances.

**Toxicity to fish** LC50 (Leuciscus idus (Golden orfe)) 1 hours: 150 mg/l  
Test substance: C12-20 ethoxylate  
Product will show less aquatic toxicity because of more moles of EO.

**Toxicity to aquatic invertebrates** no data available

**Toxicity to algae** no data available

**Chronic toxicity to fish** no data available

**Chronic toxicity to aquatic invertebrates** no data available

**Biodegradation** Readily biodegradable.

Modified Sturm Test (28 d): 65 %  
Test substance: C1415-20 Ethoxylate

**Bioaccumulation** no data available

**Mobility in soil** no data available

**Other adverse effects** no data available

## NOVEL® 1012GB-21 Ethoxylate

---

### SECTION 13 DISPOSAL CONSIDERATIONS

---

- Waste Code** Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.
- Disposal methods** Dispose of only in accordance with local, state, and federal regulations.
- Empty containers.** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

### SECTION 14 TRANSPORT INFORMATION

---

- DOT** Not regulated.
- IATA** Not regulated.
- IMDG** Not regulated.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

**Remarks** no data available

### SECTION 15 REGULATORY INFORMATION

---

#### U.S. FEDERAL REGULATIONS

##### OSHA Hazards (HCS 1994)

Eye irritant

##### TSCA Inventory Listing

###### Components

Alcohols, C10-16, ethoxylated

###### CAS-No.

68002-97-1

##### SARA 302 Status

###### Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

###### CAS-No.

###### Weight percent

##### SARA 311/312 Classification

"Immediate (acute) health hazard"

## NOVEL® 1012GB-21 Ethoxylate

---

### SARA 313 Chemical

#### Components

#### CAS-No.

#### Weight percent

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

#### Components

#### Reportable Quantity

#### Weight percent

none

## INTERNATIONAL REGULATIONS

### WHMIS Classification

Class D, Division 2, Subdivision B: Toxic material.

### European Union

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Classification according to Regulation (EU) 1272/2008.

Eye irritation, Category 2  
Acute toxicity (Dermal), Category 4  
Acute toxicity (Oral), Category 4

<b>Australia. Inventory of Chemical Substances (AICS)</b>	Listed
<b>Japan. Inventory of Existing and New Chemical Substances (ENCS)</b>	Listed
<b>Japan. Industrial Safety &amp; Health Law (ISHL) Inventory</b>	Listed
<b>Canada. Domestic Substances List (DSL) Inventory</b>	Listed
<b>Canadian Non-Domestic Substance Listing (NDSL)</b>	Not listed
<b>European Inventory of Existing Commercial Chemical Substances (EINECS) Listing</b>	Listed
<b>Philippines. Inventory of Chemicals / Chemical Substances (PICCS)</b>	Listed
<b>Korea. Existing Chemicals Inventory (KECI)</b>	Listed
<b>China. Inventory of Existing Chemical Substances (IECSC)</b>	Listed
<b>Mexico. National Inventory of Chemical Substances (INSQ)</b>	Not listed
<b>New Zealand. Inventory of Chemicals (NZIoC)</b>	Listed
<b>Switzerland. Inventory of Notified New Substances (CHINV)</b>	Listed
<b>Taiwan. National Existing Chemical Inventory (NECI)</b>	Listed



**NOVEL® 1012GB-21 Ethoxylate**

---

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

**STATE REGULATIONS****California Prop. 65**

**Components**  
Ethylene Oxide

**CAS-No.**  
75-21-8

Sasol Chemicals (USA) LLC's ethoxylates may contain detectable quantities of ethylene oxide which is a chemical on the California Proposition 65 list. The level is typically below 1.0 ppm, although it may vary. The manufacturing process is controlled to reduce the residual ethylene oxide content.

**SECTION 16 OTHER INFORMATION**

---

**HAZARD RATINGS**

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
<b>HMIS®</b>	2	1	0
<b>NFPA</b>	2	1	0

---

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.

---