

## n-Propanol

Version 1.00 Revision Date 08.09.2021

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name n-Propanol

**Synonyms** 1-Propanol, Hydroxypropane, 1-Propyl alcohol, Ethyl carbinol,

n-Propan-1-ol, n-Propyl alcohol.

Product code 2044

**CAS-No.** 71-23-8

Relevant identified uses of the substance or mixture and uses advised against

**Use** Solvent, Industrial use.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address Sasol Place, 50 Katherine Street

Sandton 2090

1090

South Africa +27103445000

Telephone

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 400 120 6011 (China)

+27 (0)17 610 4444 (South Africa)

0800 112 890 RSA-Local only

+61 (2) 8014 4558 (Australia)

#### SECTION 2. Hazards identification

Classification of the substance or mixture



### n-Propanol

Classification

Version 1.00 Revision Date 08.09.2021

**GHS Classification** 

Globally Harmonized System of Classification and Labelling of

Chemicals (GHS)

Flammable liquids Category 3

Serious eye damage Category 1

Specific target organ toxicity - single Category 3

exposure

**GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H226Flammable liquid and vapour.

H318Causes serious eye damage.

H336May cause drowsiness or dizziness.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ eye protection/ face protection.

P233 Keep container tightly closed.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ ventilating/ lighting

equipment.

P240 Ground/bond container and receiving equipment.

P242 Use non-sparking tools.

P243 Take precautionary measures against static discharge.

#### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON



## n-Propanol

Version 1.00

Revision Date 08.09.2021

#### CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

• None known.



### n-Propanol

Version 1.00 Revision Date 08.09.2021

## SECTION 3. Composition/information on ingredients

#### **Substance**

Propan-1-ol

**Contents:** 99.90 %W/W

**CAS-No.** 71-23-8 **Index-No.** 603-003-00-0 **EC-No.** 200-746-9

Hazard statements H225 H318 H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4. First aid measures

#### Description of necessary first-aid measures

**Inhalation** Move to fresh air in case of accidental inhalation of vapours. If

breathing is irregular or stopped, administer artificial

respiration. Call a physician immediately.

Skin contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash

contaminated clothing before re-use. If skin irritation persists,

call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Ingestion If swallowed, seek medical advice immediately and show this

container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious

person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

### SECTION 5. Firefighting measures



### n-Propanol

Version 1.00 Revision Date 08.09.2021

Suitable extinguishing

Water spray. Alcohol-resistant foam. Dry chemical. Carbon

media

dioxide.

Unsuitable extinguishing

No information available.

media

Special hazards arising

from the substance or

form explosive mixtures with air.

mixture

Special protective

equipment for firefighters

Wear self-contained breathing apparatus and protective suit.

Flash back possible over considerable distance. Vapours may

## SECTION 6. Accidental release measures

Personal precautions Keep people away from and upwind of spill/leak. Remove all

sources of ignition. Do not breathe vapours or spray mist.

Ensure adequate ventilation.

**Environmental precautions** Should not be released into the environment. Prevent further

> leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not flush into surface

water or sanitary sewer system.

Methods for cleaning up Soak up with inert absorbent material and dispose of as

hazardous waste.

Reference to other sections Refer to Section 8 and 13

## SECTION 7. Handling and storage

Safe handling advice Provide sufficient air exchange and/or exhaust in work rooms.

> Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.

Advice on protection Keep away from open flames, hot surfaces and sources of



### n-Propanol

Version 1.00 Revision Date 08.09.2021

against fire and explosion ignition. Use explosion-proof equipment.

Temperature class T1

**Requirements for storage** Keep container tightly closed in a dry and well-ventilated areas and containers place. Keep away from heat. Keep away from direct sunlight.

Advice on common storage Keep containers tightly closed in a cool, well-ventilated place.

## SECTION 8. Exposure controls/personal protection

#### Components with workplace control parameters

#### NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Туре	Control	Update	Basis
		parameters		
1-PROPANOL	TWA	390 mg/m3	03 2015	Brazil OELs
1-PROPANOL	48HRS	156 ppm	03 2015	Brazil OELs
	TWA			
	48HRS			

#### **Exposure controls**

#### **Engineering measures**

Provide sufficient air exchange and/or exhaust in work rooms.

#### Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment.

**Hand protection** Gloves suitable for permanent contact:

Material: butyl-rubber Break through time: 4 h Material thickness: 0.5 mm

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Protective suit. Safety shoes

Hygiene measures Wash hands before breaks and immediately after handling the



## n-Propanol

Version 1.00 Revision Date 08.09.2021

product. Take off all contaminated clothing immediately.

## SECTION 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Form Liquid

State of matter Liquid; at 20 ° C; 1,013 hPa

Colourless Colourless

Odour Alcohol-like

Odour Threshold No data available

**pH** 7

Melting point/range -126.2 ° C

Boiling point/boiling range 97.2 ° C

Flash point 26 ° C; closed cup

**Evaporation rate** No data available

Flammability (solid, gas) No data available

Auto-ignition temperature 371 ° C

**Decomposition** No data available

Temperature

Lower explosion limit 2.1 %(V)

Upper explosion limit 13.5 %(V)

Vapour pressure 27.998 hPa; 25 ° C

Relative vapour density 2.1

**Density** 0.805 g/cm3; 20 ° C

Water solubility Completely miscible

Partition coefficient: n- No data available



### n-Propanol

Version 1.00 Revision Date 08.09.2021

octanol/water

Viscosity, dynamic 2.170 mPa.s; 40 ° C

### SECTION 10. Stability and reactivity

**Reactivity** Stable under recommended storage conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid Extremes of temperature and direct sunlight. Heat, flames and

sparks.

Materials to avoid Strong oxidizing agents Incompatible with acids. Halogenated

compounds

Hazardous decomposition

products

Carbon oxides

## SECTION 11. Toxicological information

Acute oral toxicity Propan-1-ol:

LD50 Oral: > 2,000 mg/kg; (literature value)

Acute oral toxicity Butan-2-ol:

LD50 Oral Rat: male2,054 mg/kg; (literature value)

**Acute inhalation toxicity** Propan-1-ol:

LC50 Rat: male and female; 4 h; vapour; 13548 ppm; GLP:

yes; (literature value)

Acute dermal toxicity Propan-1-ol:

LD50 Dermal Rabbit: male; 6,730 mg/kg; (literature value)

**Skin irritation** Propan-1-ol:

Rabbit: Not irritating; Draize Test (literature value)

**Eye irritation** Propan-1-ol:



### n-Propanol

Version 1.00 Revision Date 08.09.2021

Rabbit: Highly irritating 24 - 72 h; (literature value)

Mutagenicity Propan-1-ol:

Ames test: Salmonella typhimurium; Not mutagenic; (literature

value)

### **SECTION 12. Ecological information**

Toxicity to fish Propan-1-ol:

static test; Pimephales promelas; 96 h; LC50; 4,650 mg/l; GLP:

no; (literature value)

Toxicity to daphnia and other

Propan-1-ol:

aquatic invertebrates static test; Daphnia magna (Water flea); 48 h; EC50; 3,644

mg/l(literature value)

Biodegradability Propan-1-ol:

aerobic; 3 mg/l; 81 %; 20 d; Readily biodegradable.; (literature

value)

Mobility in soil No data available

Results of PBT and vPvB

This substance is not considered to be persistent,

assessment

bioaccumulating and toxic (PBT). This substance is not

considered to be very persistent and very bioaccumulating

(vPvB).

## SECTION 13. Disposal considerations

**Product** In accordance with local and national regulations. Do not

> contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter

drains, water courses or the soil.

**Packaging** Dispose of spent product packaging responsibly and lawfully

with due consideration for health, safety and the

environment.



### n-Propanol

Version 1.00 Revision Date 08.09.2021

## SECTION 14. Transport information

**DG Pictogram** 



ADR

UN number: 1274

Class: 3

Packaging group: III; F1;

**Proper shipping name:** n-PROPANOL

RID

UN number: 1274

Class: 3

Packaging group: III; F1

**Proper shipping name:** n-PROPANOL

**ADNR** 

UN number: 1274

Class: 3

Packaging group: III; F1

**Proper shipping name:** n-PROPANOL

**IMDG** 

UN number: 1274



### n-Propanol

Version 1.00 Revision Date 08.09.2021

Class: 3

EmS: F-E, S-D

Packaging group:

**Proper shipping name:** n-PROPANOL

Marine pollutant Not a Marine Pollutant

ICAO/IATA

UN number: 1274

Class: 3

Packaging group:

Proper shipping name: n-PROPANOL

Transport in bulk according n-Propanol

to Annex II of MARPOL Pollution Category: Y

73/78 and the IBC Code Ship Type: 3

## SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

USA TSCA Inventory

All chemical constituents are listed in: USA TSCA Inventory

(See chapter 3)

Canadian Domestic Substances List (DSL) All chemical constituents are listed in: Canadian Domestic

Substances List (DSL) (See chapter 3)

Australian Inv. of Chem. Substances (AICS) All chemical constituents are listed in: Australian Inv. of Chem.

Substances (AICS) (See chapter 3)

New Zealand Inventory of Chemicals

All chemical constituents are listed in: New Zealand Inventory of

(NZIoC) Chemicals (NZIoC) (See chapter 3)

Jap. Inv. of Exist. & New Chemicals (ENCS) All chemical constituents are listed in: Jap. Inv. of Exist. & New



### n-Propanol

Version 1.00 Revision Date 08.09.2021

Chemicals (ENCS) (See chapter 3)

Japan. Industrial Safety & Health Law (ISHL) All chemical constituents are listed in: Japan. Industrial Safety &

Health Law (ISHL) (See chapter 3)

Korea. Existing Chemicals Inventory (KECI) All chemical constituents are listed in: Korea. Existing

Chemicals Inventory (KECI) (See chapter 3)

Philippines Inventory of Chemicals and

**Chemical Substances (PICCS)** 

All chemical constituents are listed in: Philippines Inventory of

Chemicals and Chemical Substances (PICCS) (See chapter 3)

China Inv. Existing Chemical Substances

(IECSC)

All chemical constituents are listed in: China Inv. Existing

Chemical Substances (IECSC) (See chapter 3)

### **SECTION 16. Other information**

#### Full text of H-Statements

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.