



Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

Engine Oil Marine BN15 40

Synonyms

Engine Oil. Crankcase Oil

Relevant identified uses of the substance or mixture and uses advised against

Use

Lubricant or lubricant additive

Manufacturer or supplier's details

Company

Sasol Oil Pty (Ltd)

Address

Sasol Place, 50 Katherine Street
Sandton
2090
South Africa
+27860335444

Telephone

E-mail address

sasolchem.info.sa@sasol.com

Emergency telephone number

+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific)

+86 10 5100 3039 (China)

+27 (0)17 610 4444 (South Africa)

+61 (2) 8014 4558 (Australia)

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

SECTION 2. Hazards identification

Classification of the substance or mixture

South Africa. GHS Classification and Labelling of Chemicals - SANS 10234

Classification

Skin sensitisation

Category 1

Reproductive toxicity

Category 1

Label elements

Pictogram



Signal word

Danger

Hazard statements

H317: May cause an allergic skin reaction.

H360: May damage fertility or the unborn child.

Precautionary statements

Prevention

P261: Avoid breathing mist or vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

P362 + P364: Take off contaminated clothing and wash it before reuse.
P308 + P313: IF exposed or concerned: Get medical advice/ attention.

Storage P405: Store locked up.

Disposal P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards No data available

SECTION 3. Composition/information on ingredients

Mixture

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified

Contents: 88.90 %W/W

CAS-No. 64742-54-7

Index-No. 649-467-00-8

EC-No. 265-157-1

Mineral Oil

Contents: >= 4.94 - <= 5.03 %W/W

CAS-No.

Index-No.

EC-No.

Polyolefin polyamine succinimide, polyol

Contents: 2.30 %W/W

CAS-No. 147880-09-9

Index-No.

EC-No.

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Calcium branched chain alkyl phenate sulfide

Contents: 1.20 %W/W

CAS-No. 90480-91-4

Index-No.

EC-No.

Zinc alkyl dithiophosphate

Contents: 1.00 %W/W

CAS-No. 68649-42-3

Index-No.

EC-No.

Hazard statements *H315 H319*

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts

Contents: 0.60 %W/W

CAS-No. 722503-68-6

Index-No.

EC-No.

phenol, (tetrapropenyl) derivatives

Contents: 0.20 %W/W

CAS-No. 74499-35-7

Index-No.

EC-No.

Polyolefin polyamine succinimide, molybdenum

Contents: 0.10 %W/W

CAS-No.

Index-No.

EC-No.

Calcium Long Chain Alkaryl Sulfonate

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Contents: ≥ 0.49 - ≤ 0.50 %W/W

CAS-No. 722503-69-7

Index-No.

EC-No.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Get medical attention/advice if you feel unwell.
Skin contact	Wash off immediately with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if irritation develops and persists.
Eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Suitable extinguishing media	Water spray, Foam, CO2, Dry powder.
Special hazards arising from the substance or mixture	Under conditions of continuous exposure to heat, may burn. Under extreme conditions (e.g. confinement) could lead to detonation. Nitrogen oxides (NOx) and carbon oxides are produced during combustion.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	Use personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses.
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Disposal and clean up may only be done by authorised personnel.
Reference to other sections	Refer to Section 8 and 13

SECTION 7. Handling and storage

Safe handling advice	Wear personal protective equipment. Do not breathe vapours
-----------------------------	--

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

or spray mist. Avoid contact with skin and eyes. Ensure adequate ventilation. Keep away from flames and sparks.

Advice on protection against fire and explosion No data available

Requirements for storage areas and containers Keep away from heat. Do not store near combustible materials.

Advice on common storage No data available

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Gloves suitable for permanent contact:
Material: butyl-rubber
Break through time: 4 h
Material thickness: 0.5 mm

Eye protection Safety goggles

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Skin and body protection	lightweight protective clothing
Hygiene measures	Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	Brown
Odour	Mild
Odour Threshold	No data available
pH	No data available
Pour point	-30 ° C; ASTM D97
Flash point	250 ° C; ASTM D92
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	> 320 ° C
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Relative vapour density	No data available

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Density	0.89 g/cm ³ ; ASTM D4052
Water solubility	Emulsifiable
Partition coefficient: n-octanol/water	No data available
Viscosity, kinematic	125 mm ² /s; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	No data available
Possibility of hazardous reactions	Strong acids and oxidizing agents
Conditions to avoid	No data available
Materials to avoid	Combustible material.
Hazardous decomposition products	Stable under normal conditions.

SECTION 11. Toxicological information

Acute oral toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LD50 Rat: 5,000 mg/kg;
Acute inhalation toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil -

Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

	unspecified: LC50 Rat: 4 h; 2.18 - 5.53 mg/l;
Acute dermal toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: LD50 Rabbit: 2,000 - 5,000 mg/kg;
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Oral Rat; Lowest observed adverse effect level 125 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rat; NOAEL Early embryonic development 30 - 2,000 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Mouse; NOAEL Early embryonic development 150 mg/kg Lowest observed adverse effect level 100 mg/kg
Repeated dose toxicity	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: Dermal Rabbit; NOAEL Early embryonic development 1,000 mg/kg
Carcinogenicity	Mineral oils are severely solvent refined or hydrotreated.

SECTION 12. Ecological information

Toxicity to fish	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:
-------------------------	--



Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

	4 d; LL50; 100 mg/l;
Toxicity to daphnia and other aquatic invertebrates	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available
Toxicity to algae	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available
Toxicity to bacteria	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified: No data available

SECTION 13. Disposal considerations

Product	Dispose of in accordance with local regulations.
----------------	--

SECTION 14. Transport information

Further Information	Not classified as dangerous in the meaning of transport regulations.
----------------------------	--

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canadian Domestic Substances List (DSL)	Components Not listed
	Mineral Oil
	Polyolefin polyamine succinimide, polyol
	Calcium branched chain alkyl phenate sulfide



Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts

Calcium Long Chain Alkaryl Sulfonate
phenol, (tetrapropenyl) derivatives

Polyolefin polyamine succinimide, molybdenum

Australian Inv. of Chem. Substances (AICS)

Components Not listed

Mineral Oil

Polyolefin polyamine succinimide, polyol

Calcium branched chain alkyl phenate sulfide
phenol, (tetrapropenyl) derivatives

Polyolefin polyamine succinimide, molybdenum

New Zealand Inventory of Chemicals (NZIoC)

Components Not listed

Mineral Oil

Calcium branched chain alkyl phenate sulfide

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts

Calcium Long Chain Alkaryl Sulfonate

Polyolefin polyamine succinimide, molybdenum

Jap. Inv. of Exist. & New Chemicals (ENCS)

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic

Mineral Oil

Polyolefin polyamine succinimide, polyol

Calcium branched chain alkyl phenate sulfide

Zinc alkyl dithiophosphate

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts

Calcium Long Chain Alkaryl Sulfonate

phenol, (tetrapropenyl) derivatives



Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

Polyolefin polyamine succinimide, molybdenum

Japan. Industrial Safety & Health Law (ISHL)

Components Not listed

Distillates (petroleum), hydrotreated heavy paraffinic
Mineral Oil

Polyolefin polyamine succinimide, polyol

Calcium branched chain alkyl phenate sulfide

Zinc alkyl dithiophosphate

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts

Calcium Long Chain Alkaryl Sulfonate

phenol, (tetrapropenyl) derivatives

Polyolefin polyamine succinimide, molybdenum

Korea. Existing Chemicals Inventory (KECI)

Components Not listed

Mineral Oil

Calcium branched chain alkyl phenate sulfide

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts

Calcium Long Chain Alkaryl Sulfonate

Polyolefin polyamine succinimide, molybdenum

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

Components Not listed

Mineral Oil

Calcium branched chain alkyl phenate sulfide

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts

Calcium Long Chain Alkaryl Sulfonate

phenol, (tetrapropenyl) derivatives

Polyolefin polyamine succinimide, molybdenum

China Inv. Existing Chemical Substances

Components Not listed

Print Date 05.06.2023

100000009900

13/15



Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

(IECSC)

Distillates (petroleum), hydrotreated heavy paraffinic
Mineral Oil
Calcium branched chain alkyl phenate sulfide
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts
Calcium Long Chain Alkaryl Sulfonate
Polyolefin polyamine succinimide, molybdenum

Taiwan. Chemical Substances Inventory (TCSI)

Components Not listed

Mineral Oil
Polyolefin polyamine succinimide, molybdenum

USA TSCA Inventory

Components Not listed

Mineral Oil
Polyolefin polyamine succinimide, polyol
Calcium branched chain alkyl phenate sulfide
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl
derivs., calcium salts
Calcium Long Chain Alkaryl Sulfonate
Polyolefin polyamine succinimide, molybdenum

SECTION 16. Other information

Full text of H-Statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and

Print Date 05.06.2023

100000009900

14/15



Safety Data Sheet

Engine Oil Marine BN15 40

Version 1.01

Revision Date 05.06.2023

received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.