



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name Acetone

Synonyms Acetone

Product code 2110

CAS-No. 67-64-1

Relevant identified uses of the substance or mixture and uses advised against

Use Industrial use. Solvent.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address 50 Katherine Street, Sasol Place
Sandton
2090
South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Supplier's details Sasol Chemicals Pacific Ltd

61 Robinson Road
#17-02, 61 Robinson
Singapore
068893



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Telephone	+65 6533 8856
E-mail address	info.sg@sasol.com
Emergency Phone Number	
Emergency telephone number	+44 (0)1235 239 670 (Europe, Israel, Africa, Americas) +44(0)1235 239 671 (Middle East, Arabic African countries) +65 3158 1074 (Asia Pacific) +86 400 120 6011 (China) +27 (0)17 610 4444 (South Africa) 0800 112 890 RSA-Local only +61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

GHS Classification

Classification

SS 586 : Part 2: Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods, Part 2 : Globally harmonized system of classification and labelling of chemicals - Singapore's adaptations

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Flammable liquids Category 2

Eye damage/irritation Category 2

Specific target organ toxicity - single exposure Category 3

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

: **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/ eye protection/ face protection.



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

SECTION 3. Composition/information on ingredients

HAZARDOUS INGREDIENTS

Acetone

Contents: >= 99.90 %W/W

CAS-No. 67-64-1

Index-No. 606-001-00-8

EC-No. 200-662-2

Hazard statements *H225 H319 H336*

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Suitable extinguishing media	Water spray. Alcohol-resistant foam. Dry chemical. Carbon dioxide.
Unsuitable extinguishing media	No information available.
Special hazards arising from the substance or mixture	Flash back possible over considerable distance. Vapours may form explosive mixtures with air.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	Keep people away from and upwind of spill/leak. Remove all sources of ignition. Use non-sparking tools. Do not breathe vapours or spray mist. Ensure adequate ventilation.
Environmental precautions	Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.
Methods for cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste.
Reference to other sections	Refer to Section 8 and 13



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

SECTION 7. Handling and storage

- Safe handling advice** Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.
- Advice on protection against fire and explosion** Keep away from open flames, hot surfaces and sources of ignition. Use explosion-proof equipment.
- Temperature class** T1
- Requirements for storage areas and containers** Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Keep away from direct sunlight.
- Advice on common storage** Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control parameters	Update	Basis
------------	------	--------------------	--------	-------

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

ACETONE	TWA	1,780 mg/m3	2006	Singapore PELs
ACETONE	TWA	750 ppm	2006	Singapore PELs
	STEL	2,380 mg/m3	2006	Singapore PELs
	STEL	1,000 ppm	2006	Singapore PELs

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Gloves suitable for permanent contact.:
Material: butyl-rubber
Break through time: 4 h
Material thickness: 0.5 mm

Eye protection Safety glasses with side-shields.

Skin and body protection Protective suit. Safety shoes.

Hygiene measures Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

SECTION 9. Physical and chemical properties

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	Colourless
Odour	Characteristic
Odour Threshold	No data available.
pH	Not applicable.
Melting point/range	-95 ° C
Boiling point/boiling range	56 ° C; ASTM D86
Flash point	-20 ° C; ASTM D 93 - 85; closed cup;
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Auto-ignition temperature	No data available.
Decomposition Temperature	No data available.
Lower explosion limit	2.5 %(V)
Upper explosion limit	14.3 %(V)
Vapour pressure	378 hPa; 30 ° C
Relative vapour density	No data available.
Density	0.789 g/cm ³ ; 20 ° C; ASTM D4052
Water solubility	Soluble

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Viscosity, kinematic 0.4 mm²/s; 20 ° C; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity	Stable under recommended storage conditions.
Chemical stability	Stable
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Extremes of temperature and direct sunlight. Heat, flames and sparks.
Materials to avoid	Strong oxidizing agents. Incompatible with acids. Halogenated compounds
Hazardous decomposition products	Carbon oxides.

SECTION 11. Toxicological information

Acute oral toxicity	Acetone: LD50 Rat: > 2,000 mg/kg; (literature value)
Acute inhalation toxicity	Acetone: LC50 Rat: 4 h; vapour; > 20 mg/l; GLP: no; (literature value)

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Acute dermal toxicity	Acetone: LD50 Rabbit: > 2,000 mg/kg; (literature value)
Skin irritation	Acetone: Rabbit: Irritating; GLP: no; (literature value)
Eye irritation	Acetone: Rabbit: Irritating GLP: no; (literature value)
Mutagenicity	Acetone: Ames test: Salmonella typhimurium; Not mutagenic; GLP: no; (literature value)

SECTION 12. Ecological information

Toxicity to daphnia and other aquatic invertebrates	Acetone: static test; Daphnia magna (Water flea); 48 h; > 100 mg/l(literature value)
Biodegradability	Acetone: Readily biodegradable.; (literature value)

SECTION 13. Disposal considerations

Product	Disposal should be in accordance with local, regional and national legislations.
----------------	--

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Packaging

Dispose of spent product packaging responsibly and lawfully with due consideration for health, safety and the environment.

SECTION 14. Transport information

DG Pictogram :



ADR

UN number: 1090
Class: 3
Packaging group: II; F1;
Proper shipping name: ACETONE

RID

UN number: 1090
Class: 3
Packaging group: II; F1
Proper shipping name: ACETONE

ADNR

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

UN number: 1090
Class: 3
Packaging group: II; F1
Proper shipping name: ACETONE

IMDG

UN number: 1090
Class: 3
EmS: F-E, S-D
Packaging group: II
Proper shipping name: ACETONE
Marine pollutant Not a Marine Pollutant

ICAO/IATA

UN number : 1090
Class: 3
Packaging group: II
Proper shipping name: ACETONE
Transport in bulk according to Annex II of MARPOL Acetone
 Pollution Category: Z

Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

73/78 and the IBC Code

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Registration, Evaluation and Authorisation of Chemicals (REACH)	Components Not listed Acetone
Canada. DSL - Domestic Substances List, part of CEPA	All chemical constituents are listed in: Canada. DSL - Domestic Substances List, part of CEPA (See chapter 3)
Australia. AICS - Australian Inventory of Chemical Substances	All chemical constituents are listed in: Australia. AICS - Australian Inventory of Chemical Substances (See chapter 3)
New Zealand Inventory of Chemical Substances	All chemical constituents are listed in: New Zealand Inventory of Chemical Substances (See chapter 3)
Japan. ENCS - Existing and New Chemical Substances Inventory	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
Japan. Industrial Safety and Health Law - Inventory	All chemical constituents are listed in: Japan. Industrial Safety and Health Law - Inventory (See chapter 3)
Korea. KECI - Korean Existing Chemicals Inventory	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances	All chemical constituents are listed in: Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

(See chapter 3)

China. IECSC - Inventory of Existing Chemical Substances in China

All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)

Taiwan. Chemical Substances Inventory (TCSI)

All chemical constituents are listed in: Taiwan. Chemical Substances Inventory (TCSI) (See chapter 3)

USA TSCA Inventory

All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Print Date 09.02.2024

10000003894

16/17



Safety Data Sheet

Acetone

Version 1.03

Revision Date 09.02.2024

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.