

Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name Linear Low Density Polyethylene HR3950U

Synonyms Polyethylene copolymer with 1-Hexene, Ethene hexene copolymer,

Poly (ethylene-co-1-hexene), Ethylene hexene copolymer, LLDPE

Relevant identified uses of the substance or mixture and uses advised against

Use Applications in the food industry.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address Sasol Place, 50 Katherine Street

Sandton 2090

South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)

+44(0)1235 239 671 (Middle East, Arabic African countries)

+65 3158 1074 (Asia Pacific) +86 400 120 6011 (China) +27 (0)17 610 4444 (South Africa)

0800 112 890 RSA-Local only +61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Classification Not a hazardous substance or mixture.

Label elements

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

SECTION 3. Composition/information on ingredients

Not hazardous ingredient(s)

1-Hexene, polymer with ethene

Contents: >= 99.00 %W/W

CAS-No. 25213-02-9 Index-No. EC-No.

Print Date 08.08.2024 100000011515 2/7



Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation Product does not release fumes at ambient temperatures. If exposed to

fumes from heated polymer move to fresh air environment.

Skin contact At room temperature the product is not considered harmful when in

contact with skin. In case of skin contact with molten polymer immediately submerse the affected area in cold water to cool down

polymer.

Eye contact At room temperature the product is not considered hazardous in

> contact with eyes. In case of eye contact with molten polymer, cool under running water for 3-5 minutes. Do not attempt to remove

molten polymer. Get medical attention immediately.

Ingestion If swallowed, call a poison control centre or doctor immediately. DO

NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an

unconscious person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media Dry chemical Carbon dioxide (CO2) Water spray **Special hazards arising from** Substance evolves toxic gases when burned.

the substance or mixture

Special protective equipment Wear self-contained breathing apparatus and protective suit.

for firefighters

SECTION 6. Accidental release measures

Methods for cleaning up Shovel into suitable container for disposal. The material taken up

must be disposed of in accordance with regulations.

Reference to other sections Refer to section 8 and 13

SECTION 7. Handling and storage

Safe handling advice No special handling advice required under normal conditions. Molten

polymer: Wear heat-resistant protective equipment.

fire and explosion

Advice on protection against Keep away from flames, sparks or other ignition sources. Avoid

buildup of dusts. Protect against static.



Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

Requirements for storage

Keep away from direct sunlight. Keep away from heat.

areas and containers

Advice on common storage Keep in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control	Update	Basis
		parameters		
DUSTS, RESPIRABLE	TWA	5 mg/m3	1995	South Africa RELs
DUST	TWA	10 mg/m3	1995	South Africa RELs
DUSTS, TOTAL DUST				

Exposure controls

Engineering measures

If user operations generate dust, fumes or mists, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Use only in an area equipped with explosion proof exhaust ventilation.

The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Ensure adequate ventilation.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally required. In

the case of respirable dust and/or fumes, use self-contained breathing

apparatus.

Hand protection No hand protection required under normal conditions. Molten

polymer: Wear heat-resistant gloves.

Eye protection No eye protection is required under normal conditions. Molten

polymer: Wear safety glasses with side shields.

Skin and body protection No special body protection is required under normal conditions.

Molten polymer: Wear heat-resistant protective clothing.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form Solid

State of matter Solid; at 20 °C; 1,013 hPa

Colour white **Odour** odourless

Odour Threshold
pHNo data available
Not applicableMelting point/range110 - 125 °CBoiling point/boiling rangeNo data availableFlash pointNo data availableEvaporation rateNo data available

Print Date 08.08.2024 100000011515 4/7



Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

Flammability (solid, gas) No data available

Auto-ignition temperature 349 °C

Lower explosion limitNo data availableUpper explosion limitNo data availableVapour pressureNot applicableRelative vapour densityNo data available

Density 0.900 - 0.940 g/cm3; 20 °C

Bulk density
Water solubility
Partition coefficient: nNot applicable
Not applicable

octanol/water

Viscosity, kinematic No data available

SECTION 10. Stability and reactivity

Reactivity Stable under normal conditions. To avoid thermal decomposition, do

not overheat.

Chemical stability No data available

Possibility of hazardous

reactions

Strong oxidizing agents

Conditions to avoid Heat

Materials to avoid Oxidizing agents

Hazardous decomposition

products

Carbon monoxide.Carbon dioxide (CO2)

SECTION 11. Toxicological information

Acute oral toxicity No data available Acute inhalation toxicity No data available No data available Acute dermal toxicity Skin irritation No data available Eye irritation No data available No data available Sensitisation Repeated dose toxicity No data available Carcinogenicity No data available

Further Information No known toxicological effects

SECTION 12. Ecological information

Toxicity to fish Toxicity to daphnia and otherNo data available
No data available

aquatic invertebrates

Toxicity to algaeNo data availableToxicity to bacteriaNo data availableToxicity to fishNo data availableChronic toxicity in aquaticNo data available

invertebrates

BiodegradabilityNo data availablePhysico-chemical removabilityNo data availableBioaccumulationNo data available

Other adverse effects This product has no known ecotoxicological effects.

Print Date 08.08.2024 100000011515 5/7



Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

SECTION 13. Disposal considerations

Product Disposal should be in accordance with local, regional and national

legislations.

Packaging Dispose of spent product packaging responsibly and lawfully with

due consideration for health, safety and the environment.

SECTION 14. Transport information

Further Information Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-

Code, ICAO/IATA-DGR

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Inv. of Exist. Chem. Substances in China All chemical constituents are listed in: Inv. of Exist. Chem. Substances

in China (See chapter 3)

USA TSCA Inventory All chemical constituents are listed in: USA TSCA Inventory (See

chapter 3)

Canadian Domestic Substances List (DSL)

All chemical constituents are listed in: Canadian Domestic Substances

List (DSL) (See chapter 3)

Australian Inv. of Chem. Substances (AICS) All chemical constituents are listed in: Australian Inv. of Chem.

Substances (AICS) (See chapter 3)

New Zealand Inventory of Chemicals (NZIoC) All chemical constituents are listed in: New Zealand Inventory of

Chemicals (NZIoC) (See chapter 3)

Jap. Inv. of Exist. & New Chemicals (ENCS)

All chemical constituents are listed in: Jap. Inv. of Exist. & New

Chemicals (ENCS) (See chapter 3)

Japan. Industrial Safety & Health Law (ISHL) All chemical constituents are listed in: Japan. Industrial Safety &

Health Law (ISHL) (See chapter 3)

Korea. Existing Chemicals Inventory (KECI) All chemical constituents are listed in: Korea. Existing Chemicals

Inventory (KECI) (See chapter 3)

Philippines Inventory of Chemicals and

Chemical Substances (PICCS)

All chemical constituents are listed in: Philippines Inventory of Chemicals and Chemical Substances (PICCS) (See chapter 3)

China Inv. Existing Chemical Substances

(IECSC)

All chemical constituents are listed in: China Inv. Existing Chemical

Substances (IECSC) (See chapter 3)



Linear Low Density Polyethylene HR3950U

Version 1.01 Revision Date 08.08.2024

Full text of H-Statements.

This substance contains no components with H-statement.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.

Print Date 08.08.2024 100000011515 7/7