



Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name Acetone

Synonyms Acetone

Product code 2110

CAS-No. 67-64-1

Relevant identified uses of the substance or mixture and uses advised against

Use Industrial use. Solvent

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa (Pty) Ltd

Address Sasol Place, 50 Katherine Street
Sandton
2090
South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Supplier's details Sasol Chemicals Pacific Ltd

61 Robinson Road
#17-02, 61 Robinson
Singapore
068893

Telephone +65 6533 8856

E-mail address info.sg@sasol.com

Emergency Phone Number

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)
+44(0)1235 239 671 (Middle East, Arabic African countries)
+65 3158 1074 (Asia Pacific)

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

+86 400 120 6011 (China)
+27 (0)17 610 4444 (South Africa)
0800 112 890 RSA-Local only
+61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

GHS Classification

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Classification

Flammable liquids	Category 2
Eye damage/irritation	Category 2
Specific target organ toxicity - single exposure	Category 3

GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

: **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Print Date 22.10.2024

100000003894

2/11



Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P319 Get medical help if you feel unwell.
P337 + P317 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. Composition/information on ingredients

HAZARDOUS INGREDIENTS

Acetone

Contents: >= 99.90 %W/W

CAS-No. 67-64-1

Index-No. 606-001-00-8

EC-No. 200-662-2

Hazard statements H225 H319 H336

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Water spray. Alcohol-resistant foam. Dry chemical. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	No information available.
Special hazards arising from the substance or mixture	Flash back possible over considerable distance. Vapours may form explosive mixtures with air.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

SECTION 6. Accidental release measures

Personal precautions	Keep people away from and upwind of spill/leak. Remove all sources of ignition. Use non-sparking tools. Do not breathe vapours or spray mist. Ensure adequate ventilation.
Environmental precautions	Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.
Methods for cleaning up	Soak up with inert absorbent material and dispose of as hazardous waste.
Reference to other sections	Refer to Section 8 and 13

SECTION 7. Handling and storage

Safe handling advice	Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Take precautionary measures against static discharges. Ensure all equipment is electrically grounded before beginning transfer operations.
Advice on protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Use explosion-proof equipment.
Temperature class	T1
Requirements for storage areas and containers	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Keep away from direct sunlight.
Advice on common storage	Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

Components	Type	Control parameters	Update	Basis
ASETON	TWA	1,187.12 mg/m ³	11 2011	Indonesia OELs Hazard Data
ASETON	TWA	500 ppm	11 2011	Indonesia OELs Hazard Data
	STEL	1,780 mg/m ³	11 2011	Indonesia OELs Hazard Data
	STEL	750 ppm	11 2011	Indonesia OELs Hazard Data

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Gloves suitable for permanent contact.:
Material: butyl-rubber
Break through time: 4 h
Material thickness: 0.5 mm

Eye protection Safety glasses with side-shields

Skin and body protection Protective suit. Safety shoes

Hygiene measures Wash hands before breaks and immediately after handling the product. Take off all contaminated clothing immediately.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 °C; 1,013 hPa
Colour	Colourless
Odour	characteristic
Odour Threshold	No data available
pH	Not applicable
Melting point/range	-95 °C

Print Date 22.10.2024

100000003894

6/11

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

Boiling point/boiling range	56 °C; ASTM D86
Flash point	-20 °C; ASTM D 93; closed cup;
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto-ignition temperature	No data available
Decomposition Temperature	No data available
Lower explosion limit	2.5 %(V)
Upper explosion limit	14.3 %(V)
Vapour pressure	378 hPa; 30 °C
Relative vapour density	No data available
Density	0.789 g/cm ³ ; 20 °C; ASTM D4052
Water solubility	soluble
Viscosity, kinematic	0.4 mm ² /s; 20 °C; ASTM D 445

SECTION 10. Stability and reactivity

Reactivity	Stable under recommended storage conditions.
Chemical stability	Stable
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Extremes of temperature and direct sunlight. Heat, flames and sparks.
Materials to avoid	Strong oxidizing agents Incompatible with acids. Halogenated compounds
Hazardous decomposition products	Carbon oxides

SECTION 11. Toxicological information

Acute oral toxicity Acetone:

Print Date 22.10.2024

100000003894

7/11

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

	LD50 Rat: > 2,000 mg/kg; (literature value)
Acute inhalation toxicity	Acetone: LC50 Rat: 4 h; vapour; > 20 mg/l; GLP: no; (literature value)
Acute dermal toxicity	Acetone: LD50 Rabbit: > 2,000 mg/kg; (literature value)
Skin irritation	Acetone: Rabbit: irritating; GLP: no; (literature value)
Eye irritation	Acetone: Rabbit: irritating GLP: no; (literature value)
Mutagenicity	Acetone: Ames test: Salmonella typhimurium; Not mutagenic; GLP: no; (literature value)

SECTION 12. Ecological information

Toxicity to daphnia and other aquatic invertebrates	Acetone: static test; Daphnia magna (Water flea); 48 h; > 100 mg/l(literature value)
Biodegradability	Acetone: Readily biodegradable.; (literature value)

SECTION 13. Disposal considerations

Product	Disposal should be in accordance with local, regional and national legislations.
Packaging	Dispose of spent product packaging responsibly and lawfully with due consideration for health, safety and the environment.

SECTION 14. Transport information

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

DG Pictogram



ADR

UN number: 1090
Class: 3
Packaging group: II; F1;
Proper shipping name: ACETONE

RID

UN number: 1090
Class: 3
Packaging group: II; F1
Proper shipping name: ACETONE

ADNR

UN number: 1090
Class: 3
Packaging group: II; F1
Proper shipping name: ACETONE

IMDG

UN number: 1090
Class: 3
EmS: F-E, S-D
Packaging group: II
Proper shipping name: ACETONE



Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

Marine pollutant	Not a Marine Pollutant
ICAO/IATA	
UN number :	1090
Class:	3
Packaging group:	II
Proper shipping name:	ACETONE
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Acetone Pollution Category: Z

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Canada. DSL - Domestic Substances List, part of CEPA	All chemical constituents are listed in: Canada. DSL - Domestic Substances List, part of CEPA (See chapter 3)
Australia. AICS - Australian Inventory of Chemical Substances	All chemical constituents are listed in: Australia. AICS - Australian Inventory of Chemical Substances (See chapter 3)
New Zealand Inventory of Chemical Substances	All chemical constituents are listed in: New Zealand Inventory of Chemical Substances (See chapter 3)
Japan. ENCS - Existing and New Chemical Substances Inventory	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
Japan. Industrial Safety and Health Law - Inventory	All chemical constituents are listed in: Japan. Industrial Safety and Health Law - Inventory (See chapter 3)
Korea. KECI - Korean Existing Chemicals Inventory	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances	All chemical constituents are listed in: Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances (See chapter 3)
Print Date 22.10.2024	100000003894
	10/11

Safety Data Sheet

Acetone

Version 1.03

Revision Date 22.10.2024

chapter 3)

China. IECSC - Inventory of Existing Chemical Substances in China

All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)

Taiwan. Chemical Substances Inventory (TCSI)

All chemical constituents are listed in: Taiwan. Chemical Substances Inventory (TCSI) (See chapter 3)

USA TSCA Inventory

All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.