



Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name MP-Cresol 45

Synonyms MP45, Cresol/Phenol/Xylenol mixture, meta para cresol 45

Relevant identified uses of the substance or mixture and uses advised against

Use Solvent. Raw material for cleansing agents and disinfectants. Raw material for washing and cleaning agents. Raw material for synthesis processes in the chemical industry. Production of laminates.

Manufacturer or supplier's details

Company Sasol Chemicals, a division of Sasol South Africa Ltd

Address Sasol Place, 50 Katherine Street
Sandton
2090
South Africa

Telephone +27103445000

E-mail address sasolchem.info.sa@sasol.com

Emergency telephone number +44 (0)1235 239 670 (Europe, Israel, Africa, Americas)
+44(0)1235 239 671 (Middle East, Arabic African countries)
+65 3158 1074 (Asia Pacific)
+86 400 120 6011 (China)
+27 (0)17 610 4444 (South Africa)

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

0800 112 890 RSA-Local only

+61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification

Classification of the substance or mixture

GHS Classification

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Classification		
	Acute oral toxicity	Category 3
	Acute dermal toxicity	Category 3
	Acute inhalation toxicity	Category 4
	Skin corrosion	Category 1B
	Serious eye damage	Category 1
	Long-term (chronic) aquatic hazard	Category 3
	Short-term (acute) aquatic hazard	Category 2

GHS label elements

Hazard pictograms



Signal word

:

Danger

Hazard statements

:

H301 + H311 Toxic if swallowed or in contact with skin.
 H332 Harmful if inhaled.
 H314 Causes severe skin burns and eye damage.

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H401 Toxic to aquatic life.

Precautionary statements

Prevention:

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash the contact area thoroughly after handling.

P273 Avoid release to the environment.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.



Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

SECTION 3. Composition/information on ingredients

HAZARDOUS INGREDIENTS

Cresol

Contents: ≥ 85.00 - < 91.00 %W/W

CAS-No. 1319-77-3

Index-No. 604-004-00-9

EC-No. 215-293-2

Hazard statements *H314 H301 H311*

Xylenol

Contents: < 8.30 %W/W

CAS-No. 1300-71-6

Index-No. 604-006-00-X

EC-No. 215-089-3

Hazard statements *H314 H301 H311 H411*

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation

Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.

Skin contact

Rapid skin decontamination is critical. Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water. Apply PEG/EtOH solution liberally to affected area. Allow to remain 15 to 30 seconds, then wash with water. Continue cycle of water and PEG/EtOH solution for at least 15

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

minutes. (PEG/EtOH solution consists of 2 parts polyethylene glycol 400 to 1 part ethanol. For external use only.) Wash off with soap and water. Wash contaminated clothing before re-use. Call a physician immediately.

Eye contact

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately. Danger of very serious irreversible effects

Ingestion

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media

Dry chemical. Alcohol-resistant foam. Water spray. Aqueous film forming foam (AFFF).

Unsuitable extinguishing media

Do NOT use water jet.

Special hazards arising from the substance or mixture

Do not use a solid water stream as it may scatter and spread fire.

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Special protective equipment for firefighters Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions Keep people away from and upwind of spill/leak. Do not breathe vapours or spray mist.

Environmental precautions Prevent further leakage or spillage if safe to do so. Hose down gases, fumes and/or dust with water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. The material taken up must be disposed of in accordance with regulations.

Reference to other sections Refer to Section 8 and 13

SECTION 7. Handling and storage

Safe handling advice Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid ingestion. In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment. Ensure adequate ventilation.

Advice on protection against fire and explosion No data available.

Requirements for storage Keep locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from sources of ignition -



Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

areas and containers No smoking.

Advice on common storage No data available.

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control parameters	Update	Basis
KRESOL, SEMUA ISOMER	TWA	22 mg/m3	11 2011	Indonesia OELs Hazard Data
KRESOL, SEMUA ISOMER	TWA	5 ppm	11 2011	Indonesia OELs Hazard Data
FENOL FENOL	TWA	5 ppm	11 2011	Indonesia OELs Hazard Data

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Solvent-resistant gloves

Eye protection Full face-shield. Goggles

Skin and body protection Protective suit. Safety shoes.



SASOL

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Hygiene measures

Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid; at 20 ° C; 1,013 hPa
Colour	Light yellow
Odour	Characteristic
Odour Threshold	No data available.
pH	No data available.
Melting point/range	No data available.
Boiling point/boiling range	197.1 - 199.4 ° C; 101.3 kPa
Flash point	96 ° C; closed cup
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Auto-ignition temperature	No data available.
Decomposition Temperature	No data available.
Lower explosion limit	No data available.
Upper explosion limit	No data available.



SASOL

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Vapour pressure	No data available.
Relative vapour density	No data available.
Density	1.03 g/cm ³ ; 20 ° C
Water solubility	Partly miscible
Partition coefficient: n-octanol/water	No data available.
Viscosity, kinematic	17.02 mm ² /s; 20 ° C

SECTION 10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Exposure to strong oxidizers can result in exothermic reactions and potentially hazardous by-product.
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	Oxidizers.
Hazardous decomposition products	Thermal decomposition can lead to release of vapours. Carbon dioxide. Carbon monoxide.

SECTION 11. Toxicological information

Acute oral toxicity	LD50 Rat: female 300 - < 2,000 mg/kg;
Acute inhalation toxicity	LC50 Rat: vapour; 1 - 5 mg/l;

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Acute dermal toxicity	LD50 Rat: 301 mg/kg;
Skin irritation	Corrosive to skin
Mutagenicity	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects;
Inhalation	Harmful by inhalation.

SECTION 12. Ecological information

Toxicity to daphnia and other aquatic invertebrates	Daphnia magna (Water flea); EC50; > 1 - 10 mg/l
Chronic toxicity in aquatic invertebrates	Daphnia (water flea); EC50; 1 mg/l
Biodegradability	Readily biodegradable.;
Bioaccumulation	Bioaccumulation is unlikely.

SECTION 13. Disposal considerations

Product	Dispose of as special waste in compliance with local and national regulations.
Packaging	Dispose of spent product packaging responsibly and lawfully with due consideration for health, safety and the environment.

SECTION 14. Transport information

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

DG Pictogram



ADR

UN number: 2076
Class: 6.1, (8)
Packaging group: II; TC1;
Proper shipping name: CRESOLS, LIQUID

RID

UN number: 2076
Class: 6.1, (8)
Packaging group: II; TC1
Proper shipping name: CRESOLS, LIQUID

IMDG

UN number: 2076
Class: 6.1, (8)
EmS: F-A, S-B
Packaging group: II
Proper shipping name: CRESOLS, LIQUID



Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Marine pollutant	Not a Marine Pollutant
ICAO/IATA	
UN number :	2076
Class:	6.1, (8)
Packaging group:	II
Proper shipping name:	CRESOLS, LIQUID
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Cresol/Phenol/Xylenol mixture. Pollution Category: Y Ship Type: 2

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

USA TSCA Inventory	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)
Canada. DSL - Domestic Substances List, part of CEPA	All chemical constituents are listed in: Canada. DSL - Domestic Substances List, part of CEPA (See chapter 3)
Australia. AICS - Australian Inventory of Chemical Substances	All chemical constituents are listed in: Australia. AICS - Australian Inventory of Chemical Substances (See chapter 3)
New Zealand Inventory of Chemical Substances	All chemical constituents are listed in: New Zealand Inventory of Chemical Substances (See chapter 3)

Print Date 14.01.2022

10000002685

13/15

Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

Japan. ENCS - Existing and New Chemical Substances Inventory	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
Japan. Industrial Safety and Health Law - Inventory	All chemical constituents are listed in: Japan. Industrial Safety and Health Law - Inventory (See chapter 3)
Korea. KECI - Korean Existing Chemicals Inventory	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances	All chemical constituents are listed in: Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances (See chapter 3)
China. IECSC - Inventory of Existing Chemical Substances in China	All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H411 Toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler



Safety Data Sheet

MP-Cresol 45

Version 1.01

Revision Date 14.01.2022

or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.