



SASOL

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

SECTION 1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name	MP-Cresol 45
Synonyms	MP45, Cresol/Phenol/Xylenol mixture, Cresylic acid.

Relevant identified uses of the substance or mixture and uses advised against

Use	Solvent. Industrial use. Intermediate
------------	---------------------------------------

Manufacturer or supplier's details

Company	Sasol Chemicals, a division of Sasol South Africa (Pty) Ltd
Address	Sasol Place, 50 Katherine Street Sandton 2090 South Africa
Telephone	+27103445000
E-mail address	sasolchem.info.sa@sasol.com

Emergency Phone Number

Emergency telephone number	+44 (0)1235 239 670 (Europe, Israel, Africa, Americas)
	+44(0)1235 239 671 (Middle East, Arabic African countries)
	+65 3158 1074 (Asia Pacific)
	+86 10 5100 3039 (China)
	+27 (0)17 610 4444 (South Africa)
	+61 (2) 8014 4558 (Australia)

SECTION 2. Hazards identification



sasol

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Classification of the substance or mixture

South Africa. GHS Classification and Labelling of Chemicals - SANS 10234

Classification	Acute oral toxicity	Category 3
	Acute dermal toxicity	Category 3
	Acute inhalation toxicity	Category 3
	Skin corrosion/irritation	Category 1
	Germ cell mutagenicity	Category 2
	Specific target organ toxicity - repeated exposure	Category 2

Label elements

Pictogram



Signal word

Danger

Hazard statements

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H314: Causes severe skin burns and eye damage.

H341: Suspected of causing genetic defects.

H373: May cause damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

	<p>P260: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P264: Wash hands thoroughly after handling.</p>
Response	<p>P302 + P352: IF ON SKIN: Wash with plenty of water. P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P304 + P310: IF INHALED: Immediately call a POISON CENTER or doctor/ physician. P361: Remove/ Take off immediately all contaminated clothing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p>
Storage	<p>P403: Store in a well-ventilated place. P405: Store locked up.</p>
Disposal	<p>P501: Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.</p>
Other hazards	<p>No data available</p>

SECTION 3. Composition/information on ingredients

Mixture

Cresol

Contents: 89.00 %W/W

CAS-No. 1319-77-3

Index-No. 604-004-00-9

EC-No. 215-293-2



sasol

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Hazard statements *H301 H311 H314*

Phenol, carboic acid; monohydroxybenzene; phenyl alcohol

Contents: <= 19.00 %W/W

CAS-No. 108-95-2

Index-No. 604-001-00-2

EC-No. 203-632-7

Hazard statements *H301 H311 H331 H373 H314 H341*

Xylenol

Contents: 5.18 %W/W

CAS-No. 1300-71-6

Index-No. 604-006-00-X

EC-No. 215-089-3

Hazard statements *H301 H311 H314 H411*

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

Description of necessary first-aid measures

Inhalation

Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.

Skin contact

Rapid skin decontamination is critical. Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water. Apply PEG/EtOH solution liberally to affected area. Allow to remain 15 to 30 seconds, then wash with water. Continue cycle of water and PEG/EtOH solution for at least 15 minutes. (PEG/EtOH solution consists of 2 parts polyethylene glycol 400 to 1 part ethanol. For external use only.) Wash off with soap and water. Wash contaminated clothing before re-use. Call a physician immediately.



SASOL

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Eye contact	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately. Danger of very serious irreversible effects
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Refer to SECTION 11

SECTION 5. Firefighting measures

Suitable extinguishing media	Dry chemical Alcohol-resistant foam Water spray.
Unsuitable extinguishing media	Do NOT use water jet.
Special hazards arising from the substance or mixture	Do not use a solid water stream as it may scatter and spread fire.
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.

SECTION 6. Accidental release measures

Personal precautions	Keep people away from and upwind of spill/leak. Do not breathe vapours or spray mist.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Hose down



Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

gases, fumes and/or dust with water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. The material taken up must be disposed of in accordance with regulations.

Reference to other sections Refer to Section 8 and 13

SECTION 7. Handling and storage

Safe handling advice Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment.

Advice on protection against fire and explosion No data available

Requirements for storage areas and containers Keep locked up.Keep containers tightly closed in a dry, cool and well-ventilated place.Keep away from sources of ignition - No smoking.

Advice on common storage No data available

SECTION 8. Exposure controls/personal protection

Components with workplace control parameters

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

Components	Type	Control parameters	Update	Basis
PHENOL		19 mg/m3 5 ppm	03 2001 03 2001	Thailand - OELs Thailand - OELs



SASOL

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Solvent-resistant gloves

Eye protection Full face-shield

Skin and body protection Protective suit Safety shoes

Hygiene measures Wash hands before breaks and immediately after handling the product.

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Form	Liquid
State of matter	Liquid
Colour	light yellow
Odour	characteristic
Odour Threshold	No data available
pH	ca. 5
Pour point	max. -30 ° C; 101.3 kPa
Boiling point/boiling range	193.9 - 210.3 ° C; 101.3 kPa
Flash point	99 ° C; closed cup



SASOL

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Evaporation rate	No data available
Flammability (solid, gas)	No data available
Auto ignition temperature	559 ° C
Relative vapour density	No data available
Density	1.04 g/cm ³ ; 20 ° C
Viscosity, dynamic	5.07 mPa.s; 20 ° C

SECTION 10. Stability and reactivity

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None known.
Conditions to avoid	Heat, flames and sparks.
Materials to avoid	Oxidizing agents. Acids
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapours. Carbon dioxide (CO ₂) Carbon monoxide

SECTION 11. Toxicological information

Acute oral toxicity	LD50 Rat female 300 - 2,000 mg/kg;
Acute inhalation toxicity	LC50 Rat: 4 h; 1.18 mg/l;
Acute dermal toxicity	LD50 Rat: 2,000 mg/kg;
Skin contact	Toxic in contact with skin.
Inhalation	Toxic if inhaled.
Ingestion	Toxic if swallowed.



sasol

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

SECTION 12. Ecological information

Toxicity to fish	Salmo trutta; 96 h; LC50;
Toxicity to daphnia and other aquatic invertebrates	Daphnia magna (Water flea); 48 h; EC50; 7.7 mg/l
Toxicity to bacteria	; 2 hEC75; 11.4 mg/l
Biodegradability	Inherently biodegradable.
Bioaccumulation	Bioaccumulation is unlikely.
Mobility in soil	Not expected to adsorb on soil.
Results of PBT and vPvB assessment	This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).
Other adverse effects	No data available

SECTION 13. Disposal considerations

Product	Dispose of as special waste in compliance with local and national regulations.
----------------	--

SECTION 14. Transport information

ADR

UN number:	2076
Class:	6.1, (8)
Packaging group:	II; TC1;



Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Proper shipping name: CRESOLS, LIQUID

(Cresol)

RID

UN number: 2076
Class: 6.1, (8)
Packaging group: II; TC1
Proper shipping name: CRESOLS, LIQUID

(Cresol)

IMDG

UN number: 2076
Class: 6.1, (8)
EmS: F-A, S-B
Packaging group: II
Proper shipping name: CRESOLS, LIQUID

(Cresol)

ICAO/IATA

UN number : 2076



sasol

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Class: 6.1, (8)

Packaging group: II

Proper shipping name: CRESOLS, LIQUID
(Cresol)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Cresol/Phenol/Xylenol mixture.
Pollution Category: Y
Ship Type: 2

SECTION 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Registration, Evaluation and Authorisation of Chemicals (REACH)	All chemical constituents are listed in: Registration, Evaluation and Authorisation of Chemicals (REACH) (See chapter 3)
USA TSCA Inventory	All chemical constituents are listed in: USA TSCA Inventory (See chapter 3)
Canada. DSL - Domestic Substances List, part of CEPA	All chemical constituents are listed in: Canada. DSL - Domestic Substances List, part of CEPA (See chapter 3)
Australia. AICS - Australian Inventory of Chemical Substances	All chemical constituents are listed in: Australia. AICS - Australian Inventory of Chemical Substances (See chapter 3)
New Zealand Inventory of Chemical Substances	All chemical constituents are listed in: New Zealand Inventory of Chemical Substances (See chapter 3)
Japan. ENCS - Existing and New Chemical Substances Inventory	All chemical constituents are listed in: Japan. ENCS - Existing and New Chemical Substances Inventory (See chapter 3)
Japan. Industrial Safety and Health Law -	All chemical constituents are listed in: Japan. Industrial Safety



sasol

Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Inventory	and Health Law - Inventory (See chapter 3)
Korea. KECI - Korean Existing Chemicals Inventory	All chemical constituents are listed in: Korea. KECI - Korean Existing Chemicals Inventory (See chapter 3)
Philippines. PICCS - Philippines Inventory of Chemicals and Chemical Substances	Components Not listed xylenol
China. IECSC - Inventory of Existing Chemical Substances in China	All chemical constituents are listed in: China. IECSC - Inventory of Existing Chemical Substances in China (See chapter 3)

SECTION 16. Other information

Full text of H-Statements

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

All reasonable efforts were exercised to compile this SDS in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The SDS only provides information regarding the health, safety and environmental hazards at the date of issue, to facilitate the safe receipt, use and handling of this product in the workplace and does not replace any product information or product specifications. Since Sasol and its subsidiaries cannot anticipate or control all conditions under which this product may be handled, used and received in the workplace, it remains the obligation of each user, receiver or handler to, prior to usage, review this SDS in the context within which this product will be received, handled or used in the workplace. The user, handler or receiver must ensure that the necessary mitigating measures are in place with respect to health and safety. This does not substitute the need or requirement for any relevant risk assessments to be conducted. It further remains the responsibility of the receiver, handler or user to communicate such information to all relevant parties that may be involved in the receipt, use or handling of this product.



Safety Data Sheet

MP-Cresol 45

Version 1.00

Revision Date 29.08.2018

Although all reasonable efforts were exercised in the compilation of this SDS, Sasol does not expressly warrant the accuracy of, or assume any liability for incomplete information contained herein or any advice given. When this product is sold, risk passes to the purchaser in accordance with the specific terms and conditions of sale.