

**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

---

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

---

**1.1 Product identifier****Trade name** LIPOXOL 300**1.2 Relevant identified uses of the substance or mixture and uses advised against****Use** Industrial use  
raw material for washing and cleaning agents  
raw material for textile auxiliary agents**Uses advised against****1.3 Details of the supplier of the safety data sheet****Company** SASOL Germany GmbH  
Anckelmannsplatz 1  
20537 Hamburg  
  
Telephone: +49 40 63684-1000  
Telefax: +49 40 63684-3700**Information (Product safety):** Telephone: + 49 (0) 23 65 - 49 47 05  
Telefax: + 49 (0) 23 65 - 49 92 40**E-mail address** msds-info.germany@de.sasol.com**1.4 Emergency telephone number****Emergency telephone number** + 49 (0) 23 65 - 49 22 32

---

**SECTION 2: HAZARDS IDENTIFICATION**

---

**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

**2.2 Label elements**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

**2.3 Other hazards**

No hazards to be specially mentioned.

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

---

This product is a substance in the meaning of regulation (EC) 1907/2006.

**CHEMICAL CHARACTERIZATION**

**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

polyethylene glycol 200 - 600

**component type:** Active ingredient**EC-No.:**  
**REACH No.:** Not relevant (polymer)**Index-No.:****CAS-No.:** 25322-68-3**COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES****Substances for which maximum allowable workplace concentrations have been laid down**

polyethylene glycol 200 - 600

**content:** >= 99,5 %**component type:** Active ingredient**EC-No.:**  
**REACH No.:** Not relevant (polymer)**Index-No.:****CAS-No.:** 25322-68-3**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	No hazards which require special first aid measures.
<b>In case of skin contact</b>	Wash off with soap and water.
<b>In case of eye contact</b>	Rinse with plenty of water.
<b>If swallowed</b>	Consult a physician if necessary. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Most important symptoms and effects, both acute and delayed</b>	Symptoms: No information available. Risks: No information available.
--	---

**4.3 Indication of any immediate medical attention and special treatment needed**

<b>Indication of any immediate medical attention and special treatment needed</b>	Treatment: No information available.
---	--------------------------------------

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	Water, Foam, Dry powder, Carbon dioxide (CO2)
-------------------------------------	---

**5.2 Special hazards arising from the substance or mixture**

<b>Specific hazards during firefighting</b>	Dangerous gases or fumes may occur in case of fire.
---	---

**5.3 Advice for firefighters**

**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

---

<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus for firefighting if necessary.
<b>Further information</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**6.1 Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Handle in accordance with good industrial hygiene and safety practice.
-----------------------------	--

**6.2 Environmental precautions**

<b>Environmental precautions</b>	Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system.
----------------------------------	---

**6.3 Methods and materials for containment and cleaning up**

<b>Methods for cleaning up</b>	Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
--------------------------------	---

**6.4 Reference to other sections**

For personal protection see section 8.

**SECTION 7: HANDLING AND STORAGE**

---

**7.1 Precautions for safe handling**

<b>Advice on safe handling</b>	No special technical protective measures required.
--------------------------------	--

<b>Advice on protection against fire and explosion</b>	Normal measures for preventive fire protection.
--	---

<b>Fire-fighting class</b>	B: Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temperatures.
----------------------------	--

**7.2 Conditions for safe storage, including any incompatibilities**

<b>Requirements for storage areas and containers</b>	No special storage conditions required.
--	---

<b>Storage class (TRGS 510)</b>	10-13: German Storage Class 10 to 13
---------------------------------	--------------------------------------

<b>Other data</b>	Keep in a dry place.
-------------------	----------------------

<b>container material</b>	suitable materials: Steel
---------------------------	---------------------------

**7.3 Specific end use(s)**

<b>Specific use(s)</b>	This information is not available.
------------------------	------------------------------------

# LIPOXOL 300

Version: 4.08

Revision Date 07.07.2016

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

##### National occupational exposure limits

Control parameters / Substance name	Typ	Control parameters	Update	Basis
POLYETHYLENE GLYCOLS (AS A PARTICULATE)	TWA	10 mg/m <sup>3</sup>	2010	WEEL Guides List
POLYETHYLENE GLYCOLS, PARTICULATE	ST ESL	50	12 2010	TX ESL
POLYETHYLENE GLYCOLS, VAPOR	ST ESL	1000	12 2010	TX ESL
POLYETHYLENE GLYCOLS, PARTICULATE	AN ESL	5	12 2010	TX ESL
POLYETHYLENE GLYCOLS, VAPOR	AN ESL	100	12 2010	TX ESL

##### EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

### 8.2 Exposure controls

#### PERSONAL PROTECTIVE EQUIPMENT

<b>Respiratory protection</b>	No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or ABEK-P2), in compliance with EN 141.
<b>Hand protection</b>	Coordinate hand protection with other chemicals used. Preventive hand protection is recommended., Use barrier cream regularly.
<b>Eye protection</b>	Safety glasses
<b>Hygiene measures</b>	General industrial hygiene practice.
<b>Protective measures</b>	No special protective equipment required.

#### ENVIRONMENTAL EXPOSURE CONTROLS

<b>General advice</b>	Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system.
-----------------------	---

**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state	liquid; 20 °C; 1.013 hPa
Form	liquid
Colour	clear
Odour	mild
Odour Threshold	No data available
pH	4 - 7; 100 g/l; 20 °C
Melting point/range	-20 - -10 °C
Boiling point/boiling range	> 250 °C; 1.013 hPa
Flash Point	ca. 220 °C; DIN ISO 2592
Evaporation rate	No data available
Flammability (solid, gas)	not applicable (liquid)
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	< 0,1 hPa; 20 °C
Relative vapour density	No data available
Density	ca.1,125 g/cm <sup>3</sup> ; 20 °C
Relative density	No data available
Water solubility	20 °C; completely miscible
Partition coefficient: n-octanol/water	No data available
Ignition temperature	ca. 370 °C; DIN 51794
Auto-ignition temperature	liquid with a flash point of > 200 °C
Viscosity, dynamic	80 - 105 mPas; 20 °C(Höppler)
Explosive properties	not expected based on structure and functional groups
Oxidizing properties	No data available

**9.2 Other data**

Additional advice	no explosion limits under standard conditions
-------------------	---

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

Note	Stable at normal ambient temperature and pressure. No decomposition if stored and applied as directed.
------	---

**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

**10.2 Chemical stability**

**Note** No decomposition if stored normally.

**10.3 Possibility of hazardous reactions**

**Hazardous reactions** None known.

**10.4 Conditions to avoid**

**Conditions to avoid** Exposure to moisture  
Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.

**10.5 Incompatible materials to avoid**

**Materials to avoid** None known.;

**10.6 Hazardous decomposition products**

**Thermal decomposition** No decomposition if used as directed.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute toxicity**

**Acute oral toxicity** polyethylene glycol 200 - 600:  
LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 401  
Based on available data, the classification criteria are not met.  
Category approach

**Acute inhalation toxicity** polyethylene glycol 200 - 600:  
No data available

**Acute dermal toxicity** polyethylene glycol 200 - 600:  
LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 402  
Based on available data, the classification criteria are not met.  
Category approach

**Skin corrosion/irritation**

**Skin irritation** polyethylene glycol 200 - 600:  
Rabbit: slightly irritating; OECD Test Guideline 404  
Based on available data, the classification criteria are not met.  
Category approach

**Serious eye damage/eye irritation**

**Eye irritation** polyethylene glycol 200 - 600:  
Rabbit: slightly irritating; OECD Test Guideline 405  
Based on available data, the classification criteria are not met.  
Category approach

**Respiratory or skin sensitisation**

**Sensitisation** polyethylene glycol 200 - 600:  
Buehler Test Guinea pig: not sensitizing; OECD Test Guideline 406  
Based on available data, the classification criteria are not met.  
Category approach

**Germ cell mutagenicity**

## LIPOXOL 300

Version: 4.08

Revision Date 07.07.2016

<b>Genotoxicity in vitro</b>	polyethylene glycol 200 - 600: Ames test; Salmonella typhimurium; with and without metabolic activation: not mutagenic; OECD Test Guideline 471 Category approach
<b>Genotoxicity in vivo</b>	polyethylene glycol 200 - 600: No data available
<b>Remarks</b>	polyethylene glycol 200 - 600: Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	
<b>Carcinogenicity</b>	polyethylene glycol 200 - 600: Rat; oral feed; 2 years (literature) Animal testing did not show any carcinogenic effects. Based on available data, the classification criteria are not met. Category approach
<b>Reproductive toxicity</b>	
<b>Reproductive toxicity</b>	polyethylene glycol 200 - 600: No data available
<b>STOT - single exposure</b>	
<b>Remarks</b>	polyethylene glycol 200 - 600: The substance or mixture is not classified as specific target organ toxicant, single exposure.
<b>STOT - repeated exposure</b>	
<b>Remarks</b>	polyethylene glycol 200 - 600: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
<b>Repeated dose toxicity</b>	polyethylene glycol 200 - 600: Rat; Oral; 90-day NOAEL: 1.128 mg/kg (based on body weight and day) LOAEL: 2.820 mg/kg (based on body weight and day) Target Organs: Kidney Category approach (literature value)
<b>Aspiration hazard</b>	
<b>Aspiration toxicity</b>	polyethylene glycol 200 - 600: Not applicable

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

<b>Toxicity to fish</b>	polyethylene glycol 200 - 600: LC50 (96 h) Cyprinus carpio (Carp): > 100 mg/l ; semi-static test; OECD Test Guideline 203 Category approach
<b>Toxicity to fish - Chronic toxicity</b>	polyethylene glycol 200 - 600: No data available

## LIPOXOL 300

Version: 4.08

Revision Date 07.07.2016

<b>Toxicity to daphnia and other aquatic invertebrates</b>	polyethylene glycol 200 - 600: EC50 (48 h) Daphnia magna (Water flea): > 100 mg/l ; static test; OECD Test Guideline 202 Category approach
<b>Toxicity to daphnia and other aquatic invertebrates - Chronic toxicity</b>	polyethylene glycol 200 - 600: No data available
<b>Toxicity to aquatic plants</b>	polyethylene glycol 200 - 600: EC50 (72 h) Desmodesmus subspicatus (green algae): > 100 mg/l ; static test; OECD Test Guideline 201; Category approach
<b>Toxicity to bacteria</b>	polyethylene glycol 200 - 600: EC50 Pseudomonas putida: > 10.000 mg/l; Cell multiplication inhibition test; DIN 38 412 Part 8 Category approach
<b>Toxicity to soil dwelling organisms</b>	polyethylene glycol 200 - 600: No data available
<b>Toxicity to terrestrial flora</b>	polyethylene glycol 200 - 600: No data available
<b>Toxicity for other terrestrial non-mammalian fauna</b>	polyethylene glycol 200 - 600: No data available
<b>12.2 Persistence and degradability</b>	
<b>Biodegradability</b>	polyethylene glycol 200 - 600: Readily biodegradable; > 70 %; 21 d; aerobic; OECD Test Guideline 301A Category approach
<b>12.3 Bioaccumulative potential</b>	
<b>Bioaccumulation</b>	polyethylene glycol 200 - 600: Bioconcentration factor (BCF): 3,16; QSAR
<b>12.4 Mobility in soil</b>	
<b>Mobility</b>	polyethylene glycol 200 - 600: Adsorption/Soil; Koc: 10; QSAR Not expected to adsorb on soil. The substance and its relevant degradation products decompose rapidly.
<b>12.5 Results of PBT and vPvB assessment</b>	
<b>Results of PBT assessment</b>	polyethylene glycol 200 - 600: Based on available data, the classification criteria are not met.
<b>12.6 Other adverse effects</b>	
<b>General advice</b>	polyethylene glycol 200 - 600: None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

<b>Product</b>	Can be incinerated, when in compliance with local regulations.
<b>waste code of the European Union: EWC</b>	A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose. The waste code must be determined in agreement with the regional waste disposal authority or company.



**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

**SECTION 14: TRANSPORT INFORMATION****14.1 UN number**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.2 Proper shipping name**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.3 Transport hazard class**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.4 Packing group**

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
ICAO/IATA	Not dangerous goods

**14.5 Environmental hazards**

ADR	Environmentally hazardous	no
RID	Environmentally hazardous	no
ADN	Environmentally hazardous	no
IMDG	Marine pollutant	no
ICAO/IATA	Environmentally hazardous	no

**14.6 Special precautions for user**

Not classified as dangerous in the meaning of transport regulations.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Remarks No information available.

**LIPOXOL 300**

Version: 4.08

Revision Date 07.07.2016

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****NATIONAL/OTHER REGULATIONS****Legislation on the control of major-accident hazards involving dangerous substances**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

list entry in the directive:: Not applicable

**NOTIFICATION STATUS**

Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	listed (product or constituents are listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	NZIOC	listed (product or constituents are listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances	INV (CN)	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

**15.2 Chemical safety assessment****polyethylene glycol 200 - 600**

A Chemical Safety Assessment is not required for this substance (exempted from obligation to register).

**SECTION 16: OTHER INFORMATION**

**Safety datasheet sections which have been updated:**

# LIPOXOL 300

Version: 4.08

Revision Date 07.07.2016

## 11. Toxicological information

### 1. Identification of the substance/mixture and of the company/undertaking

#### Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
AICS	Australian Inventory of Chemical Substances
ANSI	American National Standards Institute
ASTM	American Society of Testing and Materials (US)
BCF	Bioconcentration factor
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DIN	Deutsches Institut für Normung
DNEL	Derived No-Effect Level
DSL	Domestic Substances List
EC...	Effect concentration ... %
ENCS	Existing Notified Chemical Substances (Japan)
EWC	European Waste Catalogue
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISHL	Industrial Safety and Health Law (Japan)
ISO	International Organization for Standardization
IUAPC	International Union of Pure and Applied Chemistry
KECI	Korea Existing Chemicals Inventory
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NDSL	Non-Domestic Substances List
NOAEL	no observable adverse effect level
NOEL/NOEC	No Observed-effect level/concentration
NZIoC	New Zealand Inventory of Chemicals
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PICCS	Philippine Inventory of Chemicals and Chemical Substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
TG	Test Guideline
TRGS	Technische Regeln für Gefahrstoffe
TSCA	Toxic Substances Control Act
vPvB	very persistent, very bioaccumulative
WGK	Wassergefährdungsklasse