

Version: 9.00 Revision Date 2018/06/28

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name SLOVASOL 258

Substance name (REACH / CLP) Alcohols, C12-15-branched and linear, ethoxylated (>2.5 moles EO) (CAS:

106232-83-1)

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** raw material for washing and cleaning agents

Industrial use

Uses advised against

1.3 Details of the supplier of the safety data sheet

Company Sloveca, Sasol Slovakia, spol. s r.o.

Mostová 2 811 02 Bratislava Slovak Republic

Telephone: +421 2 54430219 Telefax: +421 2 54430315

Information (Product safety): Telephone: +421 46 546 1204

Telefax: +421 46 546 1144

E-mail address msds-info.italy@it.sasol.com

1.4 Emergency telephone number

Emergency telephone number +421 902 899981; +421 25 477 4166 National Toxicological Information Centre

(24 hours)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Acute toxicity Category 4 (Oral) Harmful if swallowed.

Serious eye damage Category 1 Causes serious eye damage.

Chronic aquatic toxicity Category 3 Harmful to aquatic life with long lasting effects.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

**Hazard pictograms** 





Signal word Danger



Version: 9.00 Revision Date 2018/06/28

**Hazard statements** 

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

P501 Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Other hazards

Danger of slipping after spill or leakage.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product is a substance in the meaning of regulation (EC) 1907/2006.

## COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

## Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO)

content: >= 90 - <= 100 % component type: Active ingredient

**EC-No.**: 932-186-2 **Index-No.**: **CAS-No.**: 106232-83-1

**REACH No.**: Not relevant (polymer)

Substance name (REACH / CLP): Alcohols, C12-15-branched and linear, ethoxylated (>2.5 moles EO) (CAS:

106232-83-1)

Classification (Regulation (CP) No 1272/2008): Acute Tox. 4 (Oral) H302 Eye Dam. 1 H318

Aquatic Chronic 3 H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

Other data Synonyms: Alcohols, C10-16, ethoxylated; CAS-No.: 68002-97-1

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice If you feel unwell, seek medical advice (show the label where possible). Take off all

contaminated clothing immediately.

If inhaled Remove from exposure, lie down. If breathing is irregular or stopped, administer

artificial respiration. Monitor breathing, give oxygen if necessary. Consult a



Version: 9.00 Revision Date 2018/06/28

physician.

In case of skin contact Wash off immediately with plenty of water. Consult a physician if necessary.

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

physician.

If swallowed Consult a physician. Do not induce vomiting without medical advice. Never give

anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

Risks: No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special

treatment needed

Treatment: No information available.

## **SECTION 5: FIREFIGHTING MEASURES**

5.1 Extinguishing media

Suitable extinguishing media Water spray, Dry powder, Foam, Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Dangerous gases or fumes may occur in case of fire.

5.3 Advice for firefighters

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

**Further information** Standard procedure for chemical fires.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

6.2 Environmental precautions

**Environmental precautions** Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). The material taken up must be disposed of in accordance with

regulations.

6.4 Reference to other sections

For personal protection see section 8.



Version: 9.00 Revision Date 2018/06/28

## **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment.

Avoid contact with skin and eyes.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Do not spray on a naked flame or any incandescent material.

Fire-fighting class B: Fires involving liquids or liquid containing substances. Also includes substances

which become liquid at elevated temperatures.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Keep tightly closed in a dry and cool place.

Storage class (TRGS 510) 10-13: German Storage Class 10 to 13

Other data Stable at normal ambient temperature and pressure.

7.3 Specific end use(s)

**Specific use(s)** This information is not available.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1 Control parameters

## COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

National occupational exposure limits

No data available

#### **EUROPEAN OCCUPATIONAL EXPOSURE LIMITS**

No data available

## **DERIVED NO EFFECT LEVEL (DNEL)**

Substance name: Alcohols, C12-15-branched and linear, ethoxylated (>2.5 moles EO) (CAS: 106232-83-1)

No data available

## PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: Alcohols, C12-15-branched and linear, ethoxylated (>2.5 moles EO) (CAS: 106232-83-1)

No data available

## 8.2 Exposure controls

## PERSONAL PROTECTIVE EQUIPMENT



Version: 9.00 Revision Date 2018/06/28

ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or

ABEK-P2), in compliance with EN 141.

Hand protection The choice of an appropriate glove does not only depend on its material but also

on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g.

temperature).

gloves suitable for permanent contact:

Material: butyl-rubber

Break through time: >= 480 min Layer thickness: >= 0.7 mm

gloves suitable for splash protection:

Material: Nitrile rubber/nitrile latex Break through time: >= 30 min Layer thickness: >= 0.4 mm

**Eye protection** Tightly fitting safety goggles, Safety glasses with side-shields

**Skin and body protection** Wear suitable protective equipment.

Hygiene measures Avoid contact with the skin and the eyes. Handle in accordance with good

industrial hygiene and safety practice. Keep away from food, drink and animal

feedingstuffs. When using do not eat, drink or smoke.

Protective measures Avoid contact with the skin and the eyes. Wear suitable gloves and eye/face

protection.

## **ENVIRONMENTAL EXPOSURE CONTROLS**

General advice Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on basic physical and chemical properties

Physical state liquid; 20 °C; 1,013 hPa

Form liquid
Colour cloudy

**Odour** characteristic

Odour Threshold No valid method available

**pH** 5 - 7; 1 % active substance; 20 °C; STN EN 1262

**Pour point** 17 - 23 °C; 1,013 hPa; STN 65 6072



Version: 9.00 Revision Date 2018/06/28

Boiling point/boiling range No data available

Flash point > 125 °C; 1.013 hPa; ASTM D 93

Evaporation rate No data available

Flammability (solid, gas) not applicable (liquid)

Lower explosion limitNo data availableUpper explosion limitNo data availableVapour pressureNo data available

Relative vapour density > 1

**Density** ca.0.975 g/cm3; 50 °C; 1,013 hPa; STN EN ISO 12185

Relative density No data available

Water solubility 20 °C; 1,013 hPa; soluble

Partition coefficient: n- Not relevant / not applicable

octanol/water Justification: surface-active substance

Ignition temperatureNo data availableAuto-ignition temperaturenot auto-flammable

Viscosity, dynamic ca. 25.4 mPas; 50 °C; STN EN ISO 3104
Viscosity, kinematic ca. 26.1 mm2/s; 50 °C; (calculated)

Explosive properties not expected based on structure and functional groups

Oxidizing properties not expected based on structure and functional groups

9.2 Other data

None known.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

**Note** Stable at normal ambient temperature and pressure.

10.2 Chemical stability

**Note** No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions None known.

10.4 Conditions to avoid

**Conditions to avoid** Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.

10.5 Incompatible materials to avoid

Materials to avoid Strong acids and oxidizing agents;

10.6 Hazardous decomposition products

Hazardous decomposition No decomposition if stored and applied as directed.

products



Version: 9.00 Revision Date 2018/06/28

Thermal decomposition Hazardous decomposition products formed under fire conditions.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Acute oral toxicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

LD50 Rat: > 300 - 2,000 mg/kg

Category approach

own test results/literature values

Harmful if swallowed.

Acute inhalation toxicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

No data available

Acute dermal toxicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

LD50 Rabbit: > 2,000 mg/kg;

Category approach

own test results/literature values

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Skin irritation Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

> Rabbit: not irritating Category approach

own test results/literature values

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Eye irritation Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Rabbit: Irreversible effects on the eye

Category approach

own test results/literature values Causes serious eye damage.

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Rabbit: irritating

Respiratory or skin sensitisation

Sensitisation Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Maximisation Test Guinea pig: not sensitizing

Category approach (literature value)

Based on available data, the classification criteria are not met. Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Maximisation Test Guinea pig: not sensitizing

Germ cell mutagenicity

Genotoxicity in vitro Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

In vitro tests did not show mutagenic effects

Category approach

own test results/literature values

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO): Genotoxicity in vivo

In vivo tests did not show mutagenic effects

Category approach (literature value)



Version: 9.00 Revision Date 2018/06/28

Remarks Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Based on available data, the classification criteria are not met.

Carcinogenicity

Carcinogenicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

The substance has been shown to be not genotoxic, therefore it is not expected to

have a carcinogenic potential.

Category approach (literature value)

Remarks Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Based on available data, the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

No toxicity to reproduction Category approach

RemarksReproductive

toxicity

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO): Based on available data, the classification criteria are not met.

**Teratogenicity** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Did not show teratogenic effects in animal experiments.

Category approach (literature value)

(literature value)

Remarks-Teratogenicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Based on available data, the classification criteria are not met.

STOT - single exposure

Remarks Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

The substance or mixture is not classified as specific target organ toxicant, single

exposure.

STOT - repeated exposure

Remarks Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure.

Repeated dose toxicity Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Rat; Oral; 2 years

NOAEL: 50 mg/kg (based on body weight and day)

Target Organs: Heart, Liver, Kidney

Symptoms: reduced body weight gain, increased relative organ weights

Category approach (literature value)

**Aspiration hazard** 

**Aspiration toxicity** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Not applicable

**Toxicological information** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Toxicokinetics Category approach

The substance is expected to be rapidly absorbed and excreted.

(literature value)



Version: 9.00 Revision Date 2018/06/28

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

**Toxicity to fish** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

LC50 (96 h) Brachydanio rerio (zebrafish): > 1 - 10 mg/l; semi-static test

own test results/literature values

Category approach

Toxicity to fish - Chronic

toxicity

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

No data available

Toxicity to daphnia and other

aquatic invertebrates

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

EC50 (48 h) Daphnia magna (Water flea): > 1 - 10 mg/l; static test; own test

results/literature values Category approach

Toxicity to daphnia and other

aquatic invertebrates - Chronic

toxicity

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

EC10 Daphnia (water flea): > 0.1 - 1 mg/l; reproduction rate; OECD Test Guideline

211; (literature value) Category approach

**Toxicity to aquatic plants** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

EC50 (72 h) Desmodesmus subspicatus (green algae): > 1 - 10 mg/l; static test;

own test results/literature values; Category approach

**Toxicity to bacteria** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

EC50 activated sludge: 140 mg/l; Respiration inhibition

Category approach (literature value)

**Toxicity to terrestrial flora** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

emergence, growth; NOEC: 10 mg/kg; Lepidium sativum (cress); OECD Test

Guideline 208

own test results/literature values

Category approach

12.2 Persistence and degradability

**Biodegradability** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Readily biodegradable.; > 60 %; 28 d; aerobic; OECD Test Guideline 301B

own test results/literature values

Category approach

Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Biodegradable; > 60 %; 77 d; anaerobic; OECD 311 or equivalent test method

Category approach

12.3 Bioaccumulative potential

Bioaccumulation Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Bioaccumulation is unlikely.

(literature value)

12.4 Mobility in soil

**Mobility** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Adsorption/Soil; Koc: > 5000; QSAR

immobile

strong adsorption to soil (literature value)

12.5 Results of PBT and vPvB assessment

Results of PBT assessment This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

**Results of PBT assessment** Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):



Version: 9.00 Revision Date 2018/06/28

Based on available data, the classification criteria are not met.

12.6 Other adverse effects

General advice Alcohols, C12-15- branched and linear, ethoxylated (>2.5 EO):

Harmful to aquatic life with long lasting effects.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

**Product** Can be incinerated, when in compliance with local regulations.

waste code of the European

Union: EWC

A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose. The waste code must be determined in agreement with the regional waste disposal authority or company.

## **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 UN number

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

#### 14.2 Proper shipping name

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

#### 14.3 Transport hazard class

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods

## 14.4 Packing group

ADR Not dangerous goods
RID Not dangerous goods
ADN Not dangerous goods
IMDG Not dangerous goods
ICAO/IATA Not dangerous goods



Version: 9.00 Revision Date 2018/06/28

#### 14.5 Environmental hazards

ADR Environmentally hazardous no RID Environmentally hazardous no ADN Environmentally hazardous no IMDG Marine pollutant no ICAO/IATA Environmentally hazardous no

## 14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship type 2
Pollution category Y

Remarks MARPOL NAME: Alcohol (C12–C16) poly(7-19) ethoxylates

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational restrictions Employment restrictions for children and young workers in accordance with

Directive 94/33/EC and the respective national provisions are to be observed.

## **NATIONAL/OTHER REGULATIONS**

Legislation on the control of major-accident hazards involving dangerous substances

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on

the control of major-accident hazards involving dangerous substances.

list entry in the directive:: Not applicable

Other regulations This surfactant complies with the biodegradability criteria as laid down in

Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent

manufacturer.



Version: 9.00 Revision Date 2018/06/28

NOTIFICATION STATUS		
Switzerland. Consolidated Inventory	CH INV	listed (product or constituents are listed)
US. Toxic Substances Control Act	TSCA	listed (product or constituents are listed)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)
Australia. Industrial Chemical (Notification and Assessment) Act	AICS	listed (product or constituents are listed)
Japan. Kashin-Hou Law List	ENCS (JP)	listed (product or constituents are listed)
Japan. Industrial Safety & Health Law (ISHL) List	ISHL (JP)	listed (product or constituents are listed)
Korea. Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances	INV (CN)	listed (product or constituents are listed)
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	NZIOC	listed (product or constituents are listed)
Taiwan. Existing Chemicals Inventory (MOL No. 10302023691)	TCSI	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

## 15.2 Chemical safety assessment

## Alcohols, C12-15-branched and linear, ethoxylated (>2.5 moles EO) (CAS: 106232-83-1)

A Chemical Safety Assessment is not required for this substance (exempted from obligation to register).

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed. H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

## Safety datasheet sections which have been updated:

12. Ecological information

**Further information:**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information



Version: 9.00 Revision Date 2018/06/28

given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

ADN Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route

AICS Australian Inventory of Chemical Substances
ANSI American National Standards Institute
ASTM American Society of Testing and Materials (US)

BCF Bioconcentration factor

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures

DIN Deutsches Institut für Normung
DNEL Derived No-Effect Level
DSL Domestic Substances List
EC... Effect concentration ... %

ENCS Existing Notified Chemical Substances (Japan)

EWC European Waste Catalogue
IATA International Air Transport Association
IBC Intermediate Bulk Container

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization
ISHL Industrial Safety and Health Law (Japan)
ISO International Organization for Standardization
IUAPC International Union of Pure and Applied Chemistry

KECI Korea Existing Chemicals Inventory

LC... Lethal Concentration, ...%

LD... Lethal Dose, ...%

MARPOL International Convention for the Prevention of Pollution From Ships

NDSL Non-Domestic Substances List
NOAEL no observable adverse effect level
NOEL/NOEC No Observed-effect level/concentration
NZIOC New Zealand Inventory of Chemicals

OECD Organisation for Economic Co-operation and Development

PBT Organisation for Economic Co-operation and Developme

PICCS Philippine Inventory of Chemicals and Chemical Substances

PNEC Predicted No-Effect Concentration
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Règlement concernant le transport international ferroviaire de marchandises dangereuses

TG Test Guideline

TRGS Technische Regeln für Gefahrstoffe
TSCA Toxic Substances Control Act
vPvB very persistent, very bioaccumulative
WGK Wassergefährdungsklasse