

Version: 7.12 Revision Date 14.11.2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name NACOL 6 - 98

REACH No. 01-2119487967-12-0000

Substance name (REACH / CLP) hexan-1-ol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use raw material for cosmetic agents

raw material for textile auxiliary agents

raw material for synthesis processes in the chemical industry

raw material for lubricants and lubricant additives

raw material for fragrances

Solvent

raw material for plasticizers Plant protection products

Uses advised against

1.3 Details of the supplier of the safety data sheet

Company SASOL Germany GmbH

Anckelmannsplatz 1 20537 Hamburg Germany

Telephone: +49 40 63684-1000 Telefax: +49 40 63684-3700

Information (Product safety): Telephone: + 49 (0) 23 65 - 49 47 05

Telefax: +49 (0) 23 65 -49 92 40

E-mail address msds-info.germany@de.sasol.com

1.4 Emergency telephone number

Emergency telephone number + 49 (0) 5 51 - 1 92 40 (GIZ-Nord Poisons Centre)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids Category 3

Acute toxicity Category 4 (Oral)

Acute toxicity Category 4 (Dermal)

Eye irritation Category 2

Flammable liquid and vapour.

Harmful if swallowed.

Harmful in contact with skin.

Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Version: 7.12 Revision Date 14.11.2019

Hazard pictograms





Signal word Warning

Hazard statements

H226 Flammable liquid and vapour.

H302 + H312 Harmful if swallowed or in contact with skin.

H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is a substance in the meaning of regulation (EC) 1907/2006.

COMPONENTS TO BE NAMED IN ACCORDANCE WITH REGULATION (EC) 1907/2006 AS WELL AS OTHER HAZARDOUS INGREDIENTS AND CONTAINED SUBSTANCES WITH WORK PLACE LIMIT VALUES

hexan-1-ol

content: >= 90 - <= 100 % component type: Active ingredient

EC-No.: 203-852-3 Index-No.: 603-059-00-6 CAS-No.: 111-27-3

REACH No.: 01-2119487967-12-0000

Substance name (REACH / CLP): hexan-1-ol

Classification (Regulation (EC) No 1272/2008): Flam. Liq. 3 H226 (EC) No 1272/2008): H302

Acute Tox. 4 (Oral)

Acute Tox. 4 (Dermal)

H312

Eye Irrit. 2

H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures



Version: 7.12 **Revision Date 14.11.2019**

General advice Take off all contaminated clothing immediately. If you feel unwell, seek medical

advice (show the label where possible).

If inhaled Remove from exposure, lie down. If breathing is irregular or stopped, administer

artificial respiration. Monitor breathing, give oxygen if necessary. Consult a

physician.

In case of skin contact Wash off with plenty of water.

In case of eye contact Flush eyes with water as a precaution. If eye irritation persists, consult a specialist.

If swallowed Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed Symptoms: No information available.

Risks: No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special

treatment needed

Treatment: No information available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Water spray, Dry powder, Foam, Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Dangerous gases or fumes may occur in case of fire.

5.3 Advice for firefighters

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information Cool closed containers exposed to fire with water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Remove all Personal precautions

sources of ignition.

6.2 Environmental precautions

Environmental precautions Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal Methods for cleaning up

binder, sawdust).

6.4 Reference to other sections



Version: 7.12 Revision Date 14.11.2019

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment.

Avoid contact with skin and eyes.

Advice on protection against

fire and explosion

Provide sufficient air exchange and/or exhaust in work rooms. Take measures to prevent the build up of electrostatic charge.

Keep product and empty container away from heat and sources of ignition.

Vapours may form explosive mixtures with air.

Fire-fighting class B: Fires involving liquids or liquid containing substances. Also includes substances

which become liquid at elevated temperatures.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Keep tightly closed. Store in original container.

Other data Stable at normal ambient temperature and pressure.

7.3 Specific end use(s)

Specific use(s) This information is not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

National occupational exposure limits

No data available

EUROPEAN OCCUPATIONAL EXPOSURE LIMITS

No data available

DERIVED NO EFFECT LEVEL (DNEL)

Substance name: hexan-1-ol				
End Use	Exposure routes	Value	Note	
Workers	dermal, Acute/short-term exposure - systemic effects		No hazard identified	
	Inhalation, Acute/short-term exposure - systemic effects		No hazard identified	
	dermal, Acute/short-term exposure - local effects		No hazard identified	
	Inhalation, Acute/short-term exposure - local effects		No hazard identified	
	dermal, long-term exposure - systemic effects	28 mg/kg	based on body weight and day	



Version: 7.12 Revision Date 14.11.2019

	Inhalation, long-term exposure - systemic effects	99 mg/m3	
	dermal, long-term exposure - local effects	0,19 mg/cm2	
	Inhalation, long-term exposure - local effects	210 mg/m3	
Consumers	dermal, Acute/short-term exposure - systemic effects		Not relevant / Not applicable
	Inhalation, Acute/short-term exposure - systemic effects		No hazard identified
	Oral, Acute/short-term exposure - systemic effects		No hazard identified
	dermal, Acute/short-term exposure - local effects		No hazard identified
	Inhalation, Acute/short-term exposure - local effects		No hazard identified
	dermal, long-term exposure - systemic effects	14 mg/kg	based on body weight and day
	Inhalation, long-term exposure - systemic effects	24,5 mg/m3	
	Oral, long-term exposure - systemic effects	14 mg/kg	based on body weight and day
	dermal, long-term exposure - local effects		No hazard identified
	Inhalation, long-term exposure - local effects		No hazard identified

PREDICTED NO EFFECT CONCENTRATION (PNEC)

Substance name: hexan-1-ol				
Environmental Compartment	Value	Note		
Fresh water	0,51 mg/l			
Marine water	0,051 mg/l			
intermittent release	4 mg/l			
Sewage treatment plant	62 mg/l			
Fresh water sediment	2,8 mg/kg	based on dry weight		
Marine sediment	0,28 mg/kg	based on dry weight		
Soil	0,25 mg/kg	based on dry weight		
food		Not relevant / Not applicable		
Air		No hazard identified		

8.2 Exposure controls

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection

No personal respiratory protective equipment normally required. In inadequately ventilated areas, where workplace limits are exceeded, where unpleasant odours exist or where aerosols are in use, or smoke and mist occur, use self-contained breathing apparatus or breathing apparatus with a type A filter or appropriate combined filter (e.g. where aerosols are in use, or smoke and mist occur, A-P2 or ABEK-P2), in compliance with EN 141.



Version: 7.12 Revision Date 14.11.2019

Hand protection

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature).

gloves suitable for permanent contact:

Material: Nitrile rubber/nitrile latex Break through time: >= 480 min Layer thickness: 0,35 mm

Material: butyl-rubber

Break through time: >= 480 min Layer thickness: 0,5 mm

gloves suitable for splash protection:

Material: Polychloroprene Break through time: >= 240 min Layer thickness: 0,5 mm

unsuitable gloves

Material: Natural rubber/natural latex, Polyvinylchloride

Eye protection Tightly fitting safety goggles

Protective measures Avoid contact with eyes. Wear suitable gloves and eye/face protection.

ENVIRONMENTAL EXPOSURE CONTROLS

General advice Avoid subsoil penetration.

Do not flush into surface water or sanitary sewer system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state liquid; 20 °C; 1.013 hPa

Form liquid
Colour colourless
Odour characteristic
Odour Threshold 10 ppm

pH Not applicable

Pour point ca. -52 - -49 °C; ISO 3016

Boiling point/boiling range ca. 155 °C

Flash point ca. 60 °C; DIN EN ISO 2719

Evaporation rate No data available

Flammability (solid, gas) not applicable (liquid)



Version: 7.12 **Revision Date 14.11.2019**

Lower explosion limit ca. 1,30 %(V) Upper explosion limit No data available Vapour pressure 3,64 hPa; 38 °C Relative vapour density No data available

Density ca.0,8 g/cm3; 20 °C; DIN 51757

Water solubility 1,3 g/l; 23 °C Partition coefficient: nlog Pow: 1,8

octanol/water

Ignition temperature 313 °C; 1.013 hPa **Auto-ignition temperature** not auto-flammable Viscosity, dynamic ca. 3,64 mPas; 40 °C

Explosive properties Constituents do not contain chemical groups associated with explosivity.

Oxidizing properties not expected based on structure and functional groups

9.2 Other data

None known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Note Stable at normal ambient temperature and pressure.

10.2 Chemical stability

Note Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions Incompatible with strong acids and oxidizing agents.

Hazardous decomposition products formed under fire conditions.

10.4 Conditions to avoid

Conditions to avoid Direct heating, dirt, chemical contamination, sunlight, UV or ionising radiation.

10.5 Incompatible materials to avoid

Materials to avoid Strong acids and oxidizing agents;

10.6 Hazardous decomposition products

Hazardous decomposition

products

No decomposition if stored normally.

Thermal decomposition To avoid thermal decomposition, do not overheat.

SECTION 11: TOXICOLOGICAL INFORMATION



Version: 7.12 Revision Date 14.11.2019

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity Acute toxicity estimate: 500 mg/kg; Calculation method

Acute oral toxicity hexan-1-ol:

LD50 Rat: > 300 - 2.000 mg/kg

(literature value)

Derived from the classification according to Annex VI of Regulation (EC)

1272/2008. Harmful if swallowed.

Acute inhalation toxicity hexan-1-ol:

LC50 Rat: > 21 mg/l; 1 h

(literature value)

Based on available data, the classification criteria are not met.

Acute dermal toxicity hexan-1-ol:

LD50 Rabbit: > 1.000 - 2.000 mg/kg; OECD Test Guideline 402

(literature value)

Harmful in contact with skin.

Skin corrosion/irritation

Skin irritation hexan-1-ol:

Rabbit: slightly irritating; OECD Test Guideline 404

(literature value) hexan-1-ol:

Human: not irritating (literature value)

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Eye irritation hexan-1-ol:

Rabbit: irritating; OECD Test Guideline 405

(literature value)

Causes serious eye irritation.

Respiratory or skin sensitisation

Sensitisation hexan-1-ol:

Draize Test Guinea pig: not sensitizing

(literature value)

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity in vitro hexan-1-ol:

In vitro tests did not show mutagenic effects

Genotoxicity in vivo hexan-1-ol:

In vivo tests did not show mutagenic effects

Remarks hexan-1-ol:

Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks hexan-1-ol:

The substance has been shown to be not genotoxic, therefore it is not expected to

have a carcinogenic potential.

Reproductive toxicity

Reproductive toxicity hexan-1-ol:

Repeated dose toxicity studies gave no indication of adverse effects on



Version: 7.12 Revision Date 14.11.2019

reproductive organs.

RemarksReproductive

hexan-1-ol:

hexan-1-ol:

toxicity

Based on available data, the classification criteria are not met.

Teratogenicity

hexan-1-ol: Did not show teratogenic effects in animal experiments.

Remarks-Teratogenicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Remarks hexan-1-ol:

The substance or mixture is not classified as specific target organ toxicant, single

exposure.

STOT - repeated exposure

Remarks hexan-1-ol:

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure.

Repeated dose toxicity hexan-1-ol:

Rat; Oral; Subchronic toxicity

NOAEL: 1.127 mg/kg (based on body weight and day)

(literature value)

hexan-1-ol:

Rat; Dermal; Subchronic toxicity

NOAEL: 1.000 mg/kg (based on body weight and day); OECD Test Guideline 411

(literature value) Category approach

Aspiration hazard

Aspiration toxicity hexan-1-ol:

Not applicable

Toxicological information hexan-1-ol:

The substance is metabolised and excreted.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish hexan-1-ol:

LC50 (96 h) Pimephales promelas (fathead minnow): > 10 - 100 mg/l; flow-

through test; US EPA 1975

(literature value)

Toxicity to fish - Chronic

toxicity

hexan-1-ol:

The study is not necessary.

Toxicity to daphnia and other

aquatic invertebrates

hexan-1-ol:

EC0 (24 h) Daphnia magna (Water flea): > 100 mg/l; Immobilization; OECD Test

Guideline 202 (literature value)

Toxicity to daphnia and other

aquatic invertebrates - Chronic toxicity

hexan-1-ol:

NOEC (21 d): > 1 - 10 mg/l; reproduction rate; calculated

Structure-activity relationship (SAR)



Version: 7.12 Revision Date 14.11.2019

Toxicity to aquatic plants hexan-1-ol

ErC50 Pseudokirchneriella subcapitata (green algae): > 10 - 100 mg/l; static test;

OECD Test Guideline 201; (literature value)

Toxicity to bacteria hexan-1-ol:

The study is not necessary. Justification: Readily biodegradable.

The substance is not to be considered to be inhibitory to bacteria.

Toxicity to soil dwelling

organisms

hexan-1-ol:

The study is not necessary. exposure considerations

Toxicity to terrestrial flora hexan-1-ol:

The study is not necessary. exposure considerations

Toxicity for other terrestrial non-mammalian fauna

hexan-1-ol:

Studies on birds do not need to be conducted due to large mammalian dataset.

12.2 Persistence and degradability

Biodegradability hexan-1-ol:

Readily biodegradable.; > 60 %; 30 d; aerobic; OECD Test Guideline 301D

(literature value)

12.3 Bioaccumulative potential

Bioaccumulation hexan-1-ol:

Bioaccumulation is unlikely.

12.4 Mobility in soil

Mobility hexan-1-ol:

Adsorption/Soil; Koc: 56; log Koc: 1,75; calculated

Mobile in soils

12.5 Results of PBT and vPvB assessment

Results of PBT assessment This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative

(vPvB) at levels of 0.1% or higher.

Results of PBT assessment hexan-1-ol:

This substance is not considered to be persistent, bioaccumulating and toxic

(PBT).

This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

12.6 Other adverse effects

General advice hexan-1-ol:

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Can be incinerated, when in compliance with local regulations.

waste code of the European

Union: EWC

A waste code in accordance with the European Waste Catalogue (EWC) may not be assigned to this product since it admits of a classification only when the consumer uses it for some purpose. The waste code must be determined in

agreement with the regional waste disposal authority or company.



Version: 7.12 Revision Date 14.11.2019

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR 2282
RID 2282
ADN 2282
IMDG 2282
ICAO/IATA 2282

14.2 Proper shipping name

ADR HEXANOLS
RID HEXANOLS
ADN HEXANOLS
IMDG HEXANOLS
ICAO/IATA HEXANOLS

14.3 Transport hazard class

ADR 3
RID 3
ADN 3
IMDG 3
ICAO/IATA 3

14.4 Packing group

ADR III
RID III
ADN III
IMDG III
ICAO/IATA III

14.5 Environmental hazards

ADR Environmentally hazardous no RID Environmentally hazardous no ADN Environmentally hazardous no IMDG Marine pollutant no ICAO/IATA Environmentally hazardous no

14.6 Special precautions for user

ADR Hazard Identification Number 30
Labels 3
Tunnel restriction code (D/E)

IMDG Labels 3

EmS Number 1 F-E

EmS Number 2 S-D

ICAO/IATA Labels 3



Version: 7.12 **Revision Date 14.11.2019**

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks No information available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational restrictions Employment restrictions for children and young workers in accordance with Directive 94/33/EC and the respective national provisions are to be observed.

NATIONAL/OTHER REGULATIONS

Legislation on the control of major-accident hazards involving dangerous

substances

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

list entry in the directive:: FLAMMABLE LIQUIDS; P5c

Qualifying quantity 1: 5.000 t; Qualifying quantity 2: 50.000 t;

Directive 1999/13/EC (VOC)

The question whether this product or components thereof has/have to be considered as volatile organic compound/compounds (VOC) as defined by Directive 1999/13/EU can only be answered when detailed knowledge on the use as solvent in connection with certain activities in certain facilities is available.

NOTIFICATION STATUS

Switzerland. Consolidated Inventory (based on EU-EINECS and EU-NLP)	CH INV	listed (product or constituents are listed)
Canadian Domestic Substances List (DSL)	DSL	listed (product or constituents are listed)
Australia Inventory of Chemical Substances (AICS)	AICS	listed (product or constituents are listed)
Japan. ENCS - Existing and New Chemical Substances Inventory	ENCS (JP)	listed (product or constituents are listed)
Japan. ISHL - Inventory of Chemical Substances	ISHL (JP)	listed (product or constituents are listed)
Korea. Korean Existing Chemicals Inventory (KECI)	KECI (KR)	listed (product or constituents are listed)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	PICCS (PH)	listed (product or constituents are listed)
China. Inventory of Existing Chemical Substances in China (IECSC)	IECSC	listed (product or constituents are listed)
Taiwan Chemical Substance Inventory (TCSI)	TCSI	listed (product or constituents are listed)
United States TSCA Inventory	TSCA	listed (product or constituents are listed)

Please note: the names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in chapter 3.

15.2 Chemical safety assessment



Version: 7.12 Revision Date 14.11.2019

hexan-1-ol

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H319 Causes serious eye irritation.

Safety datasheet sections which have been updated:

- 6. Accidental release measures
- 7. Handling and storage
- 8. Exposure controls/personal protection
- 11. Toxicological information
- 12. Ecological information
- 2. Hazards identification
- 3. Composition/information on ingredients
- 7. Handling and storage
- 8. Exposure controls/personal protection
- 9. Physical and chemical properties
- 11. Toxicological information
- 12. Ecological information
- 15. Regulatory information

Further information:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This safety datasheet only contains information relating to safety and does not

replace any product information or product specification.

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route

AICS Australian Inventory of Chemical Substances
ANSI American National Standards Institute
ASTM American Society of Testing and Materials (US)

BCF Bioconcentration factor

CLP Regulation on Classification, Labelling and Packaging of Substances and Mixtures

DIN Deutsches Institut für Normung
DNEL Derived No-Effect Level
DSL Domestic Substances List
Eff... Effect concentration ... %

EC... Effect concentration ... %
ENCS Existing Notified Chemical Substances (Japan)

EWC European Waste Catalogue

IATA International Air Transport Association

IBC Intermediate Bulk Container

ICAO International Civil Aviation Organization



Version: 7.12 **Revision Date 14.11.2019**

IMDG International Maritime Dangerous Goods IMO International Maritime Organization ISHL Industrial Safety and Health Law (Japan) ISO International Organization for Standardization International Union of Pure and Applied Chemistry Korea Existing Chemicals Inventory IUAPC

KECI

Lethal Concentration, ...% LC...

LD... Lethal Dose, ...%

MARPOL International Convention for the Prevention of Pollution From Ships

NDSL NOAEL Non-Domestic Substances List no observable adverse effect level NOEL/NOEC No Observed-effect level/concentration New Zealand Inventory of Chemicals NZIoC

OECD Organisation for Economic Co-operation and Development

PBT persistent, bioaccumulative, toxic

PICCS Philippine Inventory of Chemicals and Chemical Substances

PNEC

Predicted No-Effect Concentration Registration, Evaluation, Authorisation and Restriction of Chemicals REACH

RID Règlement concernant le transport international ferroviaire de marchandises dangereuses

Test Guideline

TRGS Technische Regeln für Gefahrstoffe Toxic Substances Control Act very persistent, very bioaccumulative Wassergefährdungsklasse **TSCA** vPvB WGK

Annex

Attachments to the safety data sheet and/or lists of the identified uses for the listed substances can be downloaded using the internet links below.

hexan-1-ol

http://www.sasolgermany.de/fileadmin/doc/productsafety/Annex/000000015305_EN_01.pdf